

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
ZEUGLOPTERA									
Micropterigoidea									
Micropterigidae									
MICROPTERIX Hübner, 1825									
<i>calthella</i> (Linnaeus, 1761)		B	M	2	3	2	7	III	
<i>aruncella</i> (Scopoli, 1763)		B	M	2	2	1	5	IV	
<i>myrtetella</i> Zeller, 1850			M*	2	3	4	9	II	
<i>aureatella</i> (Scopoli, 1763)		B	M	2	2	3	7	III	
<i>osthelderi</i> Heath, 1975		B*	M	2	2	4	8	III	
<i>schaefferi</i> Heath, 1975		B	M*	2	2	3	7	III	
<i>mansuetella</i> Zeller, 1844			M*	2 ?	2	5	9 ?	II ?	
<i>tunbergella</i> (Fabricius, 1787)		B	M	2	2	3	7	III	
GLOSSATA									
DACNONYPHA									
Eriocranioidea									
Eriocraniidae									
DYSERIOCRANIA Spuler, 1910									
<i>subpurpurella</i> (Haworth, 1828)		B	M	4	1	1	6	IV	
PARACRANIA Zagulajev, 1992									
<i>chrysolepidella</i> Zeller, 1851		B	M*	3	2	4	9	II	
HERINGOCRANIA Kuznetsov, 1941									
<i>unimaculella</i> (Zetterstedt, 1839)		B	M	4	1	1	6	IV	
ERIOCRANIA Zeller, 1851									
<i>sparrmannella</i> (Bosc, 1791)		B	M	4	2	3	9	II	
<i>salopiella</i> (Stainton, 1854)		B	M*	4	2	4	10	II	
<i>cicatricella</i> (Zetterstedt, 1839)		B	M	4	2	2	8	III	
<i>sangii</i> (Wood, 1891)		B*	M*	4	2	3	9	II	
<i>semipurpurella</i> (Stephens, 1835)		B	M	4	2	2	8	III	
EXOPORIA									
Hepialoidea									
Hepialidae									
TRIODIA Hübner, 1820									

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>sylvina</i> (Linnaeus, 1761)		B	M	2	1	2	5	IV	
KORSCHTELLEUS Börner, 1920									
<i>lupulina</i> (Linnaeus, 1758)		B	M	2	2	3	7	III	
<i>fusconebulosa</i> (De Geer, 1778)		B	M	2	1	3	6	IV	
PHYMATOPUS Wallengren, 1869									
<i>hecta</i> (Linnaeus, 1758)		B	M	2	2	2	6	IV	
HEPIALUS Fabricius, 1775									
<i>humuli</i> (Linnaeus, 1758)		B	M	2	2	4	8	III	
HETERONEURA									
MONOTRYZIA									
Nepticuloidea									
Nepticulidae									
SIMPLIMORPHA Scoble, 1983									
<i>promissa</i> (Staudinger, 1870)	I		M*	5	1	4	10	III	-1
ENTEUCHA Meyrick, 1915									
<i>acetosae</i> (Stainton, 1854)		B*	M	4	2	4	10	II	
STIGMELLA Schrank, 1802									
<i>naturnella</i> (Klimesch, 1936)		B*	M	5	2	4	11	I	
<i>lapponica</i> (Wocke, 1862)		B	M*	4	2	3	9	II	
<i>confusella</i> (Wood et Walsingham, 1894)		B	M*	4	3	4	11	I	
<i>freyella</i> (Heyden, 1858)		B	M	3	2	4	9	II	
<i>tiliae</i> (Frey, 1856)		B	M	4	1	1	6	IV	
<i>betulicola</i> (Stainton, 1856)		B	M	4	1	1	6	IV	
<i>nivenburgensis</i> (Preissecker, 1942)		B*	M	4	1	4	9	II	
<i>sakhalinella</i> Puplesis, 1984		B	M	4	2	4	10	II	
<i>luteella</i> (Stainton, 1857)		B	M	4	2	2	8	III	
<i>glutinosae</i> (Stainton, 1858)		B	M	4	2	2	8	III	
<i>alnetella</i> (Stainton, 1856)		B	M	4	2	2	8	III	
<i>microtheriella</i> (Stainton, 1854)		B	M	3	1	1	5	IV	
<i>prunetorum</i> (Stainton, 1855)		B	M	3	2	2	7	III	
<i>aceris</i> (Frey, 1857)		B	M	4	1	2	7	III	
<i>malella</i> (Stainton, 1854)		B	M	4	1	2	7	III	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>rhamnella</i> (Herrich-Schäffer, 1860)		B	M	5	2	3	10	II	
<i>catharticella</i> (Stainton, 1853)		B	M	5	2	2	9	II	
<i>centifoliella</i> (Zeller, 1848)		B	M	3	1	1	5	IV	
<i>anomalella</i> (Goeze, 1783)		B	M	3	1	1	5	IV	
<i>ulmivora</i> (Fologne, 1860)		B	M	4	2	2	8	III	
<i>ulmiphaga</i> (Priessecker, 1942)		(B)	M	4	2	4	10	II	
<i>viscerella</i> (Stainton, 1853)		B	M	4	2	3	9	II	
<i>sanguisorbae</i> (Wocke, 1865)		B*	M*	5	3	4	12	I	
<i>thuringiaca</i> (Petry, 1904)		B	M	3	2	2	7	III	
<i>rolandi</i> Nieukerken, 1990		B*	M*	3	3	4	10	II	
<i>paradoxa</i> (Frey, 1858)		(B)	M	4	2	3	9	II	
<i>regiella</i> (Herrich-Schäffer, 1855)		B	M	4	2	3	9	II	
<i>crataegella</i> (Klimesch, 1936)		B	M*	4	2	2	8	III	
<i>hahniella</i> (Wörz, 1937)			M	5	3	4	12	I	
<i>magdalenae</i> (Klimesch, 1950)		B	M*	3	2	3	8	III	
<i>nylandriella</i> (Tengström, 1848)		B	M	3	2	3	8	III	
<i>oxyacanthella</i> (Stainton, 1854)		B	M	3	1	2	6	IV	
<i>pyri</i> (Glitz, 1865)		B	M	4	2	3	9	II	
<i>minusculella</i> (Herrich-Schäffer, 1855)		B	M	4	2	3	9	II	
<i>stettinensis</i> (Heinemann, 1871)		B*	M*	3	2	4	9	II	
<i>desperatella</i> (Frey, 1856)		B	M	3	1	1	5	IV	
<i>hybnerella</i> (Hübner, 1796)		B	M	3	2	2	7	III	
<i>mespilicola</i> (Frey, 1856)		B	M	3	3	3	9	II	
<i>floslactella</i> (Haworth, 1828)		B	M	3	2	3	8	III	
<i>carpinella</i> (Heinemann, 1862)		B	M	5	2	3	10	II	
<i>tityrella</i> (Stainton, 1854)		B	M	5	2	1	8	III	
<i>salicis</i> (Stainton, 1854)		B	M	4	1	1	6	IV	
<i>vimineticola</i> (Frey, 1856)		B*	M	4	2	4 ?	10 ?	II ?	
<i>myrtillella</i> (Stainton, 1857)		B	M	4	3	3	10	II	
<i>zelleriella</i> (Snellen, 1875)		B*		4	3	5	12	I	
<i>obliquella</i> (Heinemann, 1862)		B	M	4	2	2	8	III	
<i>pallidiciliella</i> (Klimesch, 1946)		B*	M*	5	3	4	12	I	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>trimaculella</i> (Haworth, 1828)		B	M	4	1	1	6	IV	
<i>assimilella</i> (Zeller, 1848)		B	M	4	2	3	9	II	
<i>sorbi</i> (Stainton, 1861)		B	M	3	3	4	10	II	
<i>plagicolella</i> (Stainton, 1854)		B	M	3	1	1	5	IV	
<i>lemniscella</i> (Zeller, 1839)		B	M	4	2	1	7	III	
<i>continuella</i> (Stainton, 1856)		B	M	5	3	4	12	I	
<i>aurella</i> (Fabricius, 1775)		B	M	3	2	3	8	III	
<i>splendidissimella</i> (Herrich-Schäffer, 1855)		B	M	3	1	1	5	IV	
<i>pretiosa</i> (Heinemann, 1862)		B*	M*	3	2	4	9	II	
<i>aeneofasciella</i> (Herrich-Schäffer, 1855)		B	M	3	2	2	7	III	
<i>tormentillella</i> (Herrich-Schäffer, 1860)		B	M	4	3	4	11	I	
<i>poterii</i> (Stainton, 1857)		B	M	3	3	4	10	II	
<i>filipendulae</i> (Wocke, 1871)		B*	M*	5	3	4	12	I	
<i>lediella</i> (Schleich, 1867)		B	M	5	3	4	12	I	
<i>speciosa</i> (Frey, 1858)		B	M	5	2	3	10	II	
<i>perpygmaeella</i> (Doubleday, 1859)		B	M	4	2	3	9	II	
<i>incognitella</i> (Herrich-Schäffer, 1855)		B	M	4	2	3	9	II	
<i>hemargyrella</i> (Kollar, 1832)		B	M	5	2	1	8	III	
<i>lonicerarum</i> (Frey, 1857)		B	M	5	2	3	10	II	
<i>basiguttella</i> (Heinemann, 1862)		B	M	4	2	2	8	III	
<i>zangherii</i> (Klimesch, 1951)			M*	5	3	4	12	I	
<i>szoecsiella</i> (Borkowski, 1972)			M*	5	3	5	13	I	
<i>dorsiguttella</i> (Johansson, 1971)		B*	M*	4	2	3	9	II	
<i>ruficapitella</i> (Haworth, 1828)		B	M	4	1	1	6	IV	
<i>atricapitella</i> (Haworth, 1828)		B	M	4	1	1	6	IV	
<i>samiatella</i> (Zeller, 1839)		B	M	4	2	3	9	II	
<i>roborella</i> (Johansson, 1971)		B	M*	4	2	2	8	III	
<i>eberhardi</i> (Johansson, 1971)		B*	M*	4	3	4	11	I	
ACALYPTRIS Meyrick, 1921									
<i>loranthella</i> (Klimesch, 1937)			M	5	2	4	11	I	
GLAUCOLEPIS Braun, 1917									
<i>melanoptera</i> Nieukerken et Puplesis, 1991		B*	M*	4 ?	2	4	10 ?	II ?	

[illegible]

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>atrifrontella</i> (Stainton, 1851)		B*	M*	4	2	1	7	III	
<i>liebwerdella</i> Zimmermann, 1940		B	M	5	1	2	8	III	
<i>longicaudella</i> Klimesch, 1953		B*	M	4	2	3	9	II	
<i>reichli</i> Laštůvka et Laštůvka, 1998			M*	?	3 ?	4	7	?	
<i>amani</i> Svensson, 1966		B	M	5	3	4	12	I	
Ectoedemia Busck, 1907									
<i>intimella</i> (Zeller, 1848)		B	M	4	1	2	7	III	
<i>hannoverella</i> (Glitz, 1872)		B	M	4	1	1	6	IV	
<i>turbidella</i> (Zeller, 1848)		B	M	4	1	2	7	III	
<i>klimeschi</i> (Skala, 1933)		B	M	5	2	3	10	II	
<i>argyropeza</i> (Zeller, 1839)		B	M	5	1	1	7	III	
<i>preisseckeri</i> (Klimesch, 1941)			M	5	3	4 ?	12 ?	I ?	
<i>caradjai</i> (Groschke, 1944)		B*	M*	5	3	4	12	I	
<i>gilvipennella</i> (Klimesch, 1946)			M	5	3	5	13	I	
<i>rufifrontella</i> (Caradja, 1920)			M*	5	3	4	12	I	
<i>albifasciella</i> (Heinemann, 1871)		B	M	4	2	1	7	III	
<i>cerris</i> (Zimmermann, 1944)			M	5	3	4	12	I	
<i>contorta</i> Nieukerken, 1985			M	5	3	4	12	I	
<i>subbimaculella</i> (Haworth, 1828)		B	M	3	2	1	6	IV	
<i>heringi</i> (Toll, 1934)		B	M	3	2	2	7	III	
<i>liechtensteini</i> Zimmermann, 1944			M	5	3	4	12	I	
<i>agrimoniae</i> (Frey, 1858)		B	M	5	3	3	11	I	
<i>angulifasciella</i> (Stainton, 1849)		B	M	3	2	2	7	III	
<i>arcuatella</i> (Herrich-Schäffer, 1855)		B	M*	4	2	3	9	II	
<i>atricollis</i> (Stainton, 1857)		B	M	2	1	1	4	IV	
<i>rubivora</i> (Wocke, 1860)		B*	M	4	2	3	9	II	
<i>spinosella</i> (Joannis, 1908)		B	M	3	2	4	9	II	
<i>mahalebella</i> (Klimesch, 1936)			M	3	3	4	10	II	
<i>occultella</i> (Linnaeus, 1767)		B	M	4	1	2	7	III	
<i>minimella</i> (Zetterstedt, 1839)		B	M*	4	3	4	11	I	
Opostegidae									
OPOSTEGA Zeller, 1839									

[illegible]

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>metallella</i> (Denis et Schiffermüller, 1775)		B	M	5	2	3	10	II	
<i>treitschkiella</i> (Fischer von Röslerstamm, 1843)		B	M	4	3	3	10	II	
<i>petryi</i> Martini, 1899		B*	(M)	5	3	4	12	I	
HELIOZELA Herrich-Schäffer, 1853									
<i>sericiella</i> (Haworth, 1828)		B	M	4	2	2	8	III	
<i>resplendella</i> (Stainton, 1851)		B*	M	5	3	3	11	I	
<i>hammoniella</i> Sorhagen, 1885			M	4	2	5	11	I	
COPTODISCA Walsingham, 1895									
<i>luciflua</i> (Clemens, 1861)	I	B*	M*	5	1	2	8	IV	-1
<i>juglandiella</i> (Chambers, 1874)	I		M*	5	1	4	10	III	-1
NEMOPHORA Hofmannsegg, 1798									
<i>degeerella</i> (Linnaeus, 1758)		B	M	3	1	1	5	IV	
<i>congruella</i> Fischer von Röslerstamm, 1840		B	M	5	3	4	12	I	
<i>ochsenheimerella</i> (Hübner, 1813)		B	M	5	3	4	12	I	
<i>raddaella</i> (Hübner, 1813)			M	5	3	4	12	I	
<i>metallica</i> (Poda, 1761)		B	M	4	2	3	9	II	
<i>pfeifferella</i> (Hübner, 1813)		B*	M	3	3	4	10	II	
<i>cupriacella</i> (Hübner, 1819)		B	M	3	3	3	9	II	
<i>violellus</i> (Stainton, 1851)		B*	M	4	3	4	11	I	
<i>prodigellus</i> (Zeller, 1853)			M	5	3	5	13	I	
<i>fasciella</i> (Fabricius, 1775)		B	M	5	2	3	10	II	
<i>minimella</i> (Denis et Schiffermüller, 1775)		B	M	3	3	3	9	II	
<i>dumerilella</i> Duponchel, 1839		B	M	5	3	4	12	I	
<i>associatella</i> Zeller, 1839		B*	M	5	3	3	11	I	
ADELA Latreille, 1796									
<i>croesella</i> (Scopoli, 1763)		B	M	5	2	2	9	II	
<i>reaumurella</i> (Linnaeus, 1758)		B	M	3	2	1	6	IV	
<i>violella</i> (Denis et Schiffermüller, 1775)		B	M	4	2	1	7	III	
<i>mazzolella</i> (Hübner, 1796)		B	M	3	2	3	8	III	
<i>cuprella</i> (Denis et Schiffermüller, 1775)		B	M	4	2	3	9	II	
CAUCHAS Zeller, 1839									
<i>leucocerella</i> (Scopoli, 1763)		B	M	5	3	4	12	I	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>rufimitrella</i> (Scopoli, 1763)		B	M	3	2	2	7	III	
<i>fibulella</i> (Denis et Schiffermüller, 1775)		B	M	5	1	1	7	III	
<i>rufifrontella</i> (Treitschke, 1833)		B	M	5	2	4	11	I	
NEMATOPOGON Zeller, 1839									
<i>pilella</i> (Denis et Schiffermüller, 1775)		B	M	2	2	2	6	IV	
<i>schwarziellus</i> Zeller, 1839		B	M	2	2	2	6	IV	
<i>adansoniella</i> (de Villers, 1789)		(B)	M	2	2	4	8	III	
<i>metaxella</i> (Hübner, 1813)		B	M	2	2	4	8	III	
<i>swammerdamella</i> (Linnaeus, 1758)		B	M	3	1	1	5	IV	
<i>robertella</i> (Clerck, 1759)		B	M	3	2	2	7	III	
Tischerioidea									
Tischeriidae									
TISCHERIA Zeller, 1839									
<i>ekebladella</i> (Bjerkander, 1795)		B	M	3	1	1	5	IV	
<i>dodonaea</i> Stainton, 1858		B	M	3	2	3	8	III	
<i>decidua</i> Wocke, 1876		B	M	4	2	2	8	III	
COPTOTRICHE Walsingham, 1890									
<i>marginea</i> (Haworth, 1828)		B	M	3	1	1	5	IV	
<i>heinemanni</i> Wocke, 1871		B	M	3	2	2	7	III	
<i>gaunacella</i> (Duponchel, 1843)		B	M	4	2	2	8	III	
<i>angusticollella</i> (Duponchel, 1843)		B	M	4	1	1	6	IV	
DITRYZIA									
Tineoidea									
Psychidae									
Eumasiinae									
EUMASIA Chrétien, 1904									
<i>parietariella</i> (Heydenreich, 1851)		B	M*	3	3	4	10	II	
Naryciinae									
NARYCIA Stephens, 1836									
<i>duplicella</i> (Goeze, 1783)		B	M	3	2	3	8	III	
<i>astrella</i> (Herrich-Schäffer, 1851)		B*	M*	3	3	4	10	II	
DIPLODOMA Zeller, 1852									

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>laichartingella</i> (Goeze, 1783)		B	M	3	2	2	7	III	
DAHLICA Enderlein, 1912									
<i>charlottae</i> (Meier, 1957)		B*	M*	3	2	3	8	III	
<i>triquetrella</i> (Hübner, 1813)		B	M	3	1	1	5	IV	
<i>lichenella</i> (Linnaeus, 1761)		B*	M*	3	2	3	8	III	
<i>nickerlii</i> (Heinemann, 1870)		B	M	3	2	4	9	II	
<i>wockii</i> (Heinemann, 1870)		B	M	3	2	3	8	III	
<i>sauteri</i> (Hättenschwiler, 1977)		B*	M	3	3	4	10	II	
<i>mannii</i> (Zeller, 1852)		B	M	3	2	3	8	III	
<i>clathrella</i> (Fischer von Röslerstamm, 1837)			M*	3	2	4	9	II	
<i>listerella</i> (Linnaeus, 1758)		B	M*	3	2	3	8	III	
Taleporiinae									
TALEPORIA Hübner, 1825									
<i>politella</i> (Ochsenheimer, 1816)		B	M	3	2	4	9	II	
<i>tubulosa</i> (Retzius, 1783)		B	M	3	1	1	5	IV	
Psychinae									
BACOTIA Tutt, 1899									
<i>claustralla</i> (Bruand, 1845)		B	M	3	2	3	8	III	
PROUTIA Tutt, 1899									
<i>betulina</i> (Zeller, 1839)		B	M	3	1	1	5	IV	
PSYCHE Schrank, 1801									
<i>casta</i> (Pallas, 1767)		B	M	3	1	1	5	IV	
<i>crassiorella</i> (Bruand, 1851)		B	M	3	2	2	7	III	
Epichnopteryginae									
BIJUGIS Heylaerts, 1881									
<i>bombycella</i> (Denis et Schiffermüller, 1775)		B	M	3	2	4	9	II	
<i>pectinella</i> (Denis et Schiffermüller, 1775)		B	M	3	2	4	9	II	
REBELIA Heylaerts, 1900									
<i>sapho</i> (Millière, 1868)			M	3	3	4	10	II	
<i>plumella</i> (Ochsenheimer, 1810)		B	M	3	3	5	11	I	
<i>bavarica</i> Wehrli, 1926		B*	M	3	3	4	10	II	
<i>kruegeri</i> Turati, 1944			M*	3	3	5	11	I	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>surientella</i> (Bruand, 1858)			M*	3	3	5	11	I	
PSYCHIDEA Rambur, 1866									
<i>nudella</i> (Ochsenheimer, 1810)		(B)	M*	3	2	4	9	II	
ACENTRA Burrows, 1932									
<i>subvestalis</i> (Wehrli, 1933)			M	3	2	4	9	II	
EPICHOPTERIX Hübner, 1825									
<i>plumella</i> (Denis et Schiffermüller, 1775)		B	M	3	2	2	7	III	
<i>sieboldii</i> (Reutti, 1853)		B*		3	3	5	11	I	
<i>kovacsi</i> Sieder, 1955			M*	3	3	5	11	I	
<i>ardua</i> (Mann, 1867)		(B)	M	3	3	4 ?	10 ?	II ?	
WHITTLEIA Tutt, 1900									
<i>schwingenschussi</i> Rebel, 1910			M	2	3	5	10	II	
Oiketicinae									
ACANTHOPSYCHE Heylaerts, 1881									
<i>atra</i> (Linnaeus, 1767)		B	M	3	3	3	9	II	
CANEPHORA Hübner, 1822									
<i>hirsuta</i> (Poda, 1761)		B	M	2	2	2	6	IV	
PACHYTHELIA Westwood, 1848									
<i>villosella</i> (Ochsenheimer, 1810)		B	M	2	2	4	8	III	
PTILOCEPHALA Rambur, 1866									
<i>muscella</i> (Denis et Schiffermüller, 1775)		B	M	3	3	4	10	II	
<i>plumifera</i> (Ochsenheimer, 1810)		B	M	3	2	3	8	III	
MEGALOPHANES Heylaerts, 1881									
<i>viciella</i> (Denis et Schiffermüller, 1775)		B	M	2	2	3	7	III	
<i>stetinensis</i> (Hering, 1846)			M	2	3	4	9	II	
PHALACROPTERIX Hübner, 1825									
<i>graslinella</i> (Boisduval, 1852)		B	M*	2	3	4	9	II	
STERRHOPTERIX Hübner, 1825									
<i>fusca</i> (Haworth, 1809)		B	M	1	2	3	6	IV	
<i>standfussi</i> (Wocke, 1851)		B	M	2	3	4	9	II	
APTERONA Milliére, 1857									
<i>helicoidella</i> (Vallot, 1827)		B	M	1	2	2	5	IV	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
Meesiidae									
<i>EUDARCIA</i> Clemens, 1890									
<i>confusella</i> (Heydenreich, 1851)			M	3	3	4	10	II	
<i>pagenstecherella</i> Hübner, 1825		B*	M*	3	3	4	10	II	
<i>richardsoni</i> (Walsingham, 1900)			M*	?	3 ?	5	8	?	
<i>kasyi</i> (G. Petersen, 1971)	I		M*	?	?	5	5	?	
Tineidae									
Euplocaminae									
<i>EUPLOCAMUS</i> Latreille, 1809									
<i>anthracinalis</i> (Scopoli, 1763)		B	M	3	3	4	10	II	
Scardiinae									
<i>MONTESCARDIA</i> Amsel, 1952									
<i>tessulatella</i> (Lienig et Zeller, 1846)		B	M	3	1	1	5	IV	
<i>SCARDIA</i> Treitschke, 1830									
<i>boletella</i> (Fabricius, 1794)		B*	M	4	3	4	11	I	
<i>MOROPHAGA</i> Herrich-Schäffer, 1853									
<i>choragella</i> (Denis et Schiffermüller, 1775)		B	M	3	2	1	6	IV	
Nemapogoninae									
<i>TRIAXOMERA</i> Zagulajev, 1959									
<i>fulvimitrella</i> (Sodoffsky, 1830)		B	M	3	2	4	9	II	
<i>parasitella</i> (Hübner, 1796)		B	M	3	2	2	7	III	
<i>ARCHINEMAPOGON</i> Zagulajev, 1962									
<i>yildizae</i> Koçak, 1981		B	M	3	2	2	7	III	
<i>NEMAXERA</i> Zagulajev, 1964									
<i>betulinella</i> (Paykull, 1785)		B	M	3	2	3	8	III	
<i>NEMAPOGON</i> Schrank, 1802									
<i>granella</i> (Linnaeus, 1758)		B	M	3	1	1	5	IV	
<i>cloacella</i> (Haworth, 1828)		B	M	3	1	1	5	IV	
<i>koenigi</i> Capuse, 1976		B	M	3	2	4	9	II	
<i>inconditella</i> (Lucas, 1956)		B*	M	3 ?	2	4	9 ?	II ?	
<i>ruricolella</i> (Stainton, 1849)		B	M	3	2	3	8	III	
<i>variatella</i> (Clemens, 1859)		B	M	2	1	4	7	III	

[illegible]

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>insectella</i> (Fabricius, 1794)		B	M	2	1	2	5	IV	
<i>ditella</i> Pierce et Diakonoff, 1958		B	M*	2	2	4	8	III	
CEPHIMALLOTA Bruand, 1851									
<i>praetoriella</i> (Christoph, 1872)		B*		4 ?	3	4	11 ?	I ?	
<i>angusticostella</i> (Zeller, 1839)		B*	M*	4 ?	3	4	11 ?	I ?	
<i>crassiflavella</i> (Bruand, 1850)		B	M*	4 ?	3	4	11 ?	I ?	
REISSERITA Agenjo, 1952									
<i>relicinella</i> (Herrich-Schäffer, 1853)		(B)	M*	3 ?	3	4	10 ?	II ?	
TRICHOPHAGA Ragonot, 1894									
<i>tapetzella</i> (Linnaeus, 1758)		B	M	2	1	3	6	IV	
<i>scandinaviella</i> Zagulajev, 1960		B*	M*	?	?	4	4	?	
ELATOBIA Herrich-Schäffer, 1853									
<i>fuliginosella</i> (Lienig et Zeller, 1846)		B*	M*	4	3	4	11	I	
TINEOLA Herrich-Schäffer, 1853									
<i>bisselliella</i> (Hummel, 1823)		B	M	1	1	1	3	IV	
TINEA Linnaeus, 1758									
<i>pellionella</i> (Linnaeus, 1758)		B	M	1	1	2	4	IV	
<i>translucens</i> Meyrick, 1917	I	B	M	4	1	4	9	II	
<i>dubiella</i> Stainton, 1859		B	M	2	1	3	6	IV	
<i>pallescentella</i> Stainton, 1851	I	B	M	1	1	3	5	IV	
<i>steueri</i> Petersen, 1966		B*	M*	3	1	3	7	III	
<i>omichlopi</i> (Meyrick, 1928)			M*	2	2	4	8	III	
<i>columbariella</i> Wocke, 1877		B	M	2	1	1	4	IV	
<i>semifulvella</i> Haworth, 1828		B	M	2	2	1	5	IV	
<i>trinotella</i> Thunberg, 1794		B	M	2	1	1	4	IV	
NIDITINEA G. Petersen, 1957									
<i>fuscella</i> (Linnaeus, 1758)		B	M	1	1	1	3	IV	
<i>striolella</i> (Matsumura, 1931)		B*	M	2	3	3	8	III	
<i>truncicolella</i> (Tengström, 1847)		B*	M*	5	3	4	12	I	
MONOPIS Hübner, 1825									
<i>laevigella</i> (Denis et Schiffermüller, 1775)		B	M	1	1	1	3	IV	
<i>neglecta</i> Šumpich et Liška, 2011			M*	1 ?	3	4	8 ?	III ?	

[illegible]

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>alpicella</i> (Stainton, 1851)		B*		5	3	4	12	I	
PSEUDOSWAMMERDAMIA Friese, 1960									
<i>combinella</i> (Hübner, 1786)		B	M	4	2	3	9	II	
SWAMMERDAMIA Hübner, 1825									
<i>caesiella</i> (Hübner, 1796)		B	M	4	2	2	8	III	
<i>pyrella</i> (de Villers, 1789)		B	M	3	1	1	5	IV	
<i>compunctella</i> (Herrich-Schäffer, 1855)		B	M	3	2	3	8	III	
PARASWAMMERDAMIA Friese, 1960									
<i>albicapitella</i> (Scharfenberg, 1805)		B	M	5	2	3	10	II	
<i>nebulella</i> (Goeze, 1783)		B	M	3	2	2	7	III	
CEDESTIS Zeller, 1839									
<i>gysseleniella</i> Zeller, 1839		B	M	4	3	2	9	II	
<i>subfasciella</i> (Stephens, 1834)		B	M	4	3	2	9	II	
OCNEROSTOMA Zeller, 1847									
<i>piniariella</i> Zeller, 1847		B	M	4	2	1	7	III	
<i>friesei</i> Svensson, 1966		B	M	4	2	1	7	III	
NIPHONYMPHA Meyrick, 1914									
<i>dealbatella</i> (Zeller, 1847)		B*	M*	4	3	4	11	I	
Ypsolophidae									
Ypsolophinae									
YPSOLOPHA Latreille, 1796									
<i>mucronella</i> (Scopoli, 1763)		B	M	4	2	2	8	III	
<i>nemorella</i> (Linnaeus, 1758)		B	M	3	2	4	9	II	
<i>dentella</i> (Fabricius, 1775)		B	M	3	2	2	7	III	
<i>falcella</i> (Denis et Schiffermüller, 1775)		B	M	3	2	3	8	III	
<i>asperella</i> (Linnaeus, 1761)		B	M	3	2	3	8	III	
<i>scabrella</i> (Linnaeus, 1761)		B	M	3	2	1	6	IV	
<i>horridella</i> (Treitschke, 1835)		B	M	3	2	2	7	III	
<i>lucella</i> (Fabricius, 1775)		B	M	4	2	3	9	II	
<i>persicella</i> (Denis et Schiffermüller, 1775)		B*	M	4	2	4	10	II	
<i>alpella</i> (Denis et Schiffermüller, 1775)		B	M	4	2	3	9	II	
<i>sylvella</i> (Linnaeus, 1767)		B	M	4	2	2	8	III	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>parenthesella</i> (Linnaeus, 1761)		B	M	2	2	2	6	IV	
<i>ustella</i> (Clerck, 1759)		B	M	4	2	1	7	III	
<i>sequella</i> (Clerck, 1759)		B	M	4	2	1	7	III	
<i>vittella</i> (Linnaeus, 1758)		B	M	4	2	3	9	II	
<i>coriacella</i> (Herrich-Schäffer, 1854)		B	M	5	3	4	12	I	
<i>chazariella</i> (Mann, 1866)		B*	M*	5	2	4	11	I	
Ochsenheimeriinae									
OCHSENHEIMERIA Hübner, 1825									
<i>taurella</i> (Denis et Schiffermüller, 1775)		B	M	3	2	4	9	II	
<i>urella</i> Fischer von Röslerstamm, 1842		B*	M	3	2	4	9	II	
<i>vacculella</i> Fischer von Röslerstamm, 1842		B	M*	3	2	3	8	III	
Plutellidae									
PLUTELLA Schrank, 1802									
<i>xylostella</i> (Linnaeus, 1758)	M	B	M	3	1	1	5	IV	
<i>porrectella</i> (Linnaeus, 1758)		B	M	5	2	3	10	II	
RHIGOGNOSTIS Zeller, 1857									
<i>senilella</i> (Zetterstedt, 1839)		B	M	3	3	4	10	II	
<i>annulatella</i> (Curtis, 1832)		B	M	3	3	4	10	II	
<i>schmaltzella</i> (Zetterstedt, 1839)		B*		?	?	?	0	?	
<i>incarnatella</i> (Steudel, 1873)		B	M	3	3	4	10	II	
<i>hufnagelii</i> (Zeller, 1839)		B*	M	3	3	4	10	II	
EIDOPHASIA Stephens, 1842									
<i>messingiella</i> (Fischer von Röslerstamm, 1840)		B	M	3	2	3	8	III	
Glyphipterigidae									
Orthotaeliinae									
ORTHOTAELIA Stephens, 1834									
<i>sparganella</i> (Thunberg, 1788)		B	M	2	3	3	8	III	
Acrolepiinae									
DIGITALVA Gaedike, 1970									
<i>arnicella</i> (Heyden, 1863)		B	(M)	5	3	4	12	I	
<i>reticulella</i> (Hübner, 1796)		B*	M	5	3	4	12	I	
<i>perlepidella</i> (Stainton, 1849)			M*	5	3	5	13	I	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>pulicariae</i> (Klimesch, 1956)			M	5	3	4	12	I	
<i>valeriella</i> (Snellen, 1878)			M*	4	2 ?	5	11 ?	I ?	
<i>granitella</i> (Treitschke, 1833)		B	M	4	3	4	11	I	
ACROLEPIOPSIS Gaedike, 1970									
<i>assectella</i> (Zeller, 1839)		B	M	4	2	3	9	II	
<i>betulella</i> (Curtis, 1850)		B*	M	5	3	4	12	I	
ACROLEPIA Curtis, 1838									
<i>autumnitella</i> Curtis, 1838		B*	M*	3	3	4	10	II	
Glyphipteriginae									
GLYPHIPTERIX Hübner, 1825									
<i>thrasonella</i> (Scopoli, 1763)		B	M	4	3	4	11	I	
<i>bergstraesserella</i> (Fabricius, 1781)		B	M	5	3	3	11	I	
<i>equitella</i> (Scopoli, 1763)		B	M	4	2	3	9	II	
<i>haworthana</i> (Stephens, 1834)		B	M*	4	3	4	11	I	
<i>forsterella</i> (Fabricius, 1781)		B	M	4	2	3	9	II	
<i>simpliciella</i> (Stephens, 1834)		B	M	3	1	1	5	IV	
<i>schoenicolella</i> Boyd, 1859		(B*)	(M)	3	3	4	10	II	
Argyresthiidae									
ARGYRESTHIA Hübner, 1825									
<i>laevigatellus</i> (Heydenreich, 1851)		B	M	5	1	2	8	III	
<i>illuminatella</i> Zeller, 1839		B	M*	5	2	3	10	II	
<i>kulfani</i> Bengtsson et Johansson, 2012			M*	5	3	5 ?	13 ?	I ?	
<i>glabratella</i> (Zeller, 1847)		B	M	5	1	1	7	III	
<i>amiantella</i> (Zeller, 1847)			M*	5	2	4	11	I	
<i>svenssoni</i> Bengtsson et Johansson, 2012		B*	M*	5	3	4	12	I	
<i>bergiella</i> (Ratzeburg, 1840)		B	M	5	2	2	9	II	
<i>praecocella</i> Zeller, 1839		B*	M	5	3	4	12	I	
<i>arceuthina</i> Zeller, 1839		B	M*	5	3	4	12	I	
<i>trifasciata</i> Staudinger, 1871	I	B*	M*	4	1	1	6	IV	
<i>reticulata</i> Staudinger, 1877		B*		5	3	4	12	I	
<i>thuiella</i> (Packard, 1871)	I	B*	M	4	1	1	6	IV	
<i>dilectella</i> Zeller, 1847		B*	M	5	3	4	12	I	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>abdominalis</i> Zeller, 1839		B*	M	5	3	4	12	I	
<i>aurulentella</i> Stainton, 1849		B	M*	5	3	4	12	I	
<i>brockeella</i> (Hübner, 1813)		B	M	2	1	2	5	IV	
<i>ivella</i> (Haworth, 1828)		B		2	2	4	8	III	
<i>goedartella</i> (Linnaeus, 1758)		B	M	3	1	1	5	IV	
<i>pygmaeella</i> (Denis et Schiffermüller, 1775)		B	M	4	2	1	7	III	
<i>sorbiella</i> (Treitschke, 1833)		B	M	3	2	3	8	III	
<i>curvella</i> (Linnaeus, 1761)		B	M	4	1	1	6	IV	
<i>retinella</i> Zeller, 1839		B	M	3	1	2	6	IV	
<i>fundella</i> (Fischer von Röslerstamm, 1835)		B	M	5	3	4	12	I	
<i>glaucinella</i> Zeller, 1839		B	M*	4	2	4	10	II	
<i>spinosella</i> Stainton, 1849		B	M	4	2	1	7	III	
<i>conjugella</i> Zeller, 1839		B	M	3	2	1	6	IV	
<i>pulchella</i> Lienig et Zeller, 1846		B	M*	3	2	4	9	II	
<i>semifusca</i> (Haworth, 1828)		B	M	3	2	2	7	III	
<i>pruniella</i> (Clerck, 1759)		B	M	4	1	1	6	IV	
<i>bonnetella</i> (Linnaeus, 1758)		B	M	4	2	2	8	III	
<i>albistria</i> (Haworth, 1828)		B	M	5	2	2	9	II	
<i>semitestacella</i> (Curtis, 1833)		B	M	5	3	3	11	I	

Lyonetiidae

Cemiostominae

LEUCOPTERA Hübner, 1825

<i>sinuella</i> (Reutti, 1853)		B	M	4	1	3	8	III	
<i>laburnella</i> (Stainton, 1851)		B	M	3	3	3	9	II	
<i>spartifoliella</i> (Hübner, 1813)		B	M	3	1	1	5	IV	
<i>heringiella</i> Toll, 1938			M	4	2	4	10	II	
<i>lotella</i> (Stainton, 1858)		B	M	3	3	3	9	II	
<i>onobrychidella</i> Klimesch, 1937			M	5	3	4	12	I	
<i>lustratella</i> (Herrich-Schäffer, 1854)		B	M	4	2	3	9	II	
<i>malifoliella</i> (Costa, 1836)		B	M	3	1	1	5	IV	
<i>aceris</i> (Fuchs, 1903)			M	4	2	5	11	I	

Lyonetiinae

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
LYONETIA Hübner, 1825									
<i>prunifoliella</i> (Hübner, 1796)		B	M	3	2	3	8	III	
<i>clerkella</i> (Linnaeus, 1758)		B	M	3	1	1	5	IV	
<i>ledi</i> Wocke, 1859		B	M	5	3	4	12	I	
<i>pulverulentella</i> Zeller, 1839		(B)	M	4	2	4	10	II	
PHYLLOBROSTIS Staudinger, 1859									
<i>hartmanni</i> Staudinger, 1867			M*	5	3	5	13	I	
Praydidae									
ATEMELIA Herrich-Schäffer, 1853									
<i>torquatella</i> (Lienig et Zeller, 1846)		B	M	3	2	2	7	III	
PRAYS Hübner, 1825									
<i>fraxinella</i> (Bjerkander, 1784)		B	M	2	1	1	4	IV	
<i>ruficeps</i> (Heinemann, 1854)		B	M	2	2	2	6	IV	
Heliodinidae									
HELIODINES Stainton, 1854									
<i>roesella</i> (Linnaeus, 1758)		(B)	M	3	2	4	9	II	
Bedelliidae									
BEDELLIA Stainton, 1849									
<i>somnulentella</i> (Zeller, 1847)		B	M	3	1	1	5	IV	
<i>ehikella</i> Szöcz, 1967			(M)	5	1	5 ?	11 ?	I ?	
Scythropiidae									
SCYTHROPIA Hübner, 1825									
<i>crataegella</i> (Linnaeus, 1767)		B	M	3	1	2	6	IV	
Gracillarioidea									
Roeslerstammiidae									
ROESLERSTAMMIA Zeller, 1839									
<i>erxlebella</i> (Fabricius, 1787)		B	M	3	1	2	6	IV	
<i>pronubella</i> (Denis et Schiffermüller, 1775)		B	M	5	2	3	10	II	
Bucculatricidae									
BUCCULATRIX Zeller, 1839									
<i>cristatella</i> (Zeller, 1839)		B	M	4	2	2	8	III	
<i>nigricomella</i> (Zeller, 1839)		B	M	4	2	3	9	II	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>argentisignella</i> Herrich-Schäffer, 1855			M*	5	3	4	12	I	
<i>humiliella</i> Herrich-Schäffer, 1855		B*	M*	4	1	2	7	III	
<i>gnaphaliella</i> (Treitschke, 1833)		B	M	5	3	4	12	I	
<i>absinthii</i> Gartner, 1865		(B)	M*	5	3	4	12	I	
<i>artemisiella</i> Herrich-Schäffer, 1855		B	M	5	3	4	12	I	
<i>ratibonensis</i> Stainton, 1861		B	M	5	2	2	9	II	
<i>noitei</i> Petry, 1912		B	M	5	1	1	7	III	
<i>maritima</i> (Stainton, 1851)			M	5	3	4	12	I	
<i>albedinella</i> (Zeller, 1839)		B	M	4	2	3	9	II	
<i>demaryella</i> (Duponchel, 1840)		B*	M	2	2	3	7	III	
<i>bechsteinella</i> (Scharfenberg, 1805)		B	M	3	1	1	5	IV	
<i>ulmella</i> Zeller, 1848		B	M	4	2	1	7	III	
<i>ulmifoliae</i> (Hering, 1930)		B*	M	4	2	2	8	III	
<i>cidarella</i> (Zeller, 1839)		B	M	5	2	2	9	II	
<i>thoracella</i> (Thunberg, 1794)		B	M	2	1	1	4	IV	
<i>frangutella</i> (Goeze, 1783)		B	M	3	1	1	5	IV	
Gracillariidae									
Ornixolinae									
ORNIXOLA Kuznetsov, 1979									
<i>caudulatella</i> (Zeller, 1839)		(B*)	M	4	2	4	10	II	
MICRURAPTERYX Spuler, 1910									
<i>kollariella</i> (Zeller, 1839)		B	M	3	2	3	8	III	
PARECTOPA Clemens, 1860									
<i>ononidis</i> (Zeller, 1839)		B	M	4	3	3	10	II	
<i>robiniella</i> Clemens, 1863	I	B*	M	5	1	1	7	IV	-1
Gracillariinae									
CALLISTO Stephens, 1834									
<i>denticulella</i> (Thunberg, 1794)		B	M	4	1	1	6	IV	
<i>insperatella</i> (Nickerl, 1864)		(B)		4	2	5 ?	11 ?	I ?	
PARORNIX Spuler, 1910									
<i>fagivora</i> (Frey, 1861)		B	M	5	2	2	9	II	
<i>scoticella</i> (Stainton, 1850)		B*	M	3	2	3	8	III	

[illegible]

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>leucapennella</i> (Stephens, 1835)		(B)		4	2	4 ?	10 ?	II ?	
EUSPILAPTERYX Stephens, 1835									
<i>auroguttella</i> (Stephens, 1835)		B	M	4	1	1	6	IV	
CALYBITES Hübner, 1822									
<i>quadrisignella</i> (Zeller, 1839)		B*	M	5	2	4	11	I	
<i>phasianipennella</i> (Hübner, 1813)		B	M	2	1	1	4	IV	
ARISTAEA Meyrick, 1907									
<i>pavoniella</i> (Zeller, 1847)			M	4	3	4	11	I	
ASPILAPTERYX Spuler, 1910									
<i>tringipennella</i> (Zeller, 1839)		B	M	5	2	2	9	II	
SABULOPTERYX Triberti, 1985									
<i>limosella</i> (Duponchel, 1843)		B	M	5	3	3	11	I	
Acrocercopinae									
SAUTERINA Kuznetsov, 1979									
<i>hofmanniella</i> (Schleich, 1867)		B*	M*	4	3	4	11	I	
ACROCERCOPS Wallengren, 1881									
<i>brongniardella</i> (Fabricius, 1798)		B	M	4	2	2	8	III	
DIALECTICA Walsingham, 1897									
<i>imperialella</i> (Mann, 1847)			M	3	2	4	9	II	
LEUCOSPILAPTERYX Spuler, 1910									
<i>omissella</i> (Stainton, 1848)		B	M	4	2	2	8	III	
Lithocolletinae									
CAMERARIA Champman, 1902									
<i>ohridella</i> Deschka et Dimić, 1986	I	B*	M*	5	1	1	7	IV	-1
MACROSACCUS Davis et De Prins, 2011									
<i>robiniella</i> (Clemens, 1859)	I	B	M	5	1	1	7	IV	-1
TRIBERTA De Prins, 2013									
<i>helianthemella</i> (Herrich-Schäffer, 1861)		B		5	3	4	12	I	
PHYLLONORYCTER Hübner, 1822									
<i>maestingella</i> (Müller, 1764)		B	M	5	2	1	8	III	
<i>lautella</i> (Zeller, 1846)		B	M	4	2	2	8	III	
<i>heegeriella</i> (Zeller, 1846)		B	M	4	2	2	8	III	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>muelleriella</i> (Zeller, 1839)		B	M	4	2	2	8	III	
<i>cerasicolella</i> (Herrich-Schäffer, 1855)		B	M	3	1	1	5	IV	
<i>spinicolella</i> (Zeller, 1846)		B	M	3	1	1	5	IV	
<i>scitulella</i> (Duponchel, 1843)		B	M	5	3	4	12	I	
<i>parisiella</i> (Wocke, 1848)			M	5	3	4	12	I	
<i>quercifoliella</i> (Zeller, 1839)		B	M	4	1	1	6	IV	
<i>cerris</i> (Gregor, 1952)		B*	M*	5	2	4	11	I	
<i>ilicifoliella</i> (Duponchel, 1843)			M	5	2	4	11	I	
<i>corylifoliella</i> (Hübner, 1796)		B	M	3	1	1	5	IV	
<i>kuhlweiniella</i> (Zeller, 1839)		B	M	5	2	3	10	II	
<i>leucographella</i> (Zeller, 1850)	I	B*	M*	5	1	2	8	IV	-1
<i>klemannella</i> (Fabricius, 1781)		B	M	5	2	1	8	III	
<i>tenerella</i> (Joannis, 1915)		B	M	5	1	1	7	III	
<i>coryli</i> (Nickerl, 1851)		B	M	5	1	1	7	III	
<i>esperella</i> (Goeze, 1783)		B	M	5	2	1	8	III	
<i>platani</i> (Staudinger, 1870)	I	B	M	4	1	1	6	IV	
<i>issikii</i> (Kumata, 1963)	I	B*	M*	4	1	1	6	IV	
<i>mespilella</i> (Hübner, 1805)		B	M	3	2	4	9	II	
<i>cydoniella</i> (Denis et Schiffermüller, 1775)		B	M	3	2	3	8	III	
<i>oxyacanthae</i> (Frey, 1856)		B	M	3	1	1	5	IV	
<i>sorbi</i> (Frey, 1855)		B	M	4	2	1	7	III	
<i>blancardella</i> (Fabricius, 1781)		B	M	3	1	1	5	IV	
<i>hostis</i> Triberti, 2007			M*	3	1	4	8	III	
<i>gerasimowi</i> Hering, 1930			M	5	2	4	11	I	
<i>junoniella</i> (Zeller, 1846)		B	M	5	3	4	12	I	
<i>roboris</i> (Zeller, 1839)		B	M	4	1	1	6	IV	
<i>abrasella</i> (Duponchel, 1843)			M	5	3	4	12	I	
<i>distentella</i> (Zeller, 1846)			M	5	3	4	12	I	
<i>mannii</i> (Zeller, 1846)		B	M	4	3	4	11	I	
<i>strigulatella</i> (Lienig et Zeller, 1846)		B	M	4	2	2	8	III	
<i>cavella</i> (Zeller, 1846)		B	M	4	2	2	8	III	
<i>froelichiella</i> (Zeller, 1839)		B	M	5	2	1	8	III	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>nicellii</i> (Stainton, 1851)		B	M	5	2	1	8	III	
<i>stettinensis</i> (Nickerl, 1852)		B	M	5	2	1	8	III	
<i>alpinus</i> (Frey, 1856)		B		5	3	4	12	I	
<i>rajella</i> (Linnaeus, 1758)		B	M	4	2	1	7	III	
<i>ulmifoliella</i> (Hübner, 1817)		B	M	4	1	1	6	IV	
<i>anderidae</i> (Fletcher, 1885)		B		5	3	4	12	I	
<i>acerifoliella</i> (Zeller, 1839)		B	M	5	1	1	7	III	
<i>joannisi</i> (Le Marchant, 1936)		B	M	5	1	1	7	III	
<i>geniculella</i> (Ragonot, 1874)		B	M	5	1	1	7	III	
<i>dubitella</i> (Herrich-Schäffer, 1855)		B	M	4	1	1	6	IV	
<i>salictella</i> (Zeller, 1846)		B	M	4	2	1	7	III	
<i>viminetorum</i> (Stainton, 1854)			M	5	2	5	12	I	
<i>hilarella</i> (Zetterstedt, 1839)		B	M	4	2	2	8	III	
<i>salicicolella</i> (Sircom, 1848)		B	M	4	1	1	6	IV	
<i>medicaginella</i> (Gerasimov, 1930)	I	B	M	3	1	1	5	IV	
<i>trifoliella</i> (Gerasimov, 1933)		B*	M*	3	2 ?	4	9 ?	II ?	
<i>insignitella</i> (Zeller, 1846)		B	M	3	2	3	8	III	
<i>scopariella</i> (Zeller, 1846)		B	M	5	2	4	11	I	
<i>fraxinella</i> (Zeller, 1846)		B	M	3	3	4	10	II	
<i>staintoniella</i> (Nicelli, 1853)			M	3	3	4	10	II	
<i>eugregori</i> (Laštůvka et Laštůvka, 2006)			M	4	3	4	11	I	
<i>nigrescentella</i> (Logan, 1851)		B		3	3	3	9	II	
<i>harrisella</i> (Linnaeus, 1761)		B	M	4	1	1	6	IV	
<i>delitella</i> (Duponchel, 1843)			M	5	2	4	11	I	
<i>populifoliella</i> (Treitschke, 1833)		B	M	4	1	1	6	IV	
<i>pastorella</i> (Zeller, 1846)		B	M	4	1	2	7	III	
<i>sagitella</i> (Bjerkander, 1790)		B	M	3	1	1	5	IV	
<i>comparella</i> (Duponchel, 1843)		B	M	4	1	2	7	III	
<i>apparella</i> (Herrich-Schäffer, 1855)		B		3	2	5	10	II	
<i>connexella</i> (Zeller, 1846)		B	M	3	1	2	6	IV	
<i>quinquegutella</i> (Stainton, 1851)		B		5	3	4	12	I	
<i>schreberella</i> (Fabricius, 1781)		B	M	4	1	3	8	III	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>scabiosella</i> (Douglas, 1853)		(B)		4	2	5	11	I	
<i>agilella</i> (Zeller, 1846)		B	M	4	2	2	8	III	
<i>emberizaepennella</i> (Bouché, 1834)		B	M	3	1	2	6	IV	
<i>lantanella</i> (Schrank, 1802)		B	M	4	2	3	9	II	
<i>tristrigella</i> (Haworth, 1828)		B	M	4	1	3	8	III	
<i>acaciella</i> (Duponchel, 1843)		B	M	4	2	5	11	I	
Phyllocnistinae									
PHYLLOCNISTIS Zeller, 1848									
<i>labyrinthella</i> (Bjerkander, 1790)		B	M	5	1	2	8	III	
<i>xenia</i> Hering, 1939		B	M	4	1	2	7	III	
<i>unipunctella</i> (Stephens, 1834)		B	M	4	1	1	6	IV	
<i>extrematrix</i> Martynova, 1955		B*	M*	4	1	1	6	IV	
<i>ramulicola</i> Langmaid et Corley, 2007		B*	M*	4	1	4	9	II	
<i>triandricola</i> Voith, Aarvik & Berggren, 2023		B*	M*	4	1	3	8	III	
<i>saligna</i> (Zeller, 1839)		B	M	4	1	1	6	IV	
<i>asiatica</i> Martynova, 1955		B*	M*	4	1	2	7	III	
<i>valentinensis</i> Hering, 1936		B*	M*	4	1	3	8	III	
<i>vitegenella</i> (Clemens, 1859)			M*	4	1	4	9	II	
Millieriidae									
MILLIERIA Ragonot, 1874									
<i>dolosalis</i> (Heydenreich, 1851)			M	5	2	4	11	I	
Douglasioidea									
Douglasiidae									
TINAGMA Zeller, 1839									
<i>signatum</i> Gaedike, 1991		B*	M*	3 ?	3	4	10 ?	II ?	
<i>perdicella</i> Zeller, 1839		B	M	2	3	3	8	III	
<i>ocnerostomella</i> (Stainton, 1850)		B	M	4	2	1	7	III	
<i>balteolella</i> (Fischer von Röslerstamm, 1841)		B	M	4	3	3	10	II	
KLIMESCHIA Amsel, 1938									
<i>transversella</i> (Zeller, 1839)		B	M	2	2	3	7	III	
Choreutoidea									
Choreutidae									

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
ANTHOPHILA Haworth, 1811									
<i>fabriciana</i> (Linnaeus, 1767)		B	M	5	1	1	7	III	
<i>abhasica</i> Danilevsky, 1969			M*	?	2	4	6	?	
PROCHOREUTIS Djakonoff et Heppner, 1980									
<i>myllerana</i> (Fabricius, 1794)		B	M	4	3	3	10	II	
<i>sehestediana</i> (Fabricius, 1776)		B*		4	3	4	11	I	
TEBENNA Billberg, 1820									
<i>bjerkandrella</i> (Thunberg, 1784)		B	M	3	3	3	9	II	
<i>micalis</i> (Mann, 1857)			M*	3	3	5 ?	11 ?	I ?	
<i>chingana</i> Danilevsky, 1969			M*	4	3	4	11	I	
CHOREUTIS Hübner, 1825									
<i>pariana</i> (Clerck, 1759)		B	M	3	1	1	5	IV	
<i>diana</i> (Hübner, 1822)		B		3	2	4	9	II	
<i>nemorana</i> (Hübner, 1799)	I		M*	5	1	5	11	III	-2
U r o d o i d e a									
Urodidae									
WOCKIA Heinemann, 1870									
<i>asperipunctella</i> (Bruand, 1851)		B*	M	3	2	4	9	II	
C a r p o s i n o i d e a									
Carposinidae									
CARPOSINA Herrich-Schäffer, 1853									
<i>berberidella</i> Herrich-Schäffer, 1853		(B)		5	3	4 ?	12 ?	I ?	
<i>scirrhosella</i> Herrich-Schäffer, 1853		B*	M	4	3	3	10	II	
E p e r m e n i o i d e a									
Epermeniidae									
OCHROMOLOPIS Hübner, 1825									
<i>ictella</i> (Hübner, 1813)		B	M	4	3	4	11	I	
PHAULERNIS Meyrick, 1895									
<i>dentella</i> (Zeller, 1839)		B	M	3	2	3	8	III	
<i>fulviguttella</i> (Zeller, 1839)		B	M	3	2	3	8	III	
EPERMENIA Hübner, 1825									
<i>iniquellus</i> (Wocke, 1867)			M*	4	3	4	11	I	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>profugella</i> (Stainton, 1856)		B*	M*	3	2	4	9	II	
<i>pontificella</i> (Hübner, 1796)		B	M	4	3	3	10	II	
<i>illigerella</i> (Hübner, 1813)		B	M	5	2	1	8	III	
<i>petrusella</i> (Heylaerts, 1883)			M*	4	3	4	11	I	
<i>falciformis</i> (Haworth, 1828)		B*	M*	3	3	4	10	II	
<i>insecurella</i> (Stainton, 1854)		B	M	4	3	4	11	I	
<i>chaerophyllella</i> (Goeze, 1783)		B	M	3	2	2	7	III	
Schreckensteinioidae									
Schreckensteiniidae									
SCHRECKENSTEINIA Hübner, 1825									
<i>festaliella</i> (Hübner, 1819)		B	M	4	2	2	8	III	
Alucitoidea									
Alucitidae									
ALUCITA Linnaeus, 1758									
<i>hexadactyla</i> (Linnaeus, 1758)		B*	M	4	3	4	11	I	
<i>grammodactyla</i> Zeller, 1841		B	M*	4	3	4	11	I	
<i>huebneri</i> Wallengren, 1859		B	M	3	3	4	10	II	
<i>desmodactyla</i> Zeller, 1847		B*	M*	5	3	4	12	I	
PTEROTOPTERYX Hannemann, 1959									
<i>dodecadactyla</i> (Hübner, 1813)		B	M	5	3	4	12	I	
Pterophoroidea									
Pterophoridae									
Agdistinae									
AGDISTIS Hübner, 1825									
<i>adactyla</i> (Hübner, 1819)		B	M	5	3	3	11	I	
Pterophorinae									
PLATYPTILIA Hübner, 1825									
<i>tesseradactyla</i> (Linnaeus, 1761)		B	M	3	3	4	10	II	
<i>farfarellus</i> (Zeller, 1867)		B*	M*	4	2	4	10	II	
<i>nemoralis</i> (Zeller, 1841)		B	M	4	3	3	10	II	
<i>gonodactyla</i> (Denis et Schiffermüller, 1775)		B	M	3	2	2	7	III	
<i>calodactyla</i> (Denis et Schiffermüller, 1775)		B	M	3	3	3	9	II	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
BUSZKOIANA Koçak, 1981									
<i>capnodactylus</i> (Zeller, 1941)			M	5	3	4	12	I	
GILLMERIA Tutt, 1905									
<i>pallidactyla</i> (Haworth, 1811)		B	M	4	2	2	8	III	
<i>ochrodactyla</i> (Denis et Schiffermüller, 1775)		B	M	5	1	1	7	III	
AMBLYPYPTILIA Hübner, 1825									
<i>acanthodactyla</i> (Hübner, 1813)		B	M	2	2	4	8	III	
<i>punctidactyla</i> (Haworth, 1811)		B	M*	2	2	3	7	III	
STENOPTYLIA Hübner, 1825									
<i>graphodactyla</i> (Treitschke, 1833)			M	4	3	4	11	I	
<i>pterodactyla</i> (Linnaeus, 1761)		B	M	5	1	1	7	III	
<i>bipunctidactyla</i> (Scopoli, 1763)		B	M	3	2	3	8	III	
<i>eborinodactyla</i> Zagulajev, 1986			M*	5	3	5	13	I	
<i>plagiodactylus</i> (Stainton, 1851)		B*	M*	?	?	3 ?	3	?	
<i>annadactyla</i> Sutter, 1988		B	M	3	2	2	7	III	
<i>pelidnodactyla</i> (Stein, 1837)		B	M	5	3	3	11	I	
<i>stigmatodactylus</i> (Zeller, 1852)			M	3	3	4	10	II	
<i>zophodactylus</i> (Duponchel, 1840)		B	M*	3	3	3	9	II	
CNAEMIDOPHORUS Wallengren, 1862									
<i>rhododactylus</i> (Denis et Schiffermüller, 1775)		B	M	4	1	1	6	IV	
MARASMARCHA Meyrick, 1886									
<i>lunaedactyla</i> (Haworth, 1811)		B	M	4	3	4	11	I	
OXYPTYLUS Zeller, 1841									
<i>pilosellae</i> (Zeller, 1841)		B	M	5	2	1	8	III	
<i>chrysodactyla</i> (Denis et Schiffermüller, 1775)		B	M	3	2	1	6	IV	
<i>ericetorum</i> (Stainton, 1851)		B*		4	3	4	11	I	
<i>parvidactyla</i> (Haworth, 1811)		B	M	4	2	2	8	III	
<i>distans</i> (Zeller, 1847)		B	M	3	2	3	8	III	
<i>tristis</i> (Zeller, 1841)		B	M	4	2	4	10	II	
GEINA Tutt, 1906									
<i>didactyla</i> (Linnaeus, 1758)		B	M	4	2	4	10	II	
CAPPERIA Tutt, 1905									

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>celeusi</i> (Schmid, 1886)		B	M	5	3	4	12	I	
<i>trichodactyla</i> (Denis et Schiffermüller, 1775)		B	M	5	1	3	9	II	
<i>fusca</i> (Hofmann, 1898)		B*	M	5	3	4	12	I	
<i>lorana</i> (Fuchs, 1895)		B		5	3	4	12	I	
BUCKLERIA Tutt, 1905									
<i>paludum</i> (Zeller, 1839)		B		5	3	4	12	I	
PTEROPHORUS Schäffer, 1766									
<i>pentadactyla</i> (Linnaeus, 1758)		B	M	1	1	1	3	IV	
PORRITIA Tutt, 1905									
<i>galactodactyla</i> (Denis et Schiffermüller, 1775)		B	M	4	2	3	9	II	
CALYCIPHORA Kasy, 1960									
<i>homiodactyla</i> (Kasy, 1960)		B		5	3	5	13	I	
<i>albodactylus</i> (Fabricius, 1794)		B	M	3	3	4	10	II	
<i>nephelodactyla</i> (Eversmann, 1844)			M*	5	3	4	12	I	
MERRIFIELDIA Tutt, 1905									
<i>tridactyla</i> (Linnaeus, 1758)		B	M	3	2	3	8	III	
<i>leucodactyla</i> (Denis et Schiffermüller, 1775)		B	M	3	2	3	8	III	
<i>baliodactylus</i> Zeller, 1841		B	M	5	2	3	10	II	
WHEELERIA Tutt, 1905									
<i>obsoletus</i> (Zeller, 1841)			M	4	3	4	11	I	
PSELNOPHORUS Wallengren, 1881									
<i>heterodactyla</i> (Müller, 1764)		B	M	3	3	4	10	II	
OIDAEMATOPHORUS Wallengren, 1862									
<i>lithodactyla</i> (Treitschke, 1833)		B	M	3	3	4	10	II	
<i>constanti</i> Ragonot, 1876		(B)	M	4	3	4	11	I	
HELLINSIA Tutt, 1905									
<i>osteodactylus</i> (Zeller, 1841)		B	M	3	3	3	9	II	
<i>inulae</i> (Zeller, 1852)		B	M	4	2	3	9	II	
<i>carphodactyla</i> (Hübner, 1813)		B	M	4	2	3	9	II	
<i>distinctus</i> (Herrich-Schäffer, 1855)		B*	M*	3	3	4	10	II	
<i>didactylites</i> (Ström, 1783)		B	M	4	2	3	9	II	
<i>tephradactyla</i> (Hübner, 1813)		B	M*	3	2	4	9	II	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>lienigianus</i> (Zeller, 1852)		B	M	5	2	3	10	II	
ADAINA Tutt, 1905									
<i>microdactyla</i> (Hübner, 1813)		B	M	5	2	2	9	II	
EMMELINA Tutt, 1905									
<i>monodactyla</i> (Linnaeus, 1758)		B	M	2	1	1	4	IV	
<i>argoteles</i> (Meyrick, 1922)			M*	5	3	4	12	I	
Tortricoidea									
Tortricidae									
Chlidanotinae									
OLINDIA Guenée, 1845									
<i>schumacherana</i> (Fabricius, 1787)		B	M	2	2	2	6	IV	
ISOTRIAS Meyrick, 1895									
<i>hybridana</i> (Hübner, 1817)		B	M	2	2	2	6	IV	
<i>rectifasciana</i> (Haworth, 1811)		B	M	2	2	3	7	III	
Tortricinae									
SPARGANOTHIS Hübner, 1825									
<i>pilleriana</i> (Denis et Schiffermüller, 1775)		B	M	2	1	3	6	IV	
<i>rubicundana</i> (Herrich-Schäffer, 1856)		B*	M	4	3	4	11	I	
EPAGOGE Hübner, 1825									
<i>grotiana</i> (Fabricius, 1781)		B	M	2	1	1	4	IV	
PARAMESIA Stephens, 1829									
<i>gnomana</i> (Clerck, 1759)		B	M	1	1	1	3	IV	
PERICLEPSIS Bradley, 1977									
<i>cinctana</i> (Denis et Schiffermüller, 1775)		B	M	2	3	3	8	III	
PHILEDONE Hübner, 1825									
<i>geringana</i> (Denis et Schiffermüller, 1775)		B	M	2	2	4	8	III	
PSEUDEULIA Obrastsov, 1954									
<i>asinana</i> (Hübner, 1799)			M*	2	2	4	8	III	
CAPUA Stephens, 1834									
<i>vulgana</i> (Frölich, 1828)		B	M	2	1	1	4	IV	
PHILEDONIDES Obrastsov, 1954									
<i>rhombicana</i> (Herrich-Schäffer, 1851)		B	M	2	2	3	7	III	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>lunana</i> (Thunberg, 1784)		B	M	2	2	3	7	III	
ARCHIPS Hübner, 1822									
<i>oporana</i> (Linnaeus, 1758)		B	M	3	2	1	6	IV	
<i>podana</i> (Scopoli, 1763)		B	M	1	1	1	3	IV	
<i>betulana</i> (Hübner, 1787)		B	M	2	1	3	6	IV	
<i>crataegana</i> (Hübner, 1799)		B	M	2	1	1	4	IV	
<i>xylosteara</i> (Linnaeus, 1758)		B	M	2	1	1	4	IV	
<i>rosana</i> (Linnaeus, 1758)		B	M	1	2	2	5	IV	
CHORISTONEURA Lederer, 1859									
<i>diversana</i> (Hübner, 1817)		B	M	2	1	2	5	IV	
<i>murinana</i> (Hübner, 1799)		B	M	5	3	4	12	I	
<i>hebenstreitella</i> (Müller, 1764)		B	M	2	2	1	5	IV	
ARGYROTAENIA Stephens, 1852									
<i>ljungiana</i> (Thunberg, 1797)		B	M	1	1	1	3	IV	
PTYCHOLOMOIDES Obraztsov, 1954									
<i>aeriferana</i> (Herrich-Schäffer, 1851)		B	M	5	1	1	7	III	
PTYCHOLOMA Stephens, 1829									
<i>lecheana</i> (Linnaeus, 1758)		B	M	2	1	1	4	IV	
PANDEMIS Hübner, 1825									
<i>corylana</i> (Fabricius, 1794)		B	M	2	1	1	4	IV	
<i>cerasana</i> (Hübner, 1786)		B	M	2	1	1	4	IV	
<i>cinnamomeana</i> (Treitschke, 1830)		B	M	3	2	3	8	III	
<i>heparana</i> (Denis et Schiffermüller, 1775)		B	M	2	1	1	4	IV	
<i>dumetana</i> (Treitschke, 1835)		B	M	1	1	2	4	IV	
SYNDEMIS Hübner, 1825									
<i>musculana</i> (Hübner, 1799)		B	M	1	1	1	3	IV	
LOZOTAENIA Stephens, 1829									
<i>forsterana</i> (Fabricius, 1781)		B	M	3	3	3	9	II	
CACOECIMORPHA Obraztsov, 1954									
<i>pronubana</i> (Hübner, 1799)	I	B*	M*	1	1	3	5	IV	
APHELIA Hübner, 1825									
<i>viburnana</i> (Denis et Schiffermüller, 1775)		B	M	2	1	4	7	III	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>ferugana</i> (Hübner, 1793)			M	2	3	4	9	II	
ZELOTHERSES Lederer, 1859									
<i>paleana</i> (Hübner, 1793)		B	M	2	2	3	7	III	
<i>unitana</i> (Hübner, 1799)		B	M	2	2	3	7	III	
DICHELIA Guenée, 1845									
<i>histrionana</i> (Frölich, 1828)		B	M	3	1	1	5	IV	
CLEPSIS Guenée, 1845									
<i>senecionana</i> (Hübner, 1819)		B	M	1	1	1	3	IV	
<i>steineriana</i> (Hübner, 1799)			M	2	3	5	10	II	
<i>rogana</i> (Guenée, 1845)		B	M	2	3	4	9	II	
<i>rurinana</i> (Linnaeus, 1758)		B	M	1	2	3	6	IV	
<i>spectrana</i> (Treitschke, 1830)		B	M	2	3	3	8	III	
<i>consimilana</i> (Hübner, 1817)		B	M	2	1	1	4	IV	
<i>pallidana</i> (Fabricius, 1776)		B	M	3	3	3	9	II	
ADOXOPHYES Meyrick, 1881									
<i>orana</i> (Fischer von Röslerstamm, 1834)		B	M	1	1	1	3	IV	
XEROCNEPHASIA Leraut, 1979									
<i>rigana</i> (Sodoffsky, 1829)		(B)	M	3	3	5	11	I	
NEOSPHALEROPTERA Réal, 1953									
<i>nubilana</i> (Hübner, 1799)		B	M	3	1	1	5	IV	
DOLOPLOCA Hübner, 1825									
<i>punctulana</i> (Denis et Schiffermüller, 1775)		B	M	2	2	3	7	III	
EXAPATE Hübner, 1825									
<i>congelatella</i> (Clerck, 1759)		B	M	2	1	3	6	IV	
TORTRICODES Guenée, 1845									
<i>alternella</i> (Denis et Schiffermüller, 1775)		B	M	2	2	2	6	IV	
EANA Billberg, 1820									
<i>argentana</i> (Clerck, 1759)		B	M	1	2	2	5	IV	
<i>osseana</i> (Scopoli, 1763)		B	M	1	3	4	8	III	
<i>canescana</i> (Guenée, 1845)		B	M	2	3	3	8	III	
<i>penziana</i> (Thunberg, 1791)		B	M	2	3	4	9	II	
<i>incanana</i> (Stephens, 1852)		B	M	2	1	2	5	IV	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>derivana</i> (La Harpe, 1858)		B	M	3 ?	2	4	9 ?	II ?	
CNEPHASIA Curtis, 1826									
<i>longana</i> (Haworth, 1811)			M	3	2	5	10	II	
<i>communana</i> (Herrich-Schäffer, 1851)		B	M	2	2	3	7	III	
<i>stephensiana</i> (Doubleday, 1849)		B	M	2	1	1	4	IV	
<i>pumicana</i> (Zeller, 1847)		B	M	3	1	2	6	IV	
<i>pasiuana</i> (Hübner, 1799)		B	M	3	2	4	9	II	
<i>alticolana</i> (Herrich-Schäffer, 1851)		B	M	2	2	3	7	III	
<i>asseclana</i> (Denis et Schiffermüller, 1775)		B	M	2	1	1	4	IV	
<i>ecullyana</i> Réal, 1951			M	3	2	4	9	II	
<i>oxyacanthana</i> (Herrich-Schäffer, 1851)		B	M	3	2	4	9	II	
<i>genitalana</i> Pierce et Metcalfe, 1922		B	M	2	1	2	5	IV	
<i>chrysantheana</i> (Duponchel, 1843)			M	2	3	4	9	II	
<i>incertana</i> (Treitschke, 1835)		B	M	2	1	1	4	IV	
TORTRIX Linnaeus, 1758									
<i>viridana</i> (Linnaeus, 1758)		B	M	4	1	1	6	IV	
SPATALISTIS Meyrick, 1907									
<i>bifasciana</i> (Hübner, 1787)		B	M	2	3	4	9	II	
ALEIMMA Hübner, 1825									
<i>loeflingiana</i> (Linnaeus, 1758)		B	M	3	1	1	5	IV	
ACLERIS Hübner, 1825									
<i>bergmanniana</i> (Linnaeus, 1758)		B	M	3	2	1	6	IV	
<i>forsskaleana</i> (Linnaeus, 1758)		B	M	4	2	1	7	III	
<i>holmiana</i> (Linnaeus, 1758)		B	M	3	2	1	6	IV	
<i>comariana</i> (Lienig et Zeller, 1846)		B*		3	3	5	11	I	
<i>laterana</i> (Fabricius, 1794)		B	M	2	2	2	6	IV	
<i>abietana</i> (Hübner, 1822)		B	M	3	2	4	9	II	
<i>maccana</i> (Treitschke, 1835)		B	M	3	3	4	10	II	
<i>sparsana</i> (Denis et Schiffermüller, 1775)		B	M	2	2	2	6	IV	
<i>rhombana</i> (Denis et Schiffermüller, 1775)		B	M	2	1	1	4	IV	
<i>shepherdana</i> (Stephens, 1852)		B	M	3	3	3	9	II	
<i>aspersana</i> (Hübner, 1817)		B	M	1	1	2	4	IV	

[illegible]

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>maculosana</i> (Haworth, 1811)			M	5	3	5	13	I	
COCHYLIMORPHA Razowski, 1959									
<i>hilarana</i> (Herrich-Schäffer, 1851)		B	M	5	3	4	12	I	
<i>elongana</i> (Fischer von Röslerstamm, 1839)			M	3	3	4	10	II	
<i>woliniana</i> (Schleich, 1868)		B*	M*	5	2	4	11	I	
<i>straminea</i> (Haworth, 1811)		B	M	2	2	3	7	III	
<i>alternana</i> (Stephens, 1834)		B	M	5	2	3	10	II	
PHALONIDIA Le Marchand, 1933									
<i>gilvicomana</i> (Zeller, 1847)		B	M	3	2	3	8	III	
<i>curvistrigana</i> (Stainton, 1859)		(B)	M	2	3	4	9	II	
<i>manniana</i> (Fischer von Röslerstamm, 1839)		B	M	3	3	3	9	II	
<i>udana</i> Guenée, 1845			M*	4	3	5	12	I	
<i>affinitana</i> (Douglas, 1846)			M	5	3	5	13	I	
<i>contractana</i> (Zeller, 1847)		B*	M	3	2	4	9	II	
GYNNIDOMORPHA Turner, 1916									
<i>vectisana</i> (Humphries et Westwood, 1845)		B	M*	2	3	4	9	II	
<i>permixtana</i> (Denis et Schiffermüller, 1775)		B	M	2	2	4	8	III	
<i>alismana</i> (Ragonot, 1883)		B	M	5	3	4	12	I	
AGAPETA Hübner, 1822									
<i>hamana</i> (Linnaeus, 1758)		B	M	3	2	1	6	IV	
<i>zoegana</i> (Linnaeus, 1767)		B	M	2	2	1	5	IV	
FULVOCLYSIA Obrastsov, 1943									
<i>nerminae</i> Koçak, 1982		B*	M	4	3	4	11	I	
EUGNOSTA Hübner, 1825									
<i>lathoniana</i> (Hübner, 1800)			M*	4 ?	2	5	11 ?	I ?	
<i>parreyssiana</i> (Duponchel, 1843)			M	5	3	5	13	I	
PROCHLIDONIA Razowski, 1960									
<i>amiantana</i> (Hübner, 1799)		B*	M	5 ?	3	4	12 ?	I ?	
EUPOECILIA Stephens, 1829									
<i>angustana</i> (Hübner, 1799)		B	M	2	2	2	6	IV	
<i>ambiguella</i> (Hübner, 1796)		B	M	1	1	3	5	IV	
<i>sanguisorbana</i> (Herrich-Schäffer, 1856)		B	M	5	3	3	11	I	

[illegible]

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>epilinana</i> (Duponchel, 1843)			M	2	2	4	8	III	
NEOCOCHYLIS Razowski, 1960									
<i>hybridella</i> (Hübner, 1813)		B	M	3	2	2	7	III	
<i>dubitana</i> (Hübner, 1799)		B	M	3	2	2	7	III	
COCHYLICHROA Obratzsov et Swatschek, 1958									
<i>atricapitana</i> (Stephens, 1852)		B*	M	2	2	4	8	III	
BREVICORNUTIA Razowski, 1960									
<i>pallidana</i> Zeller, 1847		B	M	5	3	4	12	I	
PONTOTURANIA Obratzsov, 1943									
<i>posterana</i> Zeller, 1847		B	M	3	2	4	9	II	
FALSEUNCARIA Obratzsov et Swatschek, 1958									
<i>ruficiliana</i> (Haworth, 1811)		B	M	2	3	3	8	III	
Olethreutinae									
EUDEMIS Hübner, 1825									
<i>profundana</i> (Denis et Schiffermüller, 1775)		B	M	2	2	1	5	IV	
<i>porphyra</i> (Hübner, 1799)		B	M	2	2	2	6	IV	
ATERPIA Guenée, 1845									
<i>corticana</i> (Denis et Schiffermüller, 1775)		B*	M	4	3	4	11	I	
SELENODES Guenée, 1845									
<i>karellica</i> (Tengström, 1845)		B*	M	5	2	4	11	I	
PSEUDOSCIAPHILA Obratzsov, 1966									
<i>branderiana</i> (Linnaeus, 1758)		B	M	5	1	2	8	III	
APOTOMIS Hübner, 1825									
<i>semifasciana</i> (Haworth, 1811)		B	M	4	1	3	8	III	
<i>infida</i> (Heinrich, 1926)		B	M	4	2	4	10	II	
<i>lineana</i> (Denis et Schiffermüller, 1775)		B	M	4	2	4	10	II	
<i>inundana</i> (Denis et Schiffermüller, 1775)		B	M	5	1	2	8	III	
<i>turbidana</i> Hübner, 1825		B	M	3	1	1	5	IV	
<i>betuletana</i> (Haworth, 1811)		B	M	4	1	1	6	IV	
<i>capreana</i> (Hübner, 1817)		B	M	2	1	1	4	IV	
<i>sororculana</i> (Zetterstedt, 1839)		B	M	4	1	2	7	III	
<i>fraterculana</i> Krogerus, 1946		B*		4 ?	3	4	11 ?	I ?	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>sauciana</i> (Frölich, 1828)		B	M	4	3	3	10	II	
ORTHOTAENIA Stephens, 1829									
<i>undulana</i> (Denis et Schiffermüller, 1775)		B	M	1	1	1	3	IV	
HEDYA Hübner, 1825									
<i>salicella</i> (Linnaeus, 1758)		B	M	3	2	1	6	IV	
<i>nubiferana</i> (Haworth, 1811)		B	M	3	1	1	5	IV	
<i>pruniana</i> (Hübner, 1799)		B	M	3	1	1	5	IV	
<i>dimidiana</i> (Clerck, 1759)		B	M	5	3	4	12	I	
<i>ochroleucana</i> (Frölich, 1828)		B	M	3	2	2	7	III	
METENDOTHENIA Diakonoff, 1973									
<i>atropunctana</i> (Zetterstedt, 1828)		B	M	2	2	2	6	IV	
CELYPHA Hübner, 1825									
<i>rufana</i> (Scopoli, 1763)		B	M	3	2	1	6	IV	
<i>rosaceana</i> (Schläger, 1847)		B*	M*	3	2	4	9	II	
<i>striana</i> (Denis et Schiffermüller, 1775)		B	M	2	2	1	5	IV	
<i>rurestrana</i> (Duponchel, 1843)		B	M	3	2	4	9	II	
<i>capreolana</i> (Herrich-Schäffer, 1851)		B	M	3	2	4	9	II	
<i>flavipalpana</i> (Herrich-Schäffer, 1851)		B	M	2 ?	3	4	9 ?	II ?	
<i>cespitana</i> (Hübner, 1817)		B	M	2	1	1	4	IV	
<i>woodiana</i> (Barrett, 1882)		B	M	5	1	4	10	II	
<i>lacunana</i> (Denis et Schiffermüller, 1775)		B	M	2	1	1	4	IV	
<i>siderana</i> (Treitschke, 1835)		B	M*	4	1	4	9	II	
<i>rivulana</i> (Scopoli, 1763)		B	M	2	1	1	4	IV	
<i>aurofasciana</i> (Haworth, 1811)			M*	3	2	4	9	II	
PHIARIS Hübner, 1825									
<i>umbrosana</i> (Freyer, 1842)		B	M	2	2	3	7	III	
<i>obsoletana</i> (Zetterstedt, 1839)		B		3	3	5	11	I	
<i>dissolutana</i> (Stange, 1886)		B	M*	3	3	4	10	II	
<i>schulziana</i> (Fabricius, 1776)		B	M*	3	3	4	10	II	
<i>turfosana</i> (Herrich-Schäffer, 1851)		B		3	3	5	11	I	
<i>micana</i> (Denis et Schiffermüller, 1775)		B	M	2	3	3	8	III	
<i>palustrana</i> (Lienig et Zeller, 1846)		B	M	3	3	2	8	III	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>stibiana</i> (Guenée, 1845)		B	M	2	3	4	9	II	
<i>bipunctana</i> (Fabricius, 1794)		B	M	3	3	2	8	III	
PRISTEROGNATHA Obraztsov, 1960									
<i>penthinana</i> (Guenée, 1845)		B	M	5	2	2	9	II	
<i>fuligana</i> (Denis et Schiffermüller, 1775)		B	M	5	2	4	11	I	
CYMOLOMIA Lederer, 1859									
<i>hartigiana</i> (Saxesen, 1840)		B	M	3	2	2	7	III	
ARGYROPOLOCE Hübner, 1822									
<i>arbutella</i> (Linnaeus, 1758)		B	M	3	3	4	10	II	
<i>lediana</i> (Linnaeus, 1758)		B		5	3	4	12	I	
<i>externa</i> (Guenée, 1845)		B	M	4	3	4	11	I	
<i>roseomaculana</i> (Herrich-Schäffer, 1851)		B	M	4	3	4 ?	11 ?	I ?	
<i>concretana</i> (Wocke, 1862)		B*		3 ?	3	5	11 ?	I ?	
STICTEA Guenée, 1845									
<i>mygindiana</i> (Denis et Schiffermüller, 1775)		B	M	4	3	4	11	I	
OLETHREUTES Hübner, 1822									
<i>arcuella</i> (Clerck, 1759)		B	M	1	1	1	3	IV	
<i>subtilana</i> (Falkovitsh, 1959)		B*		1 ?	1 ?	4 ?	6 ?	IV ?	
PINIPHILA Falkovitsh, 1962									
<i>bifasciana</i> (Haworth, 1811)		B	M	3	1	1	5	IV	
PSEUDOHERMENIAS Obraztsov, 1960									
<i>abietana</i> (Fabricius, 1787)		B	M	3	2	2	7	III	
LOBESIODES Diakonoff, 1954									
<i>occidentis</i> (Falkovitsh, 1970)	I	B	M	4	2	4 ?	10 ?	III ?	-1
LOBESIA Guenée, 1845									
<i>botrana</i> (Denis et Schiffermüller, 1775)		B	M	2	2	3	7	III	
<i>abscisana</i> (Doubleday, 1859)		B*	M	3	2	3	8	III	
<i>virulenta</i> Bae et Komai, 1991		B*	M*	?	2 ?	3 ?	5	?	
<i>reliquana</i> (Hübner, 1825)		B	M	1	2	3	6	IV	
<i>bicinctana</i> (Duponchel, 1844)		B*	M*	4	3	4	11	I	
<i>artemisiana</i> (Zeller, 1846)			M	2	3	4	9	II	
<i>littoralis</i> (Humphries et Westwood, 1845)	I		M*	4	1	4 ?	9 ?	IV ?	-2

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
ENDOTHENIA Stephens, 1852									
<i>gentianaeana</i> (Hübner, 1799)		B	M	4	1	1	6	IV	
<i>oblongana</i> (Haworth, 1811)		B	M	3	2	3	8	III	
<i>marginana</i> (Haworth, 1811)		B*	M	3	2	4	9	II	
<i>ustulana</i> (Haworth, 1811)		B*	M	4	2	4	10	II	
<i>lapideana</i> (Herrich-Schäffer, 1851)		B*	M	5	3	4	12	I	
<i>nigricostana</i> (Haworth, 1811)		B	M	3	2	2	7	III	
<i>ericetana</i> (Humphries et Westwood, 1845)		B	M	2	2	2	6	IV	
<i>quadrimaculana</i> (Haworth, 1811)		B	M	2	2	2	6	IV	
BACTRA Stephens, 1834									
<i>lancealana</i> (Hübner, 1799)		B	M	3	2	1	6	IV	
<i>furfurana</i> (Haworth, 1811)		B	M	3	3	4	10	II	
<i>lacteana</i> Caradja, 1916		B*	M	4 ?	3	4	11 ?	I ?	
<i>robustana</i> (Christoph, 1872)		B*	M*	4	3	4	11	I	
<i>suedana</i> Bengtsson, 1989			M*	4 ?	3	5	12 ?	I ?	
EUCOSMOMORPHA Obratzsov, 1951									
<i>albersana</i> (Hübner, 1813)		B*	M	3	1	3	7	III	
ENARMONIA Hübner, 1826									
<i>formosana</i> (Scopoli, 1763)		B	M	3	1	1	5	IV	
ANCYLIS Hübner, 1825									
<i>laetana</i> (Fabricius, 1775)		B	M	4	1	1	6	IV	
<i>comptana</i> (Frölich, 1828)		B	M	3	3	2	8	III	
<i>unculana</i> (Haworth, 1811)		B	M	2	1	1	4	IV	
<i>uncella</i> (Denis et Schiffermüller, 1775)		B	M	3	2	3	8	III	
<i>unguicella</i> (Linnaeus, 1758)		B	M	3	3	3	9	II	
<i>mitterbacheriana</i> (Denis et Schiffermüller, 1775)		B	M	3	1	1	5	IV	
<i>upupana</i> (Treitschke, 1835)		B	M	3	2	2	7	III	
<i>geminana</i> (Donovan, 1806)		B	M	4	2	2	8	III	
<i>diminutana</i> (Haworth, 1811)		B	M	4	2	3	9	II	
<i>subarcuana</i> (Douglas, 1847)		B*		5	3	5	13	I	
<i>obtusana</i> (Haworth, 1811)		B	M	3	2	3	8	III	
<i>selenana</i> (Guenée, 1845)			M	3	2	4	9	II	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>tineana</i> (Hübner, 1799)		B	M*	2	2	3	7	III	
<i>achatana</i> (Denis et Schiffermüller, 1775)		B	M	3	1	1	5	IV	
<i>badiana</i> (Denis et Schiffermüller, 1775)		B	M	3	1	1	5	IV	
<i>paludana</i> (Barrett, 1871)			M	5	3	4	12	I	
<i>myrtilana</i> (Treitschke, 1830)		B	M	4	3	2	9	II	
<i>apicella</i> (Denis et Schiffermüller, 1775)		B	M	2	1	1	4	IV	
ERIOPSELA Guenée, 1845									
<i>quadrana</i> (Hübner, 1813)		B	M	2	3	4	9	II	
THIODIA Hübner, 1825									
<i>torridana</i> (Lederer, 1859)		(B)	M	3	3	4	10	II	
<i>citrana</i> (Hübner, 1799)		B	M	3	2	3	8	III	
<i>trochilana</i> (Frölich, 1828)			M	3	3	4	10	II	
RHOPOBOTA Lederer, 1859									
<i>ustomaculana</i> (Curtis, 1831)		B	M	3	3	2	8	III	
<i>naevana</i> (Hübner, 1817)		B	M	2	1	2	5	IV	
<i>stagnana</i> (Denis et Schiffermüller, 1775)		B	M	3	2	2	7	III	
<i>myrtilana</i> (Humphries et Westwood, 1845)		B	M	2	3	3	8	III	
SPILONOTA Stephens, 1829									
<i>ocellana</i> (Denis et Schiffermüller, 1775)		B	M	2	1	1	4	IV	
<i>laricana</i> (Heinemann, 1863)		B	M	5	1	2	8	III	
GIBBERIFERA Obratzsov, 1946									
<i>simplana</i> (Fischer von Röslerstamm, 1836)		B	M	3	2	4	9	II	
EPINOTIA Hübner, 1825									
<i>trigonella</i> (Linnaeus, 1758)		B	M	4	1	3	8	III	
<i>sordidana</i> (Hübner, 1824)		B	M	4	2	3	9	II	
<i>solandriana</i> (Linnaeus, 1758)		B	M	2	1	2	5	IV	
<i>brunnichana</i> (Linnaeus, 1767)		B	M	2	2	2	6	IV	
<i>maculana</i> (Fabricius, 1775)		B	M	2	2	2	6	IV	
<i>caprana</i> (Fabricius, 1798)		B	M	4	2	4	10	II	
<i>abbreviana</i> (Fabricius, 1794)		B	M	4	2	3	9	II	
<i>subocellana</i> (Donovan, 1806)		B	M	3	1	2	6	IV	
<i>bilunana</i> (Haworth, 1811)		B	M	4	1	3	8	III	

[illegible]

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>pauperana</i> (Duponchel, 1842)		B	M	4	3	3	10	II	
PELOCHRISTA Lederer, 1859									
<i>caecimaculana</i> (Hübner, 1799)		B	M	4	3	3	10	II	
<i>modicana</i> (Zeller, 1847)			(M*)	3	3	4 ?	10 ?	II ?	
<i>mollitana</i> (Zeller, 1847)			M*	5	3	4	12	I	
<i>huebneriana</i> (Lienig et Zeller, 1846)			(M)	?	3	5 ?	8	?	
<i>subtiliana</i> (Jäckh, 1960)			M	5 ?	3	4	12 ?	I ?	
<i>infidana</i> (Hübner, 1824)		B	M	5	3	3	11	I	
<i>hepatariana</i> (Herrich-Schäffer, 1851)		B	M	5	3	3	11	I	
<i>obscura</i> Kuznetsov, 1978		B*	M*	?	3	4	7	?	
<i>decolorana</i> (Freyer, 1840)			M*	3	3	4	10	II	
EUCOSMA Hübner, 1823									
<i>lugubrana</i> (Treitschke, 1830)			M*	4	3	5	12	I	
<i>hohenwartiana</i> (Denis et Schiffermüller, 1775)		B	M	3	1	1	5	IV	
<i>fulvana</i> (Stephens, 1834)		B	M	3	3	3	9	II	
<i>parvulana</i> (Wilkinson, 1859)		B*		5	3	4	12	I	
<i>scutana</i> (Constant, 1893)		(B)		?	3	3	6	?	
<i>balatonana</i> (Osthelder, 1937)		B	M	3	2	3	8	III	
<i>cana</i> (Haworth, 1811)		B	M	3	1	1	5	IV	
<i>scorzonerana</i> (Benander, 1942)			M	4	3	4	11	I	
<i>obumbratana</i> (Lienig et Zeller, 1846)		B	M	3	3	3	9	II	
<i>albidulana</i> (Herrich-Schäffer, 1851)		B	M	3	3	3	9	II	
<i>cumulana</i> (Guenée, 1845)			M	5	3	4	12	I	
<i>fervidana</i> (Zeller, 1847)			M	5	3	4	12	I	
<i>pupillana</i> (Clerck, 1759)		B	M	5	3	3	11	I	
<i>lacteana</i> (Treitschke, 1835)		B	M	4	2	3	9	II	
<i>metzneriana</i> (Treitschke, 1830)		B	M	4	3	3	10	II	
<i>tundrana</i> (Kennel, 1900)			M	4 ?	3	4	11 ?	I ?	
<i>messingiana</i> (Fischer von Röslerstamm, 1837)			M	5	3	5	13	I	
<i>aemulana</i> (Schläger, 1849)		B*	M	5	2	4	11	I	
<i>incana</i> (Lienig et Zeller, 1846)			M	5	3	4	12	I	
<i>aspidiscana</i> (Hübner, 1817)		B	M	5	2	3	10	II	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>cfaspidiscana</i> (Hübner, 1817)			M	4 ?	3	4	11 ?	I ?	
<i>conterminana</i> (Guenée, 1845)		B		4	2	1	7	III	
<i>campoliliana</i> (Denis et Schiffermüller, 1775)		B	M	5	2	1	8	III	
LEPTEUCOSMA Diakonoff, 1971									
<i>huebneriana</i> Koçak, 1980			M	4	2	4	10	II	
EPIBACTRA Ragonot, 1894									
<i>immundana</i> (Eversmann, 1844)			M*	5 ?	3	5	13 ?	I ?	
GYPSONOMA Meyrick, 1895									
<i>dealbana</i> (Frölich, 1828)		B	M	2	1	1	4	IV	
<i>aceriana</i> (Duponchel, 1843)		B	M	2	1	1	4	IV	
<i>minutana</i> (Hübner, 1799)		B	M	4	1	1	6	IV	
<i>sociana</i> (Haworth, 1811)		B	M	3	1	1	5	IV	
<i>oppressana</i> (Treitschke, 1835)		B	M	4	1	2	7	III	
<i>nitidulana</i> (Lienig et Zeller, 1846)		B	M*	2	2	3	7	III	
EPIBLEMA Hübner, 1825									
<i>junctana</i> (Herrich-Schäffer, 1856)		B	M	3 ?	2	4	9 ?	II ?	
<i>grandaevana</i> (Lienig et Zeller, 1846)		B	M	3	2	4	9	II	
<i>turbidana</i> (Treitschke, 1835)		B	M	4	3	4	11	I	
<i>foenella</i> (Linnaeus, 1758)		B	M	5	1	1	7	III	
<i>simploniana</i> (Duponchel, 1845)		B*		?	?	4 ?	4	?	
<i>sticticana</i> (Fabricius, 1794)		B	M	3	1	1	5	IV	
<i>scutulana</i> (Denis et Schiffermüller, 1775)		B	M	3	2	2	7	III	
<i>cirsiana</i> (Zeller, 1843)		B	M	3	2	3	8	III	
<i>cnicicolana</i> (Zeller, 1847)			M*	5	3	5	13	I	
<i>graphana</i> (Treitschke, 1835)		B	M	3	3	3	9	II	
<i>inulivora</i> (Meyrick, 1932)			M*	5	3	5	13	I	
<i>similana</i> (Denis et Schiffermüller, 1775)		B*	M	?	2	4	6	?	
<i>hepaticana</i> (Treitschke, 1835)		B	M	4	2	1	7	III	
NOTOCELIA Hübner, 1825									
<i>cynosbatella</i> (Linnaeus, 1758)		B	M	2	1	1	4	IV	
<i>tetragonana</i> (Stephens, 1834)		B	M	4	2	4	10	II	
<i>uddmanniana</i> (Linnaeus, 1758)		B	M	4	1	1	6	IV	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>roborana</i> (Denis et Schiffermüller, 1775)		B	M	2	1	1	4	IV	
<i>incarnatana</i> (Hübner, 1800)		B	M	4	2	1	7	III	
<i>mediterranea</i> (Obraztsov, 1952)			M*	3 ?	2 ?	5	10 ?	II ?	
<i>rosaecolana</i> (Doubleday, 1850)		B	M	4	2	3	9	II	
<i>trimaculana</i> (Haworth, 1811)		B	M	3	2	1	6	IV	
PSEUDOCOCCYX Swatschek, 1958									
<i>posticana</i> (Zetterstedt, 1839)		B	M	4	2	2	8	III	
<i>turionella</i> (Linnaeus, 1758)		B	M	4	2	2	8	III	
<i>mughiana</i> (Zeller, 1868)		B		5	3	4	12	I	
RETINIA Guenée, 1845									
<i>resinella</i> (Linnaeus, 1758)		B	M	4	1	1	6	IV	
<i>perangustana</i> (Snellen, 1883)			M	4	2	4	10	II	
BARBARA Heinrich, 1923									
<i>herrichiana</i> Obraztsov, 1960		B*	M	5	3	4	12	I	
GRAVITARMATA Obraztsov, 1946									
<i>margarotana</i> (Heinemann, 1863)			M	4	3	4	11	I	
RHYACIONIA Hübner, 1825									
<i>buoliana</i> (Denis et Schiffermüller, 1775)		B	M	3	1	2	6	IV	
<i>pinicolana</i> (Doubleday, 1849)		B	M	3	2	2	7	III	
<i>pinivorana</i> (Lienig et Zeller, 1846)		B	M	4	2	2	8	IV	-1
<i>duplana</i> (Hübner, 1813)		B	M*	4	2	4	10	II	
<i>hafneri</i> (Rebel, 1937)	I	B*	M*	5 ?	2	4	11 ?	II ?	-1
CORTICIVORA Clarke, 1951									
<i>piniana</i> (Herrich-Schäffer, 1851)		B*	M	5	3	4	12	I	
DICHRORAMPHA Guenée, 1845									
<i>petiverella</i> (Linnaeus, 1758)		B	M	3	1	1	5	IV	
<i>alpinana</i> (Treitschke, 1830)		B	M	3	2	4	9	II	
<i>flavidorsana</i> Knaggs, 1867		B	M*	4	2	3	9	II	
<i>plumbagana</i> (Treitschke, 1830)		B	M	3	2	3	8	III	
<i>obscuratana</i> (Wolff, 1955)		B*	M	3	3	4	10	II	
<i>heegerana</i> (Duponchel, 1843)		B	M	3	2	4	9	II	
<i>incognitana</i> (Kremky et Maslowski, 1933)		B	M	4	2	3	9	II	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>sequana</i> (Hübner, 1799)		B	M	3	2	1	6	IV	
<i>acuminatana</i> (Lienig et Zeller, 1846)		B	M	3	2	3	8	III	
<i>consortana</i> Stephens, 1852		B*	M*	4	2	4	10	II	
<i>cinerascens</i> (Danilevsky, 1948)			M	4	2	3	9	II	
<i>sylvicolana</i> Heinemann, 1863		B*		5	3	4	12	I	
<i>simpliciana</i> (Haworth, 1811)		B	M	5	1	1	7	III	
<i>vancouverana</i> McDunnough, 1935		B	M	3	1	1	5	IV	
<i>agilana</i> (Tengström, 1848)		B*		3	2	3	8	III	
<i>gruneriana</i> (Herrich-Schäffer, 1851)		B*	M*	5	2	4	11	I	
<i>podoliensis</i> (Toll, 1942)		B*	M*	4	3	4	11	I	
<i>incursana</i> (Herrich-Schäffer, 1851)		B	M*	3 ?	2	4	9 ?	II ?	
<i>cacaleana</i> (Herrich-Schäffer, 1851)		B	M	3	3	4	10	II	
<i>plumbana</i> (Scopoli, 1763)		B	M	3	2	1	6	IV	
<i>sedatana</i> (Busck, 1906)		B	M	3	2	2	7	III	
<i>aeratana</i> (Pierce et Metcalfe, 1915)		B	M	3	2	2	7	III	
THAUMATOTIBIA Zacher, 1915									
<i>leucotreta</i> (Meyrick, 1913)	I	B*		1	1	1 ?	3 ?	IV ?	
CYDIA Hübner, 1825									
<i>succedana</i> (Denis et Schiffermüller, 1775)		B	M	3	2	3	8	III	
<i>ilipulana</i> (Walsingham, 1903)		B*	M*	5	3	4	12	I	
<i>centralasiae</i> (Obratzov, 1949)			M	5 ?	3	5	13 ?	I ?	
<i>medicaginis</i> (Kuznetsov, 1962)		B	M	3	2	3	8	III	
<i>oxytropidis</i> (Martini, 1912)		B*	M	5	3	4	12	I	
<i>pactolana</i> (Zeller, 1840)		B	M	4	2	1	7	III	
<i>grunertiana</i> (Ratzeburg, 1868)		B*	M	5	2	2	9	II	
<i>interscindana</i> (Möschler, 1868)		B*		4	3	5	12	I	
<i>duplicana</i> (Zetterstedt, 1839)		B	M	3	2	2	7	III	
<i>cognatana</i> (Barrett, 1874)		B		5	2	4	11	I	
<i>servillana</i> (Duponchel, 1836)		B	M	4	2	3	9	II	
<i>exquisitana</i> (Rebel, 1899)			M*	2	3	4	9	II	
<i>splendana</i> (Hübner, 1799)		B	M	3	1	1	5	IV	
<i>fagiglandana</i> (Zeller, 1841)		B	M	3	2	1	6	IV	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>amplana</i> (Hübner, 1799)		B	M	2	2	2	6	IV	
<i>inquinatana</i> (Hübner, 1799)		B	M	4	2	3	9	II	
<i>conicolana</i> (Heylaerts, 1874)		B*	M	5	1	4	10	II	
<i>nigricana</i> (Fabricius, 1794)		B	M	3	1	1	5	IV	
<i>cosmophorana</i> (Treitschke, 1835)		B	M	3	2	2	7	III	
<i>indivisa</i> (Danilevsky, 1963)		B	M*	3	2	4	9	II	
<i>coniferana</i> (Saxesen, 1840)		B	M	3	2	2	7	III	
<i>illutana</i> (Herrich-Schäffer, 1851)		B	M	3	2	4	9	II	
<i>pomonella</i> (Linnaeus, 1758)		B	M	3	1	1	5	IV	
<i>pyrivora</i> (Danilevskij, 1947)		B*	M	4	1	4	9	II	
<i>millenniana</i> (Adamczewski, 1967)		B	M	5	2	3	10	II	
<i>zebeana</i> (Ratzeburg, 1840)		B	M	5	2	4 ?	11 ?	I ?	
<i>corollana</i> (Hübner, 1823)		B	M	3	2	4 ?	9 ?	II ?	
<i>leguminana</i> (Lienig et Zeller, 1846)		B	M	2	3	4	9	II	
<i>strobilella</i> (Linnaeus, 1758)		B	M	3	1	1	5	IV	
<i>microgrammana</i> (Guenée, 1845)		B	M	4	3	3	10	II	
LATHRONYMPHA Meyrick, 1926									
<i>strigana</i> (Fabricius, 1775)		B	M	4	2	1	7	III	
GRAPHOLITA Treitschke, 1829									
<i>gemmiferana</i> (Treitschke, 1835)		B	M	4	3	3	10	II	
<i>lathyrana</i> (Hübner, 1813)		B	M	3	2	4	9	II	
<i>jungiella</i> (Clerck, 1759)		B	M	3	2	1	6	IV	
<i>nigrostriana</i> Snellen, 1883			M*	5	2	5	12	I	
<i>nebritana</i> (Treitschke, 1830)		B	M*	3	2	4	9	II	
<i>fissana</i> (Frölich, 1828)		B	M	3	2	2	7	III	
<i>discretana</i> (Wocke, 1861)		B	M	5	1	5	11	I	
<i>lunulana</i> (Denis et Schiffermüller, 1775)		B	M	3	2	3	8	III	
<i>orobana</i> (Treitschke, 1830)		B	M	3	2	4	9	II	
<i>caecana</i> (Schläger, 1847)		B*	M	3	2	4	9	II	
<i>larseni</i> (Rebel, 1903)			M	?	2	4	6	?	
<i>compositella</i> (Fabricius, 1775)		B	M	3	1	1	5	IV	
<i>coronillana</i> (Lienig et Zeller, 1846)		B	M	5	1	1	7	III	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>pallifrontana</i> (Lienig et Zeller, 1846)		B	M	5	2	3	10	II	
<i>delineana</i> (Walker, 1863)			M*	3	2	5	10	II	
<i>janthinana</i> (Duponchel, 1835)		B	M	3	2	2	7	III	
<i>tenebrosana</i> (Duponchel, 1843)		B	M	4	1	1	6	IV	
<i>funebrana</i> (Treitschke, 1835)		B	M	3	1	1	5	IV	
<i>molesta</i> (Busck, 1916)	I	B	M	3	1	2	6	IV	
<i>lobarzewski</i> (Nowicki, 1860)		B	M	3	2	2	7	III	
PAMMENE Hübner, 1825									
<i>aurana</i> (Fabricius, 1775)		B	M	5	1	3	9	II	
<i>gallicana</i> (Guenée, 1845)		B	M*	3	1	4	8	III	
<i>splendidulana</i> (Guenée, 1845)		B	M	4	2	2	8	III	
<i>luedersiana</i> (Sorhagen, 1885)		B		5	3	5	13	I	
<i>obscurana</i> (Stephens, 1834)		B	M	4	2	3	9	II	
<i>agnotana</i> Rebel, 1914		B*	M	4	2	3	9	II	
<i>amygdalana</i> (Duponchel, 1842)		(B)	M	4	3	4	11	I	
<i>giganteana</i> Peyerimhoff, 1863		B	M	4	2	3	9	II	
<i>ignorata</i> Kuznetsov, 1968		B*	M*	2 ?	2	4	8 ?	III ?	
<i>argyrana</i> (Hübner, 1799)		B	M	4	2	3	9	II	
<i>albuginana</i> (Guenée, 1845)		B	M	4	2	3	9	II	
<i>insulana</i> (Guenée, 1845)		B*	M	4	2	4	10	II	
<i>christophana</i> Möschl, 1862			M	4	3	4	11	I	
<i>gallicollana</i> (Lienig et Zeller, 1846)		B	M	4	2	4	10	II	
<i>suspectana</i> (Lienig et Zeller, 1846)		B	M	5	2	3	10	II	
<i>spiniana</i> (Duponchel, 1843)		B	M	3	2	3	8	III	
<i>populana</i> (Fabricius, 1787)		B	M	3	2	3	8	III	
<i>aurita</i> Razowski, 1991		B	M	5	2	3	10	II	
<i>regiana</i> (Zeller, 1849)		B	M	4	2	3	9	II	
<i>trauniana</i> (Denis et Schiffermüller, 1775)		B	M	4	3	3	10	II	
<i>fasciana</i> (Linnaeus, 1761)		B	M	5	1	3	9	II	
<i>herrichiana</i> (Heinemann, 1854)		B	M	5	3	4	12	I	
<i>querceti</i> (Gozmány, 1957)			M	5	3	5	13	I	
<i>germmana</i> (Hübner, 1799)		B	M	2	2	4	8	III	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>juniperana</i> (Milliere, 1858)	I	B*		5	3	5	13	III	-2
<i>ochsenheimeriana</i> (Lienig et Zeller, 1846)		B	M	4	2	3	9	II	
<i>rhediella</i> (Clerck, 1759)		B	M	3	1	1	5	IV	
STROPHEDRA Herrich-Schäffer, 1854									
<i>weirana</i> (Douglas, 1850)		B	M	3	2	3	8	III	
<i>nitidana</i> (Fabricius, 1794)		B	M	3	3	3	9	II	
Gelechioidea									
Autostichidae									
OEGOCONIA Stainton, 1854									
<i>uralskella</i> Popescu-Gorj et Capuse, 1965		B	M	2 ?	3	3	8 ?	III ?	
<i>deauratella</i> (Herrich-Schäffer, 1854)		B*	M	2 ?	3	4	9 ?	II ?	
<i>caradjai</i> Popescu Gorj et Capuse, 1965		B*		2	3	3	8	III	
<i>novimundi</i> (Busck, 1915)		B*	M*	2 ?	1	4	7 ?	III ?	
APATEMA Walsingham, 1901									
<i>whalleyi</i> Popescu-Gorj et Capuse, 1965			M*	?	3 ?	4 ?	7	?	
Lecithoceridae									
LECITHOCERA Herrich-Schäffer, 1853									
<i>nigrana</i> (Duponchel, 1836)			M	2	3	4	9	II	
Oecophoridae									
Deuteroconiinae									
DEUTEROGONIA Rebel, 1901									
<i>pudorina</i> (Wocke, 1857)		B	M	2	2	4	8	III	
Oecophorinae									
PROMALACTIS Meyrick, 1908									
<i>procerella</i> (Denis et Schiffermüller, 1775)		B	M	3	2	2	7	III	
FABIOLA Busck, 1908									
<i>pokorny</i> (Nickerl, 1864)		B	M	3	3	4	10	II	
SCHIFFERMUELLERIA Hübner, 1825									
<i>schaefferella</i> (Linnaeus, 1758)		B	M	2	2	1	5	IV	
<i>grandis</i> (Desvignes, 1842)		B*	M*	2	2	4	8	III	
BUVATINA Laraut, 1984									
<i>tineiformis</i> Laraut, 1984			M*	2 ?	2 ?	5	9 ?	II ?	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
DENISIA Hübner, 1825									
<i>stroemella</i> (Fabricius, 1781)		B*	M	2	3	4	9	II	
<i>similella</i> (Hübner, 1796)		B	M	2	2	2	6	IV	
<i>augustella</i> (Hübner, 1796)		B	M	2	3	4	9	II	
<i>albimaculea</i> (Haworth, 1828)		B*	M*	2	2	4	8	III	
<i>nubilosella</i> (Herrich-Schäffer, 1854)		B	M	4	3	4	11	I	
<i>stipella</i> (Linnaeus, 1758)		B	M	3	2	2	7	III	
DECANTHA Busck, 1902									
<i>borkhauseni</i> (Zeller, 1839)		B*	M*	4	3	4	11	I	
METALAMPRA Toll, 1956									
<i>cinnamomea</i> (Zeller, 1839)		B	M	2	1	2	5	IV	
ENDROSIS Hübner, 1825									
<i>sarcitrella</i> (Linnaeus, 1758)	I	B	M	1	1	2	4	IV	
HOFMANNOPHILA Spuler, 1910									
<i>pseudospretella</i> (Stainton, 1849)		B	M	1	1	1	3	IV	
BORKHAUSENIA Hübner, 1825									
<i>fuscescens</i> (Haworth, 1828)		B	M	1	1	1	3	IV	
<i>minutella</i> (Linnaeus, 1758)		B	M	1	1	1	3	IV	
<i>luridicomella</i> (Herrich-Schäffer, 1856)		B	M	2	3	4	9	II	
CRASSA Bruand, 1850									
<i>tinctella</i> (Hübner, 1796)		B	M	2	2	2	6	IV	
<i>unitella</i> (Hübner, 1796)		B	M	2	1	1	4	IV	
BATIA Stephens, 1834									
<i>lambdella</i> (Donovan, 1793)		B*	M	2	3	4	9	II	
<i>internella</i> Jäckh, 1972		B*	M	3	2	4	9	II	
<i>lunaris</i> (Haworth, 1828)		B*		3	2	4	9	II	
EPICALLIMA Dyar, 1903									
<i>bruandella</i> (Ragonot, 1889)			M*	3 ?	3	5	11 ?	I ?	
<i>formosella</i> (Denis et Schiffermüller, 1775)		B	M	2	2	2	6	IV	
DASYCERA Stephens, 1829									
<i>oliviella</i> (Fabricius, 1794)		(B)	M	3	3	4	10	II	
OECOPHORA Latreille, 1796									

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>bractella</i> (Linnaeus, 1758)		B	M	2	2	3	7	III	
ALABONIA Hübner, 1825									
<i>staintoniella</i> (Zeller, 1850)			M	3	3	4	10	II	
HARPELLA Schrank, 1802									
<i>forficella</i> (Scopoli, 1763)		B	M	2	1	1	4	IV	
MINETIA Leraut, 1991									
<i>crinitus</i> (Fabricius, 1798)			M	2 ?	3	4	9 ?	II ?	
<i>labiosella</i> (Hübner, 1810)			M	?	2	5	7	?	
<i>criella</i> (Treitschke, 1835)			(M)	?	2	5 ?	7	?	
PLEUROTA Hübner, 1825									
<i>marginella</i> (Denis et Schiffermüller, 1775)			M	3	3	4	10	II	
<i>pyropella</i> (Denis et Schiffermüller, 1775)		B	M	4	3	4	11	I	
<i>proteella</i> Staudinger, 1880			M	4	3	4	11	I	
<i>bicostella</i> (Clerck, 1759)		B	M	3	3	3	9	II	
<i>aristella</i> (Linnaeus, 1767)			M	2	3	4	9	II	
HOLOSCOLIA Zeller, 1839									
<i>huebneri</i> Koçak, 1980		B	M	3	3	3	9	II	
APLOTA Stephens, 1834									
<i>palpella</i> (Haworth, 1828)		B	M*	3	3	4	10	II	
<i>nigricans</i> (Zeller, 1852)		B*	M*	3	3	4	10	II	
Lypusidae									
LYPUSA null, null									
<i>maurella</i> (Denis et Schiffermüller, 1775)		B		3 ?	2	4	9 ?	II ?	
AGNOEA Walsingham, 1907									
<i>latipennella</i> (Jäckh, 1959)		B*	M*	2	2	4	8	III	
<i>josephinae</i> (Toll, 1956)		B	M	2	2	2	6	IV	
<i>elsae</i> Svensson, 1982		B*	M*	2	2	4	8	III	
<i>flavifrontella</i> (Denis et Schiffermüller, 1775)		B	M	2	2	3	7	III	
<i>subochreella</i> (Doubleday, 1859)		B	M*	2	3	4	9	II	
<i>synchrozella</i> (Jäckh, 1959)		B*	M*	2	2	4 ?	8 ?	III ?	
AMPHISBATIS Zeller, 1870									
<i>incongruella</i> (Stainton, 1849)		B	M	2	3	3	8	III	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
DIURNEA Haworth, 1811									
<i>fagella</i> (Denis et Schiffermüller, 1775)		B	M	2	1	1	4	IV	
<i>lipsiella</i> (Denis et Schiffermüller, 1775)		B	M	2	2	1	5	IV	
DASYSTOMA Curtis, 1833									
<i>salicella</i> (Hübner, 1796)		B	M	2	2	3	7	III	
Depressariidae									
SEMIOSCOPIA Hübner, 1825									
<i>avellanella</i> (Hübner, 1793)		B	M	2	1	1	4	IV	
<i>oculella</i> (Thunberg, 1794)		B	M	4	2	2	8	III	
<i>steinkellneriana</i> (Denis et Schiffermüller, 1775)		B	M	3	2	3	8	III	
<i>strigulana</i> (Denis et Schiffermüller, 1775)		B	M	5	2	4	11	I	
LUQUETIA Lerout, 1991									
<i>lobella</i> (Denis et Schiffermüller, 1775)		B	M	5	2	3	10	II	
LEVIPALPUS Hannemann, 1953									
<i>hepatariella</i> (Lienig et Zeller, 1846)		B		5	3	5	13	I	
EXAERETIA Stainton, 1849									
<i>allisella</i> Stainton, 1849		B	M*	4	2	4	10	II	
<i>ciniflonella</i> Lienig et Zeller, 1846		B		2	2	4	8	III	
<i>preisseckeri</i> (Rebel, 1937)			M	?	3	5	8	?	
<i>stramentella</i> (Eversmann, 1844)		B	M	5	3	4	12	I	
AGONOPTERIX Hübner, 1825									
<i>ocellana</i> (Fabricius, 1775)		B	M	4	2	1	7	III	
<i>adspersella</i> (Kollar, 1835)			M*	3	3	4	10	II	
<i>conterminella</i> (Zeller, 1839)		B	M	4	3	3	10	II	
<i>liturosa</i> (Haworth, 1811)		B	M	4	1	1	6	IV	
<i>hypericella</i> (Hübner, 1817)		B	M*	4	2	2	8	III	
<i>oinochroa</i> (Turatti, 1879)			M	4	3	4	11	I	
<i>alstromeriana</i> (Clerck, 1759)		B	M	5	1	2	8	III	
<i>heracliana</i> (Linnaeus, 1758)		B	M	3	1	1	5	IV	
<i>ciliella</i> (Stainton, 1849)		B	M	3	1	2	6	IV	
<i>selini</i> (Heinemann, 1870)		B	M	3	3	4	10	II	
<i>paraselini</i> Buchner, 2017			M*	5	3	4	12	I	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>putridella</i> (Denis et Schiffermüller, 1775)			M	5	3	4	12	I	
<i>hippomarathri</i> (Nickerl, 1864)		B	M	5	3	3	11	I	
<i>parilella</i> (Treitschke, 1835)		B*	M	3	3	3	9	II	
<i>curvipunctosa</i> (Haworth, 1813)		B	M*	3	2	2	7	III	
<i>cnicella</i> (Treitschke, 1832)		B	M	5	2	3	10	II	
<i>capreolella</i> (Zeller, 1839)		B	M	3	2	3	8	III	
<i>purpurea</i> (Haworth, 1811)		B	M*	3	3	3	9	II	
<i>yeatiana</i> (Fabricius, 1781)		B	M	3	2	4	9	II	
<i>astrantiae</i> (Heinemann, 1870)		B	M	3	3	4	10	II	
<i>angelicella</i> (Hübner, 1813)		B*	M*	3	3	4	10	II	
<i>senecionis</i> (Nickerl, 1864)		B	M	4	3	4	11	I	
<i>nanatella</i> (Stainton, 1849)		B*	M	3	3	4	10	II	
<i>kaekeritziana</i> (Linnaeus, 1767)		B	M	3	3	4	10	II	
<i>pallorella</i> (Zeller, 1839)		B	M	3	3	3	9	II	
<i>laterella</i> (Denis et Schiffermüller, 1775)		B	M	4	2	4	10	II	
<i>carduella</i> (Hübner, 1817)		B*	M	4	3	4	11	I	
<i>arenella</i> (Denis et Schiffermüller, 1775)		B	M	3	1	1	5	IV	
<i>propinquella</i> (Treitschke, 1835)		B	M	3	2	3	8	III	
<i>subpropinquella</i> (Stainton, 1849)		B	M*	3	3	4	10	II	
<i>doronicella</i> (Wocke, 1849)		B	M*	5	3	4	12	I	
<i>petasitis</i> (Standfuss, 1851)		B	M	4	3	4	11	I	
<i>bipunctosa</i> (Curtis, 1850)			M*	5	3	5	13	I	
<i>scopariella</i> (Heinemann, 1870)		B	M	4	2	2	8	III	
<i>atomella</i> (Denis et Schiffermüller, 1775)		B	M	3	2	4	9	II	
<i>assimilella</i> (Treitschke, 1832)		B	M	3	2	3	8	III	
<i>nervosa</i> (Haworth, 1811)		B	M	3	2	3	8	III	
<i>furvella</i> (Treitschke, 1832)		B	M	5	3	4	12	I	
<i>medelichensis</i> Buchner, 2015		B	M*	3	3	4	10	II	
DEPRESSARIA Haworth, 1811									
<i>emeritella</i> Stainton, 1849		B	M	5	1	3	9	II	
<i>olerella</i> Zeller, 1854		B	M	3	2	2	7	III	
<i>albipunctella</i> (Denis et Schiffermüller, 1775)		B	M	3	1	1	5	IV	

[illegible]

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>dodecea</i> (Haworth, 1828)		B	M	5	3	4	12	I	
<i>quadrillella</i> (Goeze, 1783)		B	M	3	2	3	8	III	
<i>candidella</i> (Alphéraky, 1908)		B*	M	5	3	4	12	I	
<i>fumidella</i> (wocke, 1850)			M*	3 ?	2 ?	5	10 ?	II ?	
<i>pusiella</i> (Linnaeus, 1758)		B	M	4	3	4	11	I	
<i>terminella</i> Fletcher, 1938		B	M	5	2	2	9	II	
<i>bipunctella</i> (Fabricius, 1775)		B	M	5	1	2	8	III	
Peleopodinae									
CARCINA Hübner, 1825									
<i>quercana</i> (Fabricius, 1775)		B	M	2	2	2	6	IV	
Elachistidae									
Elachistinae									
PERITTIA Stainton, 1854									
<i>farinella</i> (Thunberg, 1794)		B	M	3	3	4	10	II	
<i>herrichiella</i> (Herrich-Schäffer, 1855)		B	M	4	2	3	9	II	
STEPHENSIA Stainton, 1858									
<i>brunnichella</i> (Linnaeus, 1767)		B	M	5	2	3	10	II	
<i>abbreviatella</i> (Stainton, 1851)		B*	M	4	3	4	11	I	
ELACHISTA Treitschke, 1833									
<i>argentella</i> (Clerck, 1759)		B	M	3	1	1	5	IV	
<i>heringi</i> Rebel, 1899		B	M	4	3	4	11	I	
<i>hedemanni</i> Rebel, 1899		B*		4	3	4	11	I	
<i>gormella</i> Nielsen et Traugor-Olsen, 1987			M	3 ?	3	4	10 ?	II ?	
<i>pollinariella</i> Zeller, 1839		B	M	3	2	2	7	III	
<i>triatomea</i> (Haworth, 1828)		B*		4	2	5 ?	11 ?	I ?	
<i>collitella</i> (Duponchel, 1843)		B	M	4	3	4	11	I	
<i>subocellea</i> (Stephens, 1834)		B	M	5	2	3	10	II	
<i>agelensis</i> Traugott-Olsen, 1996		B*		3 ?	3 ?	5	11 ?	I ?	
<i>unifasciella</i> (Haworth, 1828)		B	M	3	2	3	8	III	
<i>obliquella</i> Stainton, 1854		B	M	3	2	3	8	III	
<i>cingillella</i> (Herrich-Schäffer, 1855)		(B)	M*	5 ?	3	4 ?	12 ?	I ?	
<i>fasciola</i> Parenti, 1983		B*		4 ?	2	5 ?	11 ?	I ?	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>metella</i> Kaila, 2002			M	3 ?	3	4 ?	10 ?	II ?	
<i>gangabella</i> Zeller, 1850		B	M	3	2	3	8	III	
<i>subalbidella</i> Schläger, 1847		B	M	3	2	3	8	III	
<i>adscitella</i> Stainton, 1851		B	M	3	2	2	7	III	
<i>bisulcella</i> (Duponchel, 1843)		B*	M	3	2	3	8	III	
<i>chrysodesmella</i> Zeller, 1850		B	M	3	2	3	8	III	
<i>pollutella</i> (Duponchel, 1843)		(B)	M	4	3	4	11	I	
<i>squamosella</i> (Duponchel, 1843)		B	M	4	3	2	9	II	
<i>rudectella</i> Stainton, 1851		B	M	5	3	4	12	I	
<i>nolckeni</i> Šulcs, 1992		B	M	4	3	4	11	I	
<i>pullicomella</i> Zeller, 1839		B	M	3	2	1	6	IV	
<i>bedellella</i> (Sircom, 1848)		B	M	3	2	1	6	IV	
<i>littoricola</i> Le Marchand, 1938		B	M	4	3	4	11	I	
<i>spumella</i> Caradja, 1920		B*	M	4	3	3	10	II	
<i>dispilella</i> Zeller, 1839		B	M*	4	3	3	10	II	
<i>distigmatella</i> Frey, 1859		B	M	4	2	4	10	II	
<i>nitidulella</i> Herrich-Schäffer, 1855			M	4	3	4	11	I	
<i>triseriatella</i> Stainton, 1854		B*	M*	4	3	3	10	II	
<i>elsaella</i> Traugott-Olsen, 1988		B*	M	4	2	4	10	II	
<i>dispunctella</i> (Duponchel, 1843)		B	M	4	3	3	10	II	
<i>festucicolella</i> Zeller, 1859			M*	4	3	4	11	I	
<i>geminatella</i> Herrich-Schäffer, 1855		B	M	4	2	3	9	II	
<i>gleichenella</i> (Fabricius, 1781)		B	M	2	3	3	8	III	
<i>pigerella</i> (Herrich-Schäffer, 1854)		B		5	3	4	12	I	
<i>quadripunctella</i> (Hübner, 1825)		B	M	4	3	3	10	II	
<i>tetragonella</i> (Herrich-Schäffer, 1855)		B*	M*	4	2	4	10	II	
<i>biatomella</i> (Stainton, 1848)		B*	M*	5	3	4	12	I	
<i>martini</i> Hofmann, 1898		B	M*	5	3	4	12	I	
<i>trapeziella</i> (Stainton, 1849)		B*	M	4	3	4	11	I	
<i>cinereopunctella</i> (Haworth, 1828)			M	4	3	4	11	I	
<i>serricornis</i> (Stainton, 1854)		B	M	4	3	3	10	II	
<i>scirpi</i> Stainton, 1887			M*	2	3	4	9	II	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>juliensis</i> Frey, 1870		B	M*	5	3	4	12	I	
<i>occidentalis</i> Frey, 1882		B*	M*	4	3	4	11	I	
<i>eleochariella</i> Stainton, 1851		B*		3	3	4	10	II	
<i>utonella</i> (Frey, 1856)		B	M	4	2	2	8	III	
<i>albidella</i> (Nylander, 1848)		B	M	3	3	3	9	II	
<i>contaminatella</i> Zeller, 1847			M*	4	3	5	12	I	
<i>maculicerusella</i> Bruand, 1859		B	M	3	1	1	5	IV	
<i>poae</i> Stainton, 1855		B*	M	4	3	4	11	I	
<i>atricomella</i> Stainton, 1849		B	M*	3	2	3	8	III	
<i>alpinella</i> Stainton, 1854		B	M	4	3	3	10	II	
<i>kilmunella</i> Stainton, 1849		B	M	4	3	3	10	II	
<i>diederichsiella</i> Hering, 1889		B*		3	3	5	11	I	
<i>compsa</i> Traugott-Olsen, 1974		B*	M*	3	2	4	9	II	
<i>pomerana</i> Frey, 1870		B*	M*	3	3	4	10	II	
<i>elegans</i> Frey, 1859		B*		3	2	4	9	II	
<i>luticomella</i> Zeller, 1839		B	M	3	2	3	8	III	
<i>albifrontella</i> (Hübner, 1817)		B	M	3	2	1	6	IV	
<i>bifasciella</i> Treitschke, 1833		B	M	3	2	2	7	III	
<i>nobilella</i> Zeller, 1839		B	M	3	2	2	7	III	
<i>apicipunctella</i> Stainton, 1849		B	M	3	2	3	8	III	
<i>subnigrella</i> Douglas, 1853		B	M	3	2	2	7	III	
<i>griseella</i> (Duponchel, 1843)			M	4	2	4	10	II	
<i>herrichi</i> Frey, 1859		B	M*	3	2	4	9	II	
<i>orstadii</i> Palm, 1943		B*	M	3 ?	2	4	9 ?	II ?	
<i>humilis</i> Zeller, 1850		B	M	3	2	4	9	II	
<i>canapennella</i> (Hübner, 1813)		B	M	3	2	1	6	IV	
<i>anserinella</i> Zeller, 1839		B	M	5	3	3	11	I	
<i>lastrella</i> Chrétien, 1896		B*		5	3	5	13	I	
<i>freyerella</i> (Hübner, 1825)		B	M	4	1	1	6	IV	
<i>exactella</i> (Herrich-Schäffer, 1855)		B	M	3	2	1	6	IV	
<i>stabilella</i> (Stainton, 1858)		B*	M*	3	2	4 ?	9 ?	II ?	
<i>consortella</i> (Stainton, 1851)		B	M*	3	2	4 ?	9 ?	II ?	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
Parametriotidae									
BLASTODACNA Wocke, 1876									
<i>hellerella</i> (Duponchel, 1838)		B	M	3	2	2	7	III	
<i>atra</i> (Haworth, 1828)		B	M	4	1	1	6	IV	
<i>vinolentella</i> (Herrich-Schäffer, 1854)		B*	M	3 ?	3	4	10 ?	II ?	
SPULERIA Hofmann, 1898									
<i>flavicaput</i> (Haworth, 1828)		B	M	4	2	4	10	II	
HEINEMANNIA Wocke, 1876									
<i>laspeyrella</i> (Hübner, 1796)		B	M	3	3	4	10	II	
<i>festivella</i> (Denis et Schiffermüller, 1775)		B	M	5	2	3	10	II	
DYSTEBENNA Spuler, 1910									
<i>stephensi</i> (Stainton, 1849)			M*	4	3	4	11	I	
HAPLOCHROIS Meyrick, 1897									
<i>ochraceella</i> Rebel, 1903		B*	M*	?	2	5	7	?	
CHRYSOCLISTA Stainton, 1854									
<i>linneella</i> (Clerck, 1759)		B*	M*	4	2	4	10	II	
<i>lathamella</i> Fletcher, 1936		B*		4	3	4	11	I	
<i>splendida</i> Karsholt, 1997			M	4	3	5	12	I	
<i>gabretica</i> Šumpich, 2012		B*		?	3	5	8	?	
<i>germanica</i> Šumpich et Huemer, 2016		B*		?	?	5 ?	5	?	
Momphidae									
MOMPHA Hübner, 1825									
<i>miscella</i> (Denis et Schiffermüller, 1775)		B	M	5	3	2	10	II	
<i>idaei</i> (Zeller, 1839)		B	M	5	2	3	10	II	
<i>langiella</i> (Hübner, 1796)		B	M	3	2	1	6	IV	
<i>terminella</i> (Humphries et Westwood, 1845)		B	M	5	3	4	12	I	
<i>raschkiella</i> (Zeller, 1839)		B	M	4	2	2	8	III	
<i>locupletella</i> (Denis et Schiffermüller, 1775)		B	M	4	3	3	10	II	
<i>conturbatella</i> (Hübner, 1819)		B	M	4	2	3	9	II	
<i>ochraceella</i> (Curtis, 1839)		B	M	5	2	3	10	II	
<i>lacteella</i> (Stephens, 1834)		B	M	4	2	2	8	III	
<i>propinquella</i> (Stainton, 1851)		B	M	4	2	2	8	III	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>divisella</i> Herrich-Schäffer, 1854		B*	M	4	1	4	9	II	
<i>bradleyi</i> Riedl, 1965			M	5	2	4 ?	11 ?	I ?	
<i>confusella</i> Koster et Sinev, 1996			M*	4	2 ?	5	11 ?	I ?	
<i>sturnipennella</i> (Treitschke, 1833)		B	M	5	2	2	9	II	
<i>subbistrigella</i> (Haworth, 1828)		B*	M	4	1	3	8	III	
<i>epilobiella</i> (Denis et Schiffermüller, 1775)		B	M	4	1	1	6	IV	
Batrachedridae									
BATRACHEDRA Herrich-Schäffer, 1853									
<i>praeangusta</i> (Haworth, 1828)		B	M	3	1	1	5	IV	
<i>pinicolella</i> (Zeller, 1839)		B	M	3	2	3	8	III	
<i>confusella</i> Berggren, Aarvik, Huemer, Lee et Mutanen, 2022		B*	M*	3	1	2	6	IV	
<i>parvipunctella</i> Chrétien, 1915			M*	5	3	5	13	I	
Coleophoridae									
AUGASMA Herrich-Schäffer, 1853									
<i>aeratella</i> (Zeller, 1839)		B	M	5	2	2	9	II	
COLEOPHORA Hübner, 1822									
<i>lutarea</i> (Haworth, 1828)		B	M	4	2	2	8	III	
<i>auroguttella</i> Fischer von Röslerstamm, 1841			M	4	3	4	11	I	
<i>albella</i> (Thunberg, 1788)		B*	M	3	2	4	9	II	
<i>squalorella</i> Zeller, 1849		B	M	4	1	2	7	III	
<i>binotapennella</i> (Duponchel, 1843)		(B)	M*	3	2	3	8	III	
<i>clypeiferella</i> Hofmann, 1871		B	M	3	1	1	5	IV	
<i>unipunctella</i> Zeller, 1849		B	M	4	1	2	7	III	
<i>preisseckeri</i> Toll, 1942			M*	?	3 ?	5	8	?	
<i>lithargyrinella</i> Zeller, 1849		B	M	3	2	1	6	IV	
<i>chalcogrammella</i> Zeller, 1839		B	M*	3	2	4	9	II	
<i>lutipennella</i> (Zeller, 1838)		B	M	4	2	1	7	III	
<i>flavipennella</i> (Duponchel, 1843)		B	M	3	1	1	5	IV	
<i>siccifolia</i> Stainton, 1856		B	M	2	1	3	6	IV	
<i>badiipennella</i> (Duponchel, 1843)		B	M	4	2	2	8	III	
<i>limosipennella</i> (Duponchel, 1843)		B	M	4	3	2	9	II	
<i>milvipennis</i> Zeller, 1839		B	M	3	2	2	7	III	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>alnifoliae</i> Barasch, 1934		B	M	4	2	2	8	III	
<i>adjectella</i> Herrich-Schäffer, 1861		B*	M*	3	1	3	7	III	
<i>gryphipennella</i> (Hübner, 1796)		B	M	3	1	1	5	IV	
<i>trigeminella</i> Fuchs, 1881		B	M	3	1	4	8	III	
<i>cornutella</i> Herrich-Schäffer, 1861		(B)	M	4	3	4	11	I	
<i>uliginosella</i> Glitz, 1872		B*		3	3	4	10	II	
<i>hydrolapathella</i> Hering, 1921			M	5	3	4	12	I	
<i>cecidophorella</i> Oudejans, 1972			M*	4	2	5	11	I	
<i>hemerobiella</i> (Scopoli, 1763)		B	M	3	1	1	5	IV	
<i>spiraeella</i> Rebel, 1916	I	B	M	4	1	2	7	IV	-1
<i>spinella</i> (Schränk, 1802)		B	M	3	1	1	5	IV	
<i>prunifoliae</i> Doets, 1944		B	M	3	1	2	6	IV	
<i>serratella</i> (Linnaeus, 1761)		B	M	2	1	1	4	IV	
<i>coracipennella</i> (Hübner, 1796)		B	M	3	1	1	5	IV	
<i>mayrella</i> (Hübner, 1813)		B	M	5	2	3	10	II	
<i>paramayrella</i> Nel, 1993		B*	M*	4	2	4	10	II	
<i>aleramica</i> Baldizzone et Stübner, 2007		B*	M*	5	2	4	11	I	
<i>variicornis</i> Toll, 1952		B*	M*	5	2	4	11	I	
<i>hieronella</i> Zeller, 1849			M*	4	2	5	11	I	
<i>deauratella</i> Lienig et Zeller, 1846		B	M	3	2	3	8	III	
<i>amethystinella</i> Ragonot, 1885			M*	4	?	5	9	?	
<i>frischella</i> (Linnaeus, 1758)		B	M*	4	2	2	8	III	
<i>trifolii</i> (Curtis, 1832)		B	M	4	1	1	6	IV	
<i>alcyonipennella</i> (Kollar, 1832)		B	M	4	2	2	8	III	
<i>oriolella</i> Zeller, 1849		B*	M	5	3	4	12	I	
<i>glaseri</i> Toll, 1961		B*	M	5	3	4	12	I	
<i>supinella</i> Ortner, 1949			M*	4	3	4	11	I	
<i>hartigi</i> Toll, 1959			M	5	3	4	12	I	
<i>vulnerariae</i> Zeller, 1839		B*	M	5	3	4	12	I	
<i>gallipennella</i> (Hübner, 1796)		B	M	3	2	3	8	III	
<i>stramentella</i> Zeller, 1849			M	5	3	4	12	I	
<i>dignella</i> Toll, 1961		B*	M	5	3	4	12	I	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>coronillae</i> Zeller, 1849		B	M	5	2	2	9	II	
<i>ditella</i> Zeller, 1849		B	M	4	3	4	11	I	
<i>partitella</i> Zeller, 1849		B	M	3	3	4	10	II	
<i>pseudoditella</i> Baldizzone et Patzak, 1983			M	5	3	4	12	I	
<i>conspicuenta</i> Zeller, 1849		B	M	4	2	2	8	III	
<i>caelebipennella</i> Zeller, 1839		B	M	3	2	3	8	III	
<i>astragalella</i> Zeller, 1849			M	4	3	4	11	I	
<i>bilineatella</i> Zeller, 1849		B*	M	5	3	4	12	I	
<i>saturatella</i> Stainton, 1850		B	M	3	2	3	8	III	
<i>discordella</i> Zeller, 1849		B	M	4	2	2	8	III	
<i>albicostella</i> (Duponchel, 1842)		B	M	4	2	2	8	III	
<i>sergiella</i> Falkovitsh, 1979		B*	M*	4	3	4	11	I	
<i>squamella</i> Constant, 1885			M	5	3	4	12	I	
<i>medelichensis</i> Krone, 1908			M	5	3	3	11	I	
<i>acrisella</i> Milliére, 1872			M*	5	3	4	12	I	
<i>onobrychiella</i> Zeller, 1849			M	4	3	4	11	I	
<i>vulpecula</i> Zeller, 1849		B*	M	5	3	4	12	I	
<i>genistae</i> Stainton, 1857		(B)	M	4	3	4	11	I	
<i>trifariella</i> Zeller, 1849		B	M	3	1	3	7	III	
<i>congeriella</i> Staudinger, 1859			M	5	3	4	12	I	
<i>colutella</i> (Fabricius, 1794)		B	M	3	2	2	7	III	
<i>conyzae</i> Zeller, 1868		B	M	5	3	3	11	I	
<i>ptarmicia</i> Walsingham, 1910		B*	M	4	2	4	10	II	
<i>serratulella</i> Herrich-Schäffer, 1855		(B)	M	5	3	4 ?	12 ?	I ?	
<i>brevipalpella</i> Wocke, 1874		B	M	3	3	4	10	II	
<i>virgatella</i> Zeller, 1849		(B)	M	4	3	3	10	II	
<i>mareki</i> Tabell & Baldizzone, 2014		B	M	5	2	3	10	II	
<i>serpylletorum</i> Hering, 1889		B	M	5	3	3	11	I	
<i>ballotella</i> (Fischer von Röslerstamm, 1839)		B	M	3	2	3	8	III	
<i>ornatipennella</i> (Hübner, 1796)		B	M	3	2	2	7	III	
<i>lixella</i> Zeller, 1849		B	M	4	2	2	8	III	
<i>ochrea</i> (Haworth, 1828)		B	M	5	3	4	12	I	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>auricella</i> (Fabricius, 1794)		B	M	4	3	4	11	I	
<i>paucinotella</i> Toll, 1961		B*	M*	4	3	3	10	II	
<i>ochripennella</i> Zeller, 1849		B	M	3	1	1	5	IV	
<i>lineolea</i> (Haworth, 1828)		B	M	3	2	2	7	III	
<i>pennella</i> (Denis et Schiffermüller, 1775)		B	M	3	2	1	6	IV	
<i>juncicolella</i> Stainton, 1851		B	M	5	3	3	11	I	
<i>murinella</i> Tengström, 1847		B		5	3	4	12	I	
<i>glitzella</i> Hofmann, 1869		B	M	4	2	3	9	II	
<i>binderella</i> (Kollar, 1832)		B	M	3	2	2	7	III	
<i>vitisella</i> Gregson, 1856		B	M	5	3	3	11	I	
<i>fuscocuprella</i> Herrich-Schäffer, 1855		B	M	3	2	3	8	III	
<i>potentillae</i> Elisha, 1885		B		3	3	4	10	II	
<i>violacea</i> (Ström, 1783)		B	M	2	1	2	5	IV	
<i>ahenella</i> Heinemann, 1876		B	M	2	1	1	4	IV	
<i>ledi</i> Stainton, 1860		B	M	5	3	4	12	I	
<i>laricella</i> (Hübner, 1817)		B	M	5	1	1	7	IV	-1
<i>lusciniaepennella</i> (Treitschke, 1833)		B	M	4	2	2	8	III	
<i>orbitella</i> Zeller, 1849		B	M	3	2	2	7	III	
<i>idaeella</i> Hofmann, 1869		B	M	5	3	4	12	I	
<i>vacciniella</i> Herrich-Schäffer, 1861		B	M	2	3	3	8	III	
<i>albitarsella</i> Zeller, 1849		B	M	3	3	3	9	II	
<i>pulmonariella</i> Ragonot, 1874		B	M	3	2	4	9	II	
<i>niveicostella</i> Zeller, 1839		B*	M	4	3	4	11	I	
<i>fuscociliella</i> Zeller, 1849			M	4	2	4	10	II	
<i>vicinella</i> Zeller, 1849		B	M	4	2	3	9	II	
<i>vibicella</i> (Hübner, 1813)		B	M	5	3	4	12	I	
<i>vibicigerella</i> Zeller, 1839		B	M	4	3	4	11	I	
<i>pyrrhulipennella</i> Zeller, 1839		B	M	5	3	4	12	I	
<i>kuehnella</i> (Goeze, 1783)		B	M	4	2	2	8	III	
<i>pannonicella</i> Gozmány, 1956		B*		4	2	4	10	II	
<i>zelleriella</i> Heinemann, 1854		B	M	4	2	4	10	II	
<i>ibipennella</i> Zeller, 1849		B	M	4	2	2	8	III	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>albidella</i> (Denis et Schiffermüller, 1775)		B	M	4	3	3	10	II	
<i>anatipennella</i> ((Hübner, 1796)		B	M	3	1	2	6	IV	
<i>currucipennella</i> Zeller, 1839		B	M	4	2	3	9	II	
<i>betulella</i> Heinemann, 1876		B	M	4	2	3	9	II	
<i>zukowskii</i> Toll, 1959			M*	4 ?	1 ?	5	10 ?	II ?	
<i>pseudorepentis</i> Toll, 1960			M*	4	2 ?	5	11 ?	I ?	
<i>follicularis</i> (Vallot, 1802)		B	M	3	2	4	9	II	
<i>hackmani</i> (Toll, 1953)			M*	5	3	5	13	I	
<i>granulatella</i> Zeller, 1849		B	M	5	3	4	12	I	
<i>pseudociconiella</i> Toll, 1952		B*	M*	5	3	4	12	I	
<i>adpersella</i> Benander, 1939		B	M	3	1	2	6	IV	
<i>tanaceti</i> Mühlig, 1865		B	M	3	1	2	6	IV	
<i>bornicensis</i> Fuchs, 1866			M*	5	1	4	10	II	
<i>solitariella</i> Zeller, 1849		B	M	5	3	2	10	II	
<i>saponariella</i> Heeger, 1848		B	M	5	1	2	8	III	
<i>bucovinella</i> Nemeş, 1968			M	5	3	4	12	I	
<i>dianthi</i> Herrich-Schäffer, 1855		B*	M*	5	3	4	12	I	
<i>gnaphalii</i> Zeller, 1839			M	5	3	4	12	I	
<i>directella</i> Zeller, 1849		B	M	5	3	3	11	I	
<i>campestriphaga</i> Baldizzone et Patzak, 1980		B	M	5	3	4	12	I	
<i>expressella</i> Klemensiewicz, 1883		B	M	3	2	3	8	III	
<i>artemisicoella</i> Bruand, 1855		B	M	4	1	2	7	III	
<i>absinthii</i> Wocke, 1877			M	5	3	4	12	I	
<i>albicans</i> Zeller, 1849		B*	M	4	3	4	11	I	
<i>argentula</i> (Stephens, 1834)		B	M	4	1	1	6	IV	
<i>scabrida</i> Toll, 1959		B*		5	3	4	12	I	
<i>silenella</i> Herrich-Schäffer, 1855		B	M	4	3	3	10	II	
<i>graminicoella</i> Heinemann, 1876		B	M	5	3	4	12	I	
<i>nutantella</i> Mühlig et Frey, 1857		B*	M	4	3	3	10	II	
<i>paradrymidis</i> Toll, 1949			M*	4 ?	3	5	12 ?	I ?	
<i>ramosella</i> Zeller, 1849		B	M	4	2	3	9	II	
<i>galatellae</i> Hering, 1942		B	M	5	3	3	11	I	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>galbulipennella</i> Zeller, 1838		B	M	4	3	3	10	II	
<i>adelogrammella</i> Zeller, 1849		B	M	4	3	3	10	II	
<i>succursella</i> Herrich-Schäffer, 1855		B	M	3	3	4	10	II	
<i>millefolii</i> Zeller, 1849		B	M	4	3	2	9	II	
<i>peribenanderi</i> Toll, 1943		B	M	3	1	3	7	III	
<i>paripennella</i> Zeller, 1839		(B)	M	3	2	4	9	II	
<i>thymi</i> Hering, 1942		B	M	4	3	4	11	I	
<i>amellivora</i> Baldizzone, 1979		B	M	4	3	4	11	I	
<i>linosyridella</i> Fuchs, 1880		B*		5	3	4	12	I	
<i>autumnella</i> Duponchel, 1843			M	5	3	4	12	I	
<i>frankii</i> Schmidt, 1886		(B)	M*	5	3	4	12	I	
<i>niveistrigella</i> Wocke, 1877			M	5	3	5	13	I	
<i>striatipennella</i> (Nylander, 1848)		B	M	3	3	2	8	III	
<i>trochilella</i> (Duponchel, 1843)		B	M	3	1	1	5	IV	
<i>saxicolella</i> (Duponchel, 1843)		B	M*	3	1	1	5	IV	
<i>motacillella</i> Zeller, 1849		B	M	3	1	3	7	III	
<i>versurella</i> Zeller, 1849		B	M	3	1	1	5	IV	
<i>jaernaensis</i> Björklund et Palmquist, 2002			M*	4 ?	2 ?	5	11 ?	I ?	
<i>sternipennella</i> (Zetterstedt, 1839)		B	M	4	1	1	6	IV	
<i>dentiferella</i> Toll, 1952			M*	4	3	5	12	I	
<i>pappiferella</i> Hofmann, 1869		(B)	(M)	5	3	4 ?	12 ?	I ?	
<i>filaginella</i> Fuchs, 1881		B*	M*	5	3	4	12	I	
<i>chrysanthemi</i> Hofmann, 1869			M*	5	3	5	13	I	
<i>vestianella</i> (Linnaeus, 1758)		B	M	5	1	2	8	III	
<i>linosyris</i> Hering, 1937		B	M*	5	3	4	12	I	
<i>pseudolinosyris</i> Kasy, 1979			M*	3	3	4	10	II	
<i>pratella</i> Zeller, 1871		B	M	5	3	4	12	I	
<i>therinella</i> Tengström, 1848		B	M	4	1	1	6	IV	
<i>subula</i> (Falkovitsh, 1993)			M*	?	?	5	5	?	
<i>squamosella</i> Stainton, 1856		B	M*	5	2	4	11	I	
<i>halophilella</i> Zimmermann, 1926			M	5	3	5	13	I	
<i>obscenella</i> Herrich-Schäffer, 1855		B	M	5	3	3	11	I	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>proterella</i> Wikström et Tabell, 2016			M*	5	2	5	12	I	
<i>virgaureae</i> Stainton, 1875		B	M	5	2	2	9	II	
<i>adjunctella</i> Hodgkinson, 1882			M	5	3	5 ?	13 ?	I ?	
<i>caespitiella</i> Zeller, 1839		B	M	4	2	2	8	III	
<i>tamesis</i> Waters, 1929		B*		4	3	4	11	I	
<i>glaucicolella</i> Wood, 1892		B	M	4	2	2	8	III	
<i>alticolella</i> Zeller, 1849		B	M	4	1	1	6	IV	
<i>taeniipennella</i> Herrich-Schäffer, 1855		B	M	4	3	4	11	I	
<i>sylvaticella</i> Wood, 1892		B	M	4	3	2	9	II	
<i>otidipennella</i> (Hübner, 1817)		B	M	4	2	2	8	III	
Pterolonchidae									
<i>PTEROLONCHE</i> Zeller, 1847									
<i>inspersa</i> Staudinger, 1859			M	?	3	4	7	?	
Blastobasidae									
<i>BLASTOBASIS</i> Zeller, 1855									
<i>phycidella</i> (Zeller, 1839)		B	M	2	2	3	7	III	
<i>glandulella</i> (Riley, 1871)	I	B*	M*	2	2	2	6	IV	
<i>pannonica</i> Šumpich et Liška, 2011			M*	2 ?	3 ?	4	9 ?	II ?	
<i>HYPATOPA</i> Walsingham, 1907									
<i>binotella</i> (Thunberg, 1794)		B	M	2	2	2	6	IV	
<i>segnella</i> (Zeller, 1873)		B*	M	2 ?	3	4	9 ?	II ?	
<i>inunctella</i> (Zeller, 1839)		B	M	2 ?	3	4	9 ?	II ?	
<i>TECMERIUM</i> Walsingham, 1908									
<i>perplexus</i> (Gozmány, 1957)			M*	2 ?	3	5	10 ?	II ?	
Stathmopodidae									
<i>STATHMOPODA</i> Herrich-Schäffer, 1853									
<i>pedella</i> (Linnaeus, 1761)		B	M	5	2	2	9	II	
Scythrididae									
<i>SCYTHRIS</i> Hübner, 1825									
<i>bengtsoni</i> Patočka et Liška, 1989			M	4 ?	3	4	11 ?	I ?	
<i>cuspidella</i> (Denis et Schiffermüller, 1775)		B	M	4 ?	2	3	9 ?	II ?	
<i>obscuraella</i> (Scopoli, 1763)		(B)	M	4 ?	2	4	10 ?	II ?	

[illegible]

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>muelleri</i> (Mann, 1847)			M	4 ?	3	4	11 ?	I ?	
Cosmopterigidae									
Antequerinae									
<i>PANCALIA</i> Stephens, 1829									
<i>leuwenhoekella</i> (Linnaeus, 1761)		B	M	4	2	2	8	III	
<i>schwarzella</i> (Fabricius, 1798)		B*	M*	4 ?	2	4	10 ?	II ?	
<i>LIMNAECIA</i> Stainton, 1851									
<i>phragmitella</i> Stainton, 1851		B	M	5	2	1	8	III	
Cosmopteriginae									
<i>COSMOPTERIX</i> Hübner, 1825									
<i>zieglerella</i> (Hübner, 1810)		B	M	5	2	2	9	II	
<i>schmidiella</i> Frey, 1856			M	3	2	4	9	II	
<i>orichalcea</i> Stainton, 1861		B	M	3	2	3	8	III	
<i>scribaiella</i> (Zeller, 1850)		B*	M	5	2	2	9	II	
<i>lienigiella</i> Lienig et Zeller, 1846		B*	M*	5	3	3	11	I	
<i>feminella</i> Sinev, 1988	I		M*	5 ?	3 ?	5	13 ?	III ?	-2
<i>PYRODERCES</i> Herrich-Schäffer, 1853									
<i>argyrogrammos</i> (Zeller, 1847)			M	3	2	4	9	II	
<i>klimeschi</i> Rebel, 1938			M*	?	3	5	8	?	
<i>STAGMATOPHORA</i> Herrich-Schäffer, 1853									
<i>heydeniella</i> (Fischer von Röslerstamm, 1841)			M	3	3	4	10	II	
<i>ETEOBALEA</i> Hodges, 1962									
<i>anonymella</i> (Riedl, 1965)		B	M	?	2	3	5	?	
<i>intermediella</i> Riedl, 1966			M	3	2	4	9	II	
<i>serratella</i> (Treitschke, 1833)		(B)	M	3	2	5	10	II	
<i>tririvella</i> (Staudinger, 1870)		B*	M	?	3	4	7	?	
<i>albiapicella</i> (Duponchel, 1843)		(B)		5	3	5	13	I	
<i>ISIDIELLA</i> Riedel, 1965									
<i>nickerli</i> (Nickerl, 1864)		B		3	3	4	10	II	
<i>VULCANIELLA</i> Riedl, 1965									
<i>pomposella</i> (Zeller, 1839)		B*	M	3	3	4	10	II	
<i>extremella</i> (Wocke, 1871)		B	M	4	3	4	11	I	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
Chrysopeleiinae									
<i>SORHAGENIA</i> Spuler, 1910									
<i>rhamniella</i> (Zeller, 1839)		B	M	3	2	2	7	III	
<i>janiszewskae</i> Riedl, 1962		B	M	4	2	2	8	III	
<i>lophyrella</i> (Douglas, 1846)		B	M	5	2	2	9	II	
Chrysopeleiinae									
<i>ASCALENIA</i> Wocke, 1876									
<i>viviparella</i> Kasy, 1969	M	B*	M*	4 ?	?	4 ?	8	?	-1
Gelechiidae									
Anacampsinae									
<i>STOMOPTERYX</i> Heinemann, 1870									
<i>remissella</i> (Zeller, 1847)		B	M	2	2	3	7	III	
<i>APROAEREMA</i> Durrant, 1897									
<i>coronillella</i> (Treitschke, 1833)		B	M	3	1	1	5	IV	
<i>sangiella</i> (Stainton, 1863)		B*	M	5	3	4	12	I	
<i>cinctella</i> (Clerck, 1759)		B	M	3	3	3	9	II	
<i>cinctelloides</i> (Nel et Varenne, 2012)		B*		3 ?	3	4 ?	10 ?	II ?	
<i>wormiella</i> (Wolff, 1958)		B*	M*	3	3	4	10	II	
<i>azosterella</i> (Herrich-Schäffer, 1854)			M*	3 ?	3	4	10 ?	II ?	
<i>larseniella</i> Gozmány, 1957		B*	M*	4	3	4	11	I	
<i>ochrofasciella</i> (Toll, 1936)		B*	M	5	2	3	10	II	
<i>taeniolella</i> (Zeller, 1839)		B	M	3	2	2	7	III	
<i>albifrontella</i> (Heinemann, 1870)		B*	M*	4	3	4	11	I	
<i>cincticulella</i> (Herrich-Schäffer, 1854)		B*	M	3	2	4	9	II	
<i>vinella</i> (Bankes, 1898)		B*	M	3	2	3	8	III	
<i>suecicella</i> (Wolff, 1958)	I	B	M*	5	3	4	12	I	
<i>captivella</i> (Herrich-Schäffer, 1854)		B*	M*	3	3	4	10	II	
<i>polychromella</i> (Rebel, 1902)	I		(M*)	4	3	5 ?	12 ?	I ?	
<i>anthyllidella</i> (Hübner, 1813)		B	M	3	2	1	6	IV	
<i>IWARUNA</i> Gozmány, 1957									
<i>klimeschi</i> Wolff, 1958			M	3	3	4	10	II	
<i>ANACAMPSIS</i> Curtis, 1827									

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>populella</i> (Clerck, 1759)		B	M	3	1	1	5	IV	
<i>blattariella</i> (Hübner, 1796)		B*	M	4	2	1	7	III	
<i>timidella</i> (Wocke, 1887)		B	M	5	3	3	11	I	
<i>scintillella</i> (Fischer von Röslerstamm, 1841)		B	M	2	3	3	8	III	
<i>temerella</i> (Lienig et Zeller, 1846)		B*	(M)	4	2	4	10	II	
<i>obscurella</i> (Denis et Schiffermüller, 1775)		B	M	3	2	2	7	III	
MESOPHLEPS Hübner, 1825									
<i>silacella</i> (Hübner, 1796)		B	M	3	3	3	9	II	
<i>trinotella</i> (Herrich-Schäffer, 1856)		B	M*	3	3	4	10	II	
NOTHRIS Hübner, 1825									
<i>verbascella</i> (Denis et Schiffermüller, 1775)		B	M	4	1	1	6	IV	
<i>lemniscella</i> (Zeller, 1839)		B*	M*	2	3	4 ?	9 ?	II ?	
<i>gregersenii</i> Karsholt et Šumpich, 2015		B*	M*	?	3	5	8	?	
NEOFACULTA Gozmány, 1955									
<i>infernella</i> (Herrich-Schäffer, 1854)		B	M	2	2	3	7	III	
<i>ericetella</i> (Geyer, 1832)		B	M	3	2	3	8	III	
ANARSIA Zeller, 1839									
<i>lineatella</i> Zeller, 1839		B	M	3	1	2	6	IV	
<i>innoxia</i> Gregersen et Karsholt, 2017		B	M*	4	2	2	8	III	
<i>spatiella</i> (Schränk, 1802)		B	M	3	2	3	8	III	
HYPATIMA Hübner, 1825									
<i>rhomboidella</i> (Linnaeus, 1758)		B	M	2	2	1	5	IV	
Dichomeridinae									
DICHOMERIS Hübner, 1818									
<i>juniperella</i> (Linnaeus, 1761)		B	M*	5	3	4	12	I	
<i>marginella</i> (Fabricius, 1781)		B	M	5	3	4	12	I	
<i>ustarella</i> (Fabricius, 1794)		B	M	2	3	3	8	III	
<i>derasella</i> (Denis et Schiffermüller, 1775)		B	M	2	2	3	7	III	
<i>limosellus</i> (Schläger, 1849)		B*	M	3	2	4	9	II	
<i>rasilella</i> (Herrich-Schäffer, 1854)		B*	M*	3	3	4	10	II	
<i>barbella</i> (Hübner, 1796)		B*	(M)	5	3	4	12	I	
<i>alacella</i> (Zeller, 1839)		B	M	3	1	2	6	IV	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>latipennella</i> (Rebel, 1937)		B	M	4	2	2	8	III	
ANASPHALIS Meyrick, 1925									
<i>renigerellus</i> (Zeller, 1839)			M	3	3	5	11	I	
ACOMPSIA Hübner, 1825									
<i>cinerella</i> (Clerck, 1759)		B	M	3	2	1	6	IV	
<i>tripunctella</i> (Denis et Schiffermüller, 1775)			M	2	3	4	9	II	
<i>minorella</i> (Rebel, 1899)		(B)		?	3	5 ?	8	?	
<i>schmidtellus</i> (Heyden, 1848)		B	M*	3	3	4	10	II	
BRACHMIA Hübner, 1825									
<i>dimidiella</i> (Denis et Schiffermüller, 1775)		B*	M	4	3	4	11	I	
<i>blandella</i> (Fabricius, 1798)		B*	M	4	2	3	9	II	
<i>inornatella</i> (Douglas, 1850)		B	M	5	3	4	12	I	
HELCYSTOGRAMMA Zeller, 1877									
<i>lineolella</i> (Zeller, 1839)		B*	M	5	2	3	10	II	
<i>triannulella</i> (Herrich-Schäffer, 1854)	M	B*	M	3	1	4	8	IV	-1
<i>lutatella</i> (Herrich-Schäffer, 1854)		B	M	3	1	1	5	IV	
<i>rufescens</i> (Haworth, 1828)		B	M	3	2	1	6	IV	
<i>arulensis</i> (Rebel, 1929)			M*	3	2	4	9	II	
<i>albinervis</i> (Gerasimov, 1929)			M*	?	3	5	8	?	
Apatetrinae									
PEXICOPIA Common, 1958									
<i>malvella</i> (Hübner, 1805)		B	M	3	2	3	8	III	
PLATYEDRA Meyrick, 1895									
<i>subcinerea</i> (Haworth, 1828)		B*	M*	2	3	4	9	II	
SITOTROGA Heinemann, 1870									
<i>cerealella</i> (Olivier, 1789)	I	B	M	1	1	2	4	IV	
DACTYLOTULA Cockerell, 1888									
<i>kinkerella</i> (Snellen, 1876)			M*	3 ?	3	4	10 ?	II ?	
<i>altithermella</i> (Walsingham, 1903)			M*	3 ?	3	5	11 ?	I ?	
CHRYSOESTHIA Hübner, 1825									
<i>drurella</i> (Fabricius, 1775)		B	M	3	1	1	5	IV	
<i>verrucosa</i> Tokár, 1999		B*	M*	4	2	4	10	II	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>sexguttella</i> (Thunberg, 1794)		B	M	3	1	1	5	IV	
Thiotrichinae									
<i>THIOTRICHIA</i> Meyrick, 1886									
<i>subocellea</i> (Stephens, 1834)		B	M	3	2	4	9	II	
Anomologinae									
<i>BRYOTROPHA</i> Heinemann, 1870									
<i>domestica</i> (Haworth, 1828)		B*	M*	3	2	3	8	III	
<i>patockai</i> Elsner et Karsholt, 2003		B*	M*	3 ?	2	4	9 ?	II ?	
<i>terrella</i> (Denis et Schiffermüller, 1775)		B	M	3	1	1	5	IV	
<i>desertella</i> (Douglas, 1850)		B	M	3	3	3	9	II	
<i>boreella</i> (Douglas, 1851)		B	M*	3	3	4	10	II	
<i>galbanella</i> (Zeller, 1839)		B	M	3	2	2	7	III	
<i>basaltinella</i> (Zeller, 1839)		B	M	3	3	3	9	II	
<i>similis</i> (Stainton, 1854)		B*	M	3	1	1	5	IV	
<i>affinis</i> (Haworth, 1828)		B	M	3	1	1	5	IV	
<i>senectella</i> (Zeller, 1839)		B	M	3	2	2	7	III	
<i>ARISTOTELIA</i> Hübner, 1825									
<i>decurtella</i> (Hübner, 1813)		B	M	2	3	3	8	III	
<i>subdecurtella</i> (Stainton, 1859)			M*	2	3	5	10	II	
<i>subericinella</i> (Duponchel, 1843)		(B)	M	3	3	4	10	II	
<i>ericinella</i> (Zeller, 1839)		B	M*	3	3	4	10	II	
<i>brizella</i> (Treitschke, 1833)		B	M	4	3	3	10	II	
<i>PTYCERATA</i> Ely, 1910									
<i>cryptoxena</i> (Gozmány, 1952)			M	5	3	4	12	I	
<i>MEGACRASPEDUS</i> Zeller, 1839									
<i>dolosellus</i> (Zeller, 1839)		B	M	3	3	3	9	II	
<i>binotella</i> (Fischer von Röslerstamm, 1843)		B	M	3	3	4	10	II	
<i>imparellus</i> (Fischer von Röslerstamm, 1843)			M	4	3	4	11	I	
<i>albovenata</i> Junnilainen, 2010			M*	4	3	5	12	I	
<i>podolicus</i> (Toll, 1942)		(B*)	M*	3 ?	3	4	10 ?	II ?	
<i>PTOCHEUUSA</i> Heinemann, 1870									
<i>paupella</i> (Zeller, 1847)			M*	5	3	5	13	I	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>inopella</i> (Zeller, 1839)			M	5	3	4	12	I	
<i>abnormella</i> (Herrich-Schäffer, 1854)		(B)	M	5	3	4	12	I	
GLADIOVALVA Sattler, 1960									
<i>aizpuruai</i> Vives, 1990		B*	M	5	3	4	12	I	
ATREMAEA Staudinger, 1871									
<i>lonchoptera</i> Staudinger, 1871			M*	5	3	4	12	I	
ISOPHRICTIS Meyrick, 1917									
<i>striatella</i> (Denis et Schiffermüller, 1775)		B	M	5	1	1	7	III	
<i>anthemidella</i> (Wocke, 1871)		B	M	4	3	2	9	II	
PYNCOSTOLA Meyrick, 1917									
<i>bohemiella</i> (Nickerl, 1864)		(B)		5	3	5 ?	13 ?	I ?	
METZNERIA Zeller, 1839									
<i>paucipunctella</i> (Zeller, 1839)		B	M	3	3	4	10	II	
<i>neuropterella</i> (Zeller, 1839)		B	M	4	2	2	8	III	
<i>aestivella</i> (Zeller, 1839)		B	M	3	3	4	10	II	
<i>lappella</i> (Linnaeus, 1758)		B	M	4	1	1	6	IV	
<i>ehikeella</i> Gozmány, 1954		B*	M	4	3	3	10	II	
<i>metzneriella</i> (Stainton, 1851)		B	M	3	3	2	8	III	
<i>aprilella</i> (Herrich-Schäffer, 1854)			M	5	3	4	12	I	
<i>santolinella</i> (Amsel, 1936)		B*	M*	5	3	4	12	I	
APODIA Heinemann, 1870									
<i>bifractella</i> (Duponchel, 1843)		B	M	4	3	3 ?	10 ?	II ?	
<i>martinii</i> Petry, 1911		(B)	(M)	4	3	3 ?	10 ?	II ?	
PRAGMATODES Walsingham, 1908									
<i>parvulata</i> Gozmany, 1957			M*	5 ?	3	4	12 ?	I ?	
ARGOLAMPROTES Benander, 1945									
<i>micella</i> (Denis et Schiffermüller, 1775)		B	M	4	2	2	8	III	
MONOCHROA Heinemann, 1870									
<i>rumicetella</i> (Hofmann, 1868)		B	M*	4	2	2	8	III	
<i>sepicolella</i> (Herrich-Schäffer, 1854)		B*	M	3	2	4	9	II	
<i>rectifasciella</i> Fuchs, 1902		B*	M*	4 ?	2 ?	4 ?	10 ?	II ?	
<i>tenebrella</i> (Hübner, 1817)		B	M	4	1	1	6	IV	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>servella</i> (Zeller, 1839)		B*	M*	4	2	4	10	II	
<i>conspersella</i> (Herrich-Schäffer, 1854)		B	M	4	3	2	9	II	
<i>elongella</i> (Heinemann, 1870)		B*	M	4	2	4	10	II	
<i>inflexella</i> (Zeller, 1839)		B	M*	3 ?	3	4	10 ?	II ?	
<i>lutulentella</i> (Zeller, 1839)		B	M*	5	3	3	11	I	
<i>palustrellus</i> (Douglas, 1850)		B*	M	4	3	4	11	I	
<i>divisella</i> (Douglas, 1850)		B*		5	3	5	13	I	
<i>lucidella</i> (Stephens, 1834)		B	M	3	3	4	10	II	
<i>simplicella</i> (Lienig et Zeller, 1846)		B*	M*	3	3	4	10	II	
<i>arundinetella</i> (Boyd, 1857)		B*	M*	4	3	4	11	I	
<i>suffusella</i> (Douglas, 1850)		B*		5	3	4	12	I	
<i>cytisella</i> (Curtis, 1873)		B	M*	5	3	3	11	I	
<i>nomadella</i> (Zeller, 1839)			M*	?	3	4	7	?	
<i>hornigi</i> (Staudinger, 1883)		B	M	3	1	1	5	IV	
<i>niphognatha</i> (Gozmány, 1953)			M*	5	3	4	12	I	
<i>tekovella</i> Kosorín, 2022		B*	M*	?	3	4 ?	7	?	
OXYPTERYX Rebel, 1911									
<i>wilkella</i> (Linnaeus, 1758)		B	M	4	2	2	8	III	
<i>superbella</i> (Zeller, 1839)		B	M	4 ?	3	4	11 ?	I ?	
<i>libertinella</i> (Zeller, 1872)		B		?	3	5 ?	8	?	
<i>ochricapilla</i> (Rebel, 1903)		(B)	M*	3	3	4	10	II	
<i>unicolorella</i> (Duponchel, 1843)		B	M	3 ?	2	1	6 ?	IV ?	
<i>atrella</i> (Denis et Schiffermüller, 1775)		B	M	4	2	1	7	III	
<i>plumbella</i> (Heinemann, 1870)		B*	M	3 ?	3	4	10 ?	II ?	
Gelechiinae									
XYSTOPHORA Wocke, 1876									
<i>carchariella</i> (Zeller, 1839)		(B)	M	3	3	4	10	II	
<i>pulveratella</i> (Herrich-Schäffer, 1854)		B	M	3	3	4	10	II	
ATHRIPS Billberg, 1820									
<i>pruinoseella</i> (Lienig et Zeller, 1846)		B	M*	2	3	4	9	II	
<i>rancidella</i> (Herrich-Schäffer, 1854)		B	M*	3	2	3	8	III	
<i>nigricostella</i> (Duponchel, 1842)		B	M	3	3	4	10	II	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>mouffetella</i> (Linnaeus, 1758)		B	M	3	1	1	5	IV	
NEOFRISERIA Sattler, 1960									
<i>pelella</i> (Treitschke, 1835)		B	M	5	2	1	8	III	
<i>singula</i> (Staudinger, 1876)		B*	M	5	3	4	12	I	
PROLITA Leraut, 1933									
<i>solutella</i> (Zeller, 1839)		(B)	M	3	3	4	10	II	
<i>sexpunctella</i> (Fabricius, 1794)		B	M	3	3	3	9	II	
SOPHRONIA Hübner, 1825									
<i>semicostella</i> (Hübner, 1813)		B	M	2	3	3	8	III	
<i>consanguinella</i> Herrich-Schäffer, 1854		B	M	2	3	4	9	II	
<i>illustrella</i> (Hübner, 1796)			M	?	3	4	7	?	
<i>grandii</i> M. Hering, 1933		B	M	5 ?	2	4	11 ?	I ?	
<i>chilonella</i> (Treitschke, 1833)		B	M	5	3	4	12	I	
<i>humarella</i> (Denis et Schiffermüller, 1775)		B	M	2	3	3	8	III	
<i>sicariellus</i> (Zeller, 1839)		B	M	3	2	1	6	IV	
MIRIFICARMA Gozmány, 1955									
<i>maculatella</i> (Hübner, 1796)		B	M	3	2	2	7	III	
<i>eburnella</i> (Denis et Schiffermüller, 1775)		B*	M	4	3	4	11	I	
<i>lentiginosella</i> (Zeller, 1839)		B	M	3	2	2	7	III	
<i>cytisella</i> (Treitschke, 1833)		B*	M	3	3	4	10	II	
<i>interrupta</i> (Curtis, 1827)		B	M	3	3	4	10	II	
<i>mulinella</i> (Zeller, 1839)		B	M	3	2	3	8	III	
AROGA Busck, 1914									
<i>velocella</i> (Zeller, 1839)		B	M	4	2	2	8	III	
<i>flavicomella</i> (Zeller, 1839)		B	M	3	3	3	9	II	
FILATIMA Busck, 1939									
<i>spurcella</i> (Duponchel, 1843)		B	M	3	3	4	10	II	
<i>incomptella</i> (Herrich-Schäffer, 1854)		B*		4	3	5	12	I	
CHIONODES Hübner, 1825									
<i>lugubrella</i> (Fabricius, 1794)		B	M*	3	3	4	10	II	
<i>tragicella</i> (Heyden, 1865)		B	M	5	2	2	9	II	
<i>luctuella</i> (Hübner, 1793)		B	M*	3	2	2	7	III	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>continuella</i> (Zeller, 1839)		B		3	3	4	10	II	
<i>distinctella</i> (Zeller, 1839)		B	M	2	3	2	7	III	
<i>electella</i> (Zeller, 1839)		B	M	5	1	1	7	III	
<i>viduella</i> (Fabricius, 1794)		B	M	2	3	4	9	II	
<i>nebulosella</i> (Heinemann, 1870)		B		?	3	4	7	?	
<i>fumatella</i> (Douglas, 1850)		B	M	3	2	3	8	III	
<i>ignorantella</i> (Herrich-Schäffer, 1854)		B*	M*	3	2	4	9	II	
GELECHIA Hübner, 1825									
<i>rhombella</i> (Denis et Schiffermüller, 1775)		B	M	3	1	1	5	IV	
<i>scotinella</i> Herrich-Schäffer, 1854		B	M	3	2	2	7	III	
<i>senticetella</i> (Staudinger, 1859)	I	B*		4	1	4	9	IV	-2
<i>sabinellus</i> (Zeller, 1839)		B	M	4	3	4	11	I	
<i>sororculella</i> (Hübner, 1817)		B	M	3	2	3	8	III	
<i>muscosella</i> Zeller, 1839		B	M	3	1	1	5	IV	
<i>cuneatella</i> Douglas, 1852		B	M	4	2	4	10	II	
<i>basipunctella</i> Herrich-Schäffer, 1854		B*	M	5	2	4	11	I	
<i>asinella</i> (Hübner, 1796)		B*		4	2	4	10	II	
<i>nigra</i> (Haworth, 1828)		B	M	3	3	3	9	II	
<i>turpella</i> (Denis et Schiffermüller, 1775)		B	M	4	1	2	7	III	
<i>rhombelliformis</i> Staudinger, 1871		B*	M*	4	2	3	9	II	
<i>sestertiella</i> Herrich-Schäffer, 1854		B	M	4	2	2	8	III	
PSORICOPTERA Stainton, 1854									
<i>gibbosella</i> (Zeller, 1839)		B	M	1	2	3	6	IV	
GNORIMOSCHEMA Busck, 1900									
<i>steueri</i> Povolný, 1975		B*	M*	5	3	4	12	I	
SCROBIPALPA Janse, 1951									
<i>acuminatella</i> (Sircom, 1850)		B	M	3	1	1	5	IV	
<i>hungariae</i> (Staudinger, 1871)			M	?	3	5	8	?	
<i>proclivella</i> (Fuchs, 1886)		B*	M	3	1	2	6	IV	
<i>obsoletella</i> (Fischer von Röslerstamm, 1841)		B	M	3	1	4	8	III	
<i>pauperella</i> (Heinemann, 1870)		B*	M	3	1	3	7	III	
<i>arenbergeri</i> Povolný, 1973		B*	M*	?	3	4	7	?	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>atriplicella</i> (Fischer von Röslerstamm, 1841)		B	M	3	1	1	5	IV	
<i>artemisiella</i> (Treitschke, 1833)		B	M	4	3	3	10	II	
<i>nitentella</i> (Fuchs, 1902)			M	3	3	5	11	I	
<i>hyoscyamella</i> (Stainton, 1869)		(B)		3	2	5	10	II	
<i>ocellatella</i> (Boyd, 1858)		B*	M	3	1	3	7	IV	-1
<i>erichi</i> Povolný, 1964			M*	3	1	4	8	III	
<i>samadensis</i> (Pfaffenzeller, 1870)			M	4	3	5 ?	12 ?	I ?	
<i>salicorniae</i> (Hering, 1889)			M*	5	3	5 ?	13 ?	I ?	
SCROBIPALPULA Povolný, 1964									
<i>psilella</i> (Herrich-Schäffer, 1854)		B	M*	3	3	4	10	II	
<i>tussilaginis</i> (Heinemann, 1870)		B	M	3	3	4	10	II	
TUTA Kieffer & Jörgensen, 1910									
<i>absoluta</i> (Meyrick, 1917)	I	B*	M*	3	1	3	7	III	
EPHYSTERIS Meyrick, 1908									
<i>inustella</i> (Zeller, 1847)		(B)	M*	5	3	4	12	I	
<i>diminutella</i> (Zeller, 1847)			M*	3 ?	2	5	10 ?	II ?	
<i>promptella</i> (Staudinger, 1859)			M*	3	2	5	10	II	
COSMARDIA Povolný, 1965									
<i>moritzella</i> (Treitschke, 1832)		B*	M*	3	3	4	10	II	
KLIMESCHIOPSIS Povolný, 1967									
<i>kiningerella</i> (Duponchel, 1843)		B	M	3	3	4	10	II	
CARYOCOLUM Gregor et Povolný, 1954									
<i>fischerella</i> (Treitschke, 1833)		B	M	5	1	1	7	III	
<i>tischeriella</i> (Zeller, 1839)		B	M	5	3	3	11	I	
<i>alsinella</i> (Zeller, 1868)		B*	M	4	3	3	10	II	
<i>vicinella</i> (Douglas, 1851)		B	M	3	2	2	7	III	
<i>amaurella</i> (Hering, 1924)		B*	M*	5	2	4	11	I	
<i>cauligenella</i> (Schmid, 1863)		B	M	3	3	3	9	II	
<i>leucomelanella</i> (Zeller, 1839)		B	M	3	3	4	10	II	
<i>schleichi</i> (Christoph, 1872)		B	M	4	3	?	7	?	
<i>habeleri</i> Huemer, 2020		B		3 ?	2 ?	4	9 ?	II ?	
<i>marmorea</i> (Haworth, 1828)		(B)	M*	4	2	4	10	II	

[illegible]

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>diffinis</i> (Haworth, 1828)		B	M	5	1	1	7	III	
ALTENIA Sattler, 1960									
<i>scriptella</i> (Hübner, 1796)		B	M	4	3	3	10	II	
RECURVARIA Haworth, 1828									
<i>nanella</i> (Denis et Schiffermüller, 1775)		B	M	3	1	1	5	IV	
<i>leucatella</i> (Clerck, 1759)		B	M	3	1	1	5	IV	
COLEOTECHNITES Chambers, 1880									
<i>piceaella</i> (Kearfott, 1903)	I	B*	M*	4	1	3	8	IV	-1
EXOTELEIA Wallengren, 1881									
<i>dodecella</i> (Linnaeus, 1758)		B	M	5	1	1	7	III	
STENOLECHIA Meyrick, 1894									
<i>gemmella</i> (Linnaeus, 1758)		B	M	4	2	1	7	III	
PARASTENOLECHIA Kanazawa, 1985									
<i>nigrinotella</i> (Zeller, 1847)			M*	5	3	4	12	I	
STENOLECHIODES Elsner, 1996									
<i>pseudogemmellus</i> Elsner, 1996		B*	M*	4	3	3	10	II	
PARACHRONISTIS Meyrick, 1925									
<i>albiceps</i> (Zeller, 1839)		B	M	2	2	2	6	IV	
Zygaenoidea									
Limacodidae									
APODA Haworth, 1809									
<i>limacodes</i> (Hufnagel, 1766)		B	M	3	2	1	6	IV	
HETEROGENEA Knoch, 1783									
<i>asella</i> (Denis et Schiffermüller, 1775)		B	M	2	1	3	6	IV	
Zygaenidae									
Procridinae									
RHAGADES Wallengren, 1863									
<i>pruni</i> (Denis et Schiffermüller, 1775)		B	M	2	1	2	5	IV	
JORDANITA null, null									
<i>chloros</i> (Hübner, 1813)			M	4	3	4	11	I	
<i>globulariae</i> (Hübner, 1793)		B	M	3	3	3	9	II	
<i>subsolana</i> (Staudinger, 1862)		B	M	3	3	3	9	II	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>notata</i> (Zeller, 1847)		B	M	4	3	4	11	I	
ADSCITA Retzius, 1783									
<i>geron</i> (Hübner, 1813)		B	M	5	3	3	11	I	
<i>statices</i> (Linnaeus, 1758)		B	M	4	2	2	8	III	
Zygaeninae									
ZYGAENA Fabricius, 1775									
<i>carniolica</i> (Scopoli, 1763)		B	M	3	2	3	8	III	
<i>osterodensis</i> Reiss, 1921		B	M	4	3	4	11	I	
<i>loti</i> (Denis et Schiffermüller, 1775)		B	M	3	2	2	7	III	
<i>viciae</i> (Denis et Schiffermüller, 1775)		B	M	3	2	2	7	III	
<i>ephiates</i> (Linnaeus, 1767)		B	M	5	3	2	10	II	
<i>angelicae</i> Ochsenheimer, 1808		B	M	3	2	2	7	III	
<i>filipendulae</i> (Linnaeus, 1758)		B	M	3	2	2	7	III	
<i>trifolii</i> (Esper, 1783)		B	M	4	3	4	11	I	
<i>loniceriae</i> (Scheven, 1777)		B	M	3	2	2	7	III	
<i>cynarae</i> (Esper, 1789)			M*	5	3	5	13	I	
<i>laeta</i> (Hübner, 1790)		B	M	5	3	4	12	I	
<i>brizae</i> (Esper, 1800)			M	5	3	4	12	I	
<i>punctum</i> Ochsenheimer, 1808			M	5	3	4	12	I	
<i>minos</i> (Denis et Schiffermüller, 1775)		B	M	5	2	3	10	II	
<i>purpurealis</i> (Brünnich, 1763)		B	M	5	2	2	9	II	
Cossidae									
Cossidae									
Zeuzerinae									
PHRAGMATAECIA Newman, 1850									
<i>castaneae</i> (Hübner, 1790)		B*	M	5	3	4	12	I	
ZEUZERA Latreille, 1804									
<i>pyrina</i> (Linnaeus, 1761)		B	M	2	1	1	4	IV	
Cossinae									
COSSUS Fabricius, 1793									
<i>cossus</i> (Linnaeus, 1758)		B	M	2	2	1	5	IV	
PARAHYPOPTA Daniel, 1961									

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>caestrum</i> (Hübner, 1808)			M	5	3	4	12	I	
DYSPESSA Hübner, 1820									
<i>ulula</i> (Borkhausen, 1790)		B*	M	4	3	4	11	I	
Brachodidae									
BRACHODES Guenée, 1845									
<i>appendiculata</i> (Esper, 1783)		(B)	M	4	3	4	11	I	
<i>pumila</i> (Ochsenheimer, 1808)		(B)		4 ?	3	5	12 ?	I ?	
Sesiidae									
Tinthiinae									
PENNISETIA Dehne, 1850									
<i>hylaeiformis</i> (Laspeyres, 1801)		B	M	5	1	1	7	III	
<i>bohémica</i> Králíček et Povolný, 1974		B		4	3	3	10	II	
Sesiinae									
SESIA Fabricius, 1775									
<i>apiformis</i> (Clerck, 1759)		B	M	4	1	1	6	IV	
<i>bembeciformis</i> (Hübner, 1806)		B	M	4	3	4	11	I	
EUSPHECIA Le Cerf, 1934									
<i>melanocephala</i> Dalman, 1816		B	M	5	1	2	8	III	
PARANTHRENE Hübner, 1819									
<i>tabaniformis</i> (Rottemburg, 1775)		B	M	3	1	2	6	IV	
<i>insolitus</i> Le Cerf, 1914		B*	M	4	2	4	10	II	
SYNANTHEDON Hübner, 1819									
<i>scoliaeformis</i> (Borkhausen, 1789)		B	M	4	1	2	7	III	
<i>spheciformis</i> (Denis et Schiffermüller, 1775)		B	M	4	2	3	9	II	
<i>mesiaeformis</i> (Herrich-Schäffer, 1846)			M*	5	2	4	11	I	
<i>stomoxiformis</i> (Hübner, 1790)		B	M	4	3	4	11	I	
<i>culiciformis</i> (Linnaeus, 1758)		B	M	4	1	1	6	IV	
<i>formicaeformis</i> (Esper, 1783)		B	M	4	2	2	8	III	
<i>flaviventris</i> (Staudinger, 1883)		B	M	4	2	3	9	II	
<i>andrenaeformis</i> (Laspeyres, 1801)		B	M	4	3	4	11	I	
<i>soffneri</i> Špatenka, 1983		B	M*	4	2	4	10	II	
<i>vespiformis</i> (Linnaeus, 1761)		B	M	4	1	1	6	IV	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>myopaeformis</i> (Borkhausen, 1789)		B	M	4	1	2	7	III	
<i>conopiformis</i> (Esper, 1782)		B	M	4	3	3	10	II	
<i>tipuliformis</i> (Clerck, 1759)		B	M	4	1	1	6	IV	
<i>cephiformis</i> (Ochsenheimer, 1808)		B	M	5	3	4	12	I	
<i>loranthi</i> (Králíček, 1966)		B	M	3	2	4	9	II	
<i>spuleri</i> (Fuchs, 1908)			M	2	2	2	6	IV	
BEMBECIA Hübner, 1819									
<i>ichneumoniformis</i> (Denis et Schiffermüller, 1775)		B	M	3	2	2	7	III	
<i>albanensis</i> (Rebel, 1918)		B	M	4	3	3	10	II	
<i>scopigera</i> (Scopoli, 1763)			M	5	2	4	11	I	
PYROPTERON Newman, 1832									
<i>triannuliformis</i> (Freyer, 1845)		B	M	4	1	1	6	IV	
<i>muscaeformis</i> (Esper, 1783)		B	M	5	3	3	11	I	
<i>affinis</i> (Staudinger, 1856)		B		4	3	4	11	I	
CHAMAESPHECIA Spuler, 1910									
<i>doleriformis</i> (Herrich-Schäffer, 1846)			M	4	3	4	11	I	
<i>annellata</i> (Zeller, 1847)			M	5	2	3	10	II	
<i>dumonti</i> Le Cerf, 1922		B	M	5	3	3	11	I	
<i>masariformis</i> (Ochsenheimer, 1808)			M	4	3	4	11	I	
<i>nigrifrons</i> (Le Cerf, 1911)			M*	5	2	5	12	I	
<i>palustris</i> Kautz, 1927			M	5	3	4	12	I	
<i>euceraeformis</i> (Ochsenheimer, 1816)			M	4	3	5	12	I	
<i>crassicornis</i> Bartel, 1912			M	5	2	4	11	I	
<i>leucopsiformis</i> (Esper, 1800)		B	M	5	3	4	12	I	
<i>hungarica</i> (Tomala, 1901)		B*	M	5	3	4	12	I	
<i>empiformis</i> (Esper, 1783)		B	M	4	1	1	6	IV	
<i>tenthrediniformis</i> (Denis et Schiffermüller, 1775)		B*	M	4	2	3	9	II	
<i>astatiformis</i> (Herrich-Schäffer, 1846)			M	4	2	3	9	II	
Thyridoidea									
Thyrididae									
THYRIS Laspeyres, 1803									
<i>fenestrella</i> (Scopoli, 1763)		(B)	M	5	2	4	11	I	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
Papilionoidea									
Papilionidae									
ZERYNTHIA Ochseneheimer, 1816									
polyxena (Denis et Schiffermüller, 1775)			M	5	2	4	11	I	
PARNASSIUS Latreille, 1804									
mnemosyne (Linnaeus, 1758)		(B)	M	4	3	4	11	I	
IPHICLIDES Hübner, 1819									
podalirius (Linnaeus, 1758)		B	M	3	2	3	8	III	
PAPILIO Linnaeus, 1758									
machaon Linnaeus, 1758		B	M	3	2	2	7	III	
Hesperiidae									
ERYNNIS Schrank, 1801									
tages (Linnaeus, 1758)		B	M	3	1	1	5	IV	
CARCHARODUS Hübner, 1819									
alceae (Esper, 1780)		B	M	3	2	3	8	III	
MUSCHAMPIA Tutt, 1906									
floccifera (Zeller, 1847)		(B)	(M)	5	2	5 ?	12 ?	I ?	
orientalis (Reverdin, 1913)			(M)	3	2	5 ?	10 ?	II ?	
SPIALIA Swinhoe, 1912									
sertorius (Hoffmansegg, 1804)		B	M	5	3	3	11	I	
orbifer (Hübner, 1823)			(M)	3	2	5	10	II	
PYRGUS Hübner, 1819									
malvae (Linnaeus, 1758)		B	M	3	2	1	6	IV	
armoricanus (Oberthür, 1910)		B*	M*	4	3	4	11	I	
alveus (Hübner, 1803)		B	M	5	2	3	10	II	
serratulae (Rambur, 1839)		B	M	5	3	4	12	I	
carthami (Hübner, 1813)		B	M	4	3	3	10	II	
HETEROPTERUS Dumeril, 1806									
morpheus (Pallas, 1771)		B	M	3	3	4	10	II	
CARTEROCEPHALUS Lederer, 1852									
palaemon (Pallas, 1771)		B	M	3	2	2	7	III	
THYMELICUS Hübner, 1819									

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>sylvestris</i> (Poda, 1761)		B	M	4	2	1	7	III	
<i>lineola</i> (Ochsenheimer, 1808)		B	M	3	2	1	6	IV	
<i>acteon</i> (Rottemburg, 1775)		B	M	5	2	3	10	II	
HESPERIA Fabricius, 1793									
<i>comma</i> (Linnaeus, 1758)		B	M	3	2	2	7	III	
OCHLODES Scudder, 1872									
<i>sylvanus</i> (Esper, 1777)		B	M	3	1	1	5	IV	
Pieridae									
LEPTIDEA Billberg, 1820									
<i>sinapis</i> (Linnaeus, 1758)		B	M	3	2	3	8	III	
<i>juvernica</i> Williams, 1946		B	M	3	2	2	7	III	
<i>morsei</i> (Fenton, 1881)			(M)	4	3	4 ?	11 ?	I ?	
ANTHOCHARIS Boisduval, Rambur, Duméril et Graslin, 1833									
<i>cardamines</i> (Linnaeus, 1758)		B	M	3	1	1	5	IV	
APORIA Hübner, 1819									
<i>crataegi</i> (Linnaeus, 1758)	M	B	M	3	1	3	7	III	
PIERIS Schrank, 1801									
<i>brassicae</i> (Linnaeus, 1758)		B	M	3	1	1	5	IV	
<i>rapae</i> (Linnaeus, 1758)		B	M	3	1	1	5	IV	
<i>napi</i> (Linnaeus, 1758)		B	M	3	2	1	6	IV	
<i>mannii</i> (Mayer, 1851)	M	B*	M	3	1	4	8	III	
<i>bryoniae</i> (Hübner, 1806)			M	3	3	5	11	I	
PONTIA Fabricius, 1807									
<i>edusa</i> (Fabricius, 1777)	M	B	M	3	1	2	6	IV	
COLIAS Fabricius, 1807									
<i>palaeno</i> (Linnaeus, 1761)		B	(M)	5	3	4	12	I	
<i>hyale</i> (Linnaeus, 1758)		B	M	3	1	1	5	IV	
<i>alfacariensis</i> Ribbe, 1905		B	M	5	2	2	9	II	
<i>croceus</i> (Fourcroy, 1785)	M	B	M	3	1	3	7	IV	-1
<i>erate</i> (Esper, 1805)	M	B	M	5	1	3	9	IV	-2
GONEPTERYX Leach, 1815									
<i>rhamni</i> (Linnaeus, 1758)		B	M	3	2	1	6	IV	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
Riodinidae									
<i>HAMEARIS</i> Hübner, 1819									
<i>lucina</i> (Linnaeus, 1758)		B	M	5	3	3	11	I	
Lycaenidae									
Lycaeninae									
<i>LYCAENA</i> Fabricius, 1807									
<i>phlaeas</i> (Linnaeus, 1761)		B	M	4	1	1	6	IV	
<i>dispar</i> (Haworth, 1803)			M	4	2	2	8	III	
<i>virgaureae</i> (Linnaeus, 1758)		B	M	4	2	2	8	III	
<i>tityrus</i> (Poda, 1761)		B	M	4	1	2	7	III	
<i>alciphron</i> (Rottemburg, 1775)		B	M	4	2	4	10	II	
<i>hippotoe</i> (Linnaeus, 1761)		B	M	5	3	3	11	I	
Theclinae									
<i>THECLA</i> Fabricius, 1807									
<i>betulae</i> (Linnaeus, 1758)		B	M	4	2	3	9	II	
<i>FAVONIUS</i> Sibatani et Ito, 1942									
<i>quercus</i> (Linnaeus, 1758)		B	M	4	2	2	8	III	
<i>SATYRIUM</i> Scudder, 1876									
<i>pruni</i> (Linnaeus, 1758)		B	M	4	2	3	9	II	
<i>w-album</i> (Knoch, 1782)		B	M	4	3	3	10	II	
<i>spini</i> (Denis et Schiffermüller, 1775)		B	M	5	3	3	11	I	
<i>ilicis</i> (Esper, 1779)		B	M	4	2	3	9	II	
<i>acaciae</i> (Fabricius, 1787)		B	M	5	2	3	10	II	
<i>CALLOPHRYS</i> Billberg, 1820									
<i>rubi</i> (Linnaeus, 1758)		B	M	2	2	2	6	IV	
Polyommatainae									
<i>LAMPIDES</i> Hübner, 1819									
<i>boeticus</i> (Linnaeus, 1767)	M	(B)		3	1	5 ?	9 ?	III ?	-1
<i>CUPIDO</i> Schrank, 1801									
<i>minimus</i> (Fuessly, 1775)		B	M	5	2	2	9	II	
<i>argiades</i> (Pallas, 1771)		B	M	3	2	3	8	III	
<i>decolorata</i> (Staudinger, 1886)			M*	3	2	5	10	II	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>alcetas</i> (Hoffmansegg, 1804)			M	3	2	4	9	II	
CACYREUS Butler, 1898									
<i>marshalli</i> Butler, 1898	I		M*	4	1	5	10	IV	-2
CELASTRINA Tutt, 1906									
<i>argiolus</i> (Linnaeus, 1758)		B	M	2	2	1	5	IV	
PSEUDOPHILOTES Beuret, 1958									
<i>baton</i> (Bergsträsser, 1779)		B		4	3	4	11	I	
<i>vicrama</i> (Moore, 1865)		B	M	4	3	3	10	II	
SCOLITANTIDES Hübner, 1819									
<i>orion</i> (Pallas, 1771)		B	M	5	3	3	11	I	
GLAUCOPSYCHE Scudder, 1872									
<i>alexis</i> (Poda, 1761)		B	M	3	2	3	8	III	
PHENGARIS Doherty, 1891									
<i>alcon</i> (Denis et Schiffermüller, 1775)		B	M	5	2	4	11	I	
<i>arion</i> (Linnaeus, 1758)		B	M	4	3	4	11	I	
<i>teleius</i> (Bergsträsser, 1779)		B	M	5	3	3	11	I	
<i>nausithous</i> (Bergsträsser, 1779)		B	M	5	2	2	9	II	
PLEBEJUS Kluk, 1802									
<i>argus</i> (Linnaeus, 1758)		B	M	3	2	4	9	II	
<i>idas</i> (Linnaeus, 1761)		B	M	3	2	3	8	III	
<i>argyrognomon</i> (Bergsträsser, 1779)		B	M	3	2	2	7	III	
AGRIADES Hübner, 1819									
<i>optilete</i> (Knoch, 1781)		B	(M)	5	3	4	12	I	
ARICIA Reichenbach, 1817									
<i>agestis</i> (Denis et Schiffermüller, 1775)		B	M	2	2	3	7	III	
<i>artaxerxes</i> (Fabricius, 1793)		(B)		5	2	4	11	I	
EUMEDONIA Forster, 1938									
<i>eumedon</i> (Esper, 1780)		B	M	4	2	3	9	II	
CYANIRIS Dalman, 1816									
<i>semiargus</i> (Rotenburg, 1775)		B	M	4	2	3	9	II	
POLYOMMATUS Latreille, 1804									
<i>damon</i> (Denis et Schiffermüller, 1775)		B	M	5	3	4	12	I	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>admetus</i> (Esper, 1783)			(M)	5 ?	3 ?	5 ?	13 ?	I ?	
<i>dorylas</i> (Denis et Schiffermüller, 1775)		B	M	5	3	4	12	I	
<i>amandus</i> (Schneider, 1792)		B	M	4	2	2	8	III	
<i>thersites</i> (Cantener, 1834)		B	M	5	2	3	10	II	
<i>icarus</i> (Rottemburg, 1775)		B	M	3	1	1	5	IV	
<i>daphnis</i> (Denis et Schiffermüller, 1775)		B	M	5	3	3	11	I	
LYSANDRA Hemming, 1933									
<i>coridon</i> (Poda, 1761)		B	M	5	3	2	10	II	
<i>bellargus</i> (Rottemburg, 1775)		B	M	5	2	4	11	I	
Nymphalidae									
Heliconiinae									
ARGYNNIS Fabricius, 1807									
<i>paphia</i> (Linnaeus, 1758)		B	M	4	2	2	8	III	
<i>laodice</i> (Pallas, 1771)		(B)		5	3	5 ?	13 ?	I ?	
<i>pandora</i> (Denis et Schiffermüller, 1775)	M	(B)	M	4	2	4	10	IV	-2
SPEYERIA Scudder, 1872									
<i>aglaja</i> (Linnaeus, 1758)		B	M	4	2	2	8	III	
FABRICIANA Reuss, 1920									
<i>adippe</i> (Denis et Schiffermüller, 1775)		B	M	4	2	3	9	II	
<i>niobe</i> (Linnaeus, 1758)		B	M	4	2	4	10	II	
ISSORIA Hübner, 1819									
<i>lathonia</i> (Linnaeus, 1758)	M	B	M	5	1	1	7	IV	-1
BRENTIS Hübner, 1819									
<i>ino</i> (Rottemburg, 1775)		B	M	3	3	3	9	II	
<i>daphne</i> (Denis et Schiffermüller, 1775)			M*	4	2	4	10	II	
<i>hecate</i> (Denis et Schiffermüller, 1775)			M	5	3	3	11	I	
BOLORIA Moore, 1900									
<i>selene</i> (Denis et Schiffermüller, 1775)		B	M	4	2	2	8	III	
<i>euphrosyne</i> (Linnaeus, 1758)		B	M	4	3	3	10	II	
<i>dia</i> (Linnaeus, 1767)		B	M	4	2	3	9	II	
<i>aquilonaris</i> (Stichel, 1908)		B	M*	5	3	4	12	I	
<i>eunomia</i> (Esper, 1799)		B		5	3	5	13	I	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
Nymphalinae									
<i>NYMPHALIS</i> Kluk, 1780									
<i>polychloros</i> (Linnaeus, 1758)		B	M	2	2	3	7	III	
<i>xanthomelas</i> (Denis et Schiffermüller, 1775)		B*	M*	2	3	4	9	II	
<i>vaualbum</i> (Denis et Schiffermüller, 1775)		(B)	(M)	3	2	4 ?	9 ?	II ?	
<i>antiopa</i> (Linnaeus, 1758)		B	M	2	2	2	6	IV	
<i>AGLAIS</i> Dalman, 1816									
<i>io</i> (Linnaeus, 1758)		B	M	3	1	1	5	IV	
<i>urticae</i> (Linnaeus, 1758)		B	M	5	1	1	7	IV	-1
<i>VANESSA</i> Fabricius, 1807									
<i>atalanta</i> (Linnaeus, 1758)	M	B	M	4	2	1	7	IV	-1
<i>cardui</i> (Linnaeus, 1758)	M	B	M	2	1	1	4	IV	
<i>POLYGONIA</i> Hübner, 1819									
<i>c-album</i> (Linnaeus, 1758)		B	M	2	1	1	4	IV	
<i>egea</i> (Cramer, 1775)	M		(M)	4	2	5 ?	11 ?	III ?	-2
<i>ARASCHNIA</i> Hübner, 1819									
<i>levana</i> (Linnaeus, 1758)		B	M	5	2	1	8	III	
Apaturinae									
<i>APATURA</i> Fabricius, 1807									
<i>iris</i> (Linnaeus, 1758)		B	M	4	2	2	8	III	
<i>ilia</i> (Denis et Schiffermüller, 1775)		B	M	3	2	2	7	III	
Limnitiinae									
<i>LIMENITIS</i> Fabricius, 1807									
<i>populi</i> (Linnaeus, 1758)		B	M	4	3	2	9	II	
<i>reducta</i> Staudinger, 1901		(B)	(M)	4	3	4 ?	11 ?	I ?	
<i>camilla</i> (Linnaeus, 1764)		B	M	5	3	3	11	I	
<i>NEPTIS</i> Fabricius, 1807									
<i>rivularis</i> (Scopoli, 1763)		B	(M)	4	3	4	11	I	
Melitaeinae									
<i>MELITAEA</i> Fabricius, 1807									
<i>cinxia</i> (Linnaeus, 1758)		B	M	2	3	4	9	II	
<i>phoebe</i> (Denis et Schiffermüller, 1775)			(M)	4	3	5	12	I	

[illegible]

[illegible]

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>mellonella</i> (Linnaeus, 1758)		B	M	4	1	1	6	IV	
Pyralinae									
SYNAPHE Hübner, 1825									
<i>bombycalis</i> (Denis et Schiffermüller, 1775)		B	(M)	3	3	5 ?	11 ?	I ?	
<i>antennalis</i> (Fabricius, 1794)		(B)	M	3 ?	3	4	10 ?	II ?	
<i>punctalis</i> (Fabricius, 1775)		B	M	2	2	1	5	IV	
PYRALIS Linnaeus, 1758									
<i>farinalis</i> (Linnaeus, 1758)		B	M	1	1	1	3	IV	
<i>regalis</i> (Denis et Schiffermüller, 1775)		B	M	2	3	4	9	II	
<i>cardinalis</i> Kaila, Huemer, Mutanen, Tyllinen et Wikström, 2020			M*	2 ?	2 ?	5	9 ?	II ?	
<i>perversalis</i> (Herrich-Schäffer, 1857)		B	M*	2	3	4	9	II	
AGLOSSA Latreille, 1796									
<i>pinguinalis</i> (Linnaeus, 1758)	I	B	M	1	1	1	3	IV	
<i>caprealis</i> (Hübner, 1809)	I		M*	1	1	4	6	IV	
<i>signicostalis</i> Staudinger, 1871			M*	5	2	4	11	I	
STEMMATOPHORA Guenée, 1854									
<i>brunnealis</i> (Treitschke, 1829)			M	5	3	4	12	I	
HYPSOPYGIA Hübner, 1825									
<i>costalis</i> (Fabricius, 1775)		B	M	1	1	1	3	IV	
<i>rubidalis</i> (Denis et Schiffermüller, 1775)		B*	M	2	3	4	9	II	
<i>glaucinalis</i> (Linnaeus, 1758)		B	M	1	1	1	3	IV	
ENDOTRICHIA Zeller, 1847									
<i>flammealis</i> (Denis et Schiffermüller, 1775)		B	M	2	2	1	5	IV	
Phycitinae									
CRYPTOBLABES Zeller, 1848									
<i>bistriga</i> (Haworth, 1811)		B	M	2	2	3	7	III	
TRACHONITIS Zeller, 1848									
<i>cristella</i> (Denis et Schiffermüller, 1775)		B	M	2	2	4	8	III	
SALEBRIOPSIS Hannemann, 1965									
<i>albicilla</i> (Herrich-Schäffer, 1849)		B*	M	2	2	3	7	III	
ELEGIA Ragonot, 1887									
<i>similella</i> (Zincken, 1818)		B	M	4	2	3	9	II	

[illegible]

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>formosa</i> (Haworth, 1811)		B*	M*	2	2	3	7	III	
DIORYCTRIA Zeller, 1846									
<i>abietella</i> (Denis et Schiffermüller, 1775)		B	M	3	2	1	6	IV	
<i>simplicella</i> Heinemann, 1863		B	M	4	2	3	9	II	
<i>schuetzeella</i> Fuchs, 1899		B	M	3	2	3	8	III	
<i>sylvestrella</i> (Ratzeburg, 1840)		B	M	4	3	2	9	II	
PHYCITA Curtis, 1828									
<i>roborella</i> (Denis et Schiffermüller, 1775)		B	M	2	2	1	5	IV	
<i>meliella</i> (Mann, 1864)			M*	4	3	5	12	I	
HYPOCHALCIA Hübner, 1825									
<i>ahenella</i> (Denis et Schiffermüller, 1775)		B	M	2	2	1	5	IV	
<i>lignella</i> (Hübner, 1796)		(B)	M	5	3	4	12	I	
<i>decorella</i> (Hübner, 1817)		B	M	3 ?	3	4	10 ?	II ?	
EPISCHNIA Hübner, 1825									
<i>prodromella</i> (Hübner, 1796)		B	M	2	3	4	9	II	
NEPHOPTERIX Hübner, 1825									
<i>angustella</i> (Hübner, 1796)		B	M	5	1	2	8	III	
ACROBASIS Zeller, 1839									
<i>repandana</i> (Fabricius, 1798)		B	M	4	1	1	6	IV	
<i>tumidana</i> (Denis et Schiffermüller, 1775)		B	M	4	2	3	9	II	
<i>marmorea</i> (Haworth, 1811)		B	M	3	3	3	9	II	
<i>advenella</i> (Zincken, 1818)		B	M	3	2	1	6	IV	
<i>legatea</i> (Haworth, 1811)		B	(M)	3	2	4	9	II	
<i>suavella</i> (Zincken, 1818)		B	M	3	2	3	8	III	
<i>sodalella</i> Zeller, 1848		B	M	4	3	4	11	I	
<i>consociella</i> (Hübner, 1813)		B	M	4	1	1	6	IV	
<i>fallouella</i> (Ragonot, 1871)		B*	M*	4	3	4	11	I	
<i>dulcella</i> (Zeller, 1848)		(B)		4	2	5 ?	11 ?	I ?	
<i>obtusella</i> (Hübner, 1796)		B	M	3	2	2	7	III	
APOMYELOIS Heinrich, 1956									
<i>bistriatella</i> (Hulst, 1887)		B	(M)	4	2	4	10	II	
<i>ceratoniae</i> (Zeller, 1839)	I	(B*)		2	1	4	7	IV	-1

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
GLYPTOTELES Zeller, 1848									
<i>leucacrinella</i> Zeller, 1848		B	M	5	2	3	10	II	
EPISCYTHRASTIS Meyrick, 1937									
<i>tetricella</i> (Denis et Schiffermüller, 1775)		B	M	4	2	2	8	III	
EURHODOPE Hübner, 1825									
<i>rosella</i> (Scopoli, 1763)		B	M	4	2	4	10	II	
<i>cirrigerella</i> (Zincken, 1818)		B	M	3	3	4	10	II	
MYELOIS Hübner, 1825									
<i>circumvoluta</i> (Fourcroy, 1785)		B	M	3	2	3	8	III	
ISAURIA Ragonot, 1887									
<i>dilucidella</i> (Duponchel, 1836)		B	M	3	3	4	10	II	
GYMNANCYLA Zeller, 1848									
<i>canella</i> (Denis et Schiffermüller, 1775)		(B)	M*	3	3	4	10	II	
<i>hornigii</i> (Lederer, 1853)		B	M	3	1	2	6	IV	
ZOPHODIA Hübner, 1825									
<i>grossulariella</i> (Zincken, 1818)		B	M	3	2	3	8	III	
ECCOPISA Zeller, 1848									
<i>effractella</i> Zeller, 1848		B	M	3	1	2	6	IV	
ASSARA Walker, 1863									
<i>terebrella</i> (Zincken, 1818)		B	M	3	2	2	7	III	
EUZOPHERA Zeller, 1867									
<i>pinguis</i> (Haworth, 1811)		B	M	4	2	2	8	III	
<i>bigella</i> (Zeller, 1848)		(B)	M	1	2	4	7	III	
<i>cinerosella</i> (Zeller, 1839)		B	M	5	2	4	11	I	
<i>fuliginosella</i> (Heinemann, 1865)		B	M	4	2	3	9	II	
EUZOPHERODES Hampson, 1901									
<i>charlottae</i> (Rebel, 1914)		B	M	4	3	4	11	I	
NYCTEGRETIS Zeller, 1848									
<i>lineana</i> (Scopoli, 1786)		B	M	2	2	3	7	III	
<i>triangulella</i> Ragonot, 1901			M	2 ?	2	4	8 ?	III ?	
ANCYLOSIS Zeller, 1839									
<i>cinnamomella</i> (Duponchel, 1836)		B	M	2	2	3	7	III	

[illegible]

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
Scopariinae									
<i>CHOLIUS</i> Guenée, 1845									
<i>luteolaris</i> (Scopoli, 1772)			M	?	3	4	7	?	
<i>SCOPARIA</i> Haworth, 1811									
<i>subfusca</i> Haworth, 1811		B	M	3	2	3	8	III	
<i>basistrigalis</i> Knaggs, 1866		B	M	3	2	1	6	IV	
<i>ambigualis</i> (Treitschke, 1829)		B	M	2	1	1	4	IV	
<i>ancipitella</i> (La Harpe, 1855)		B	M	3	2	2	7	III	
<i>pyralella</i> (Denis et Schiffermüller, 1775)		B	M	2	2	1	5	IV	
<i>ingratella</i> (Zeller, 1846)		(B*)	M	2 ?	2	4	8 ?	III ?	
<i>GESNERIA</i> Hübner, 1825									
<i>centuriella</i> (Denis et Schiffermüller, 1775)		(B)	M*	2	3	4	9	II	
<i>EUDONIA</i> Billberg, 1820									
<i>lacustrata</i> (Panzer, 1804)		B	M	3	1	1	5	IV	
<i>pallida</i> (Curtis, 1827)		B	M	2	3	3	8	III	
<i>petrophila</i> (Standfuss, 1848)		B	M	3	3	4	10	II	
<i>murana</i> (Curtis, 1827)		B	M	3	3	3	9	II	
<i>truncicolella</i> (Stainton, 1849)		B	M	3	2	1	6	IV	
<i>sudetica</i> (Zeller, 1839)		B	M	3	3	4	10	II	
<i>mercurella</i> (Linnaeus, 1758)		B	M	3	1	1	5	IV	
Heliothelinae									
<i>HELIOTHELA</i> Guenée, 1854									
<i>wulfeniana</i> (Scopoli, 1763)		B	M	2	3	3	8	III	
Crambinae									
<i>CHILO</i> Zincken, 1817									
<i>phragmitella</i> (Hübner, 1810)		B	M	3	3	4	10	II	
<i>FRIEDLANDERIA</i> Agnew, 1987									
<i>cicatricella</i> (Hübner, 1824)			(M)	5	3	4	12	I	
<i>PSEUDOBISSETIA</i> Bleszynski, 1959									
<i>terrestrellus</i> (Christoph, 1885)			M*	3	2	5	10	II	
<i>CALAMOTROPHA</i> Zeller, 1863									
<i>paludella</i> (Hübner, 1824)		B	M	4	2	3	9	II	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>aureliellus</i> (Fischer von Röslerstamm, 1841)			M*	3 ?	3	4	10 ?	II ?	
EUCHROMIUS Guenée, 1845									
<i>ocellea</i> (Haworth, 1811)	M	B*	M	2	1	4	7	IV	-1
CHRYSOEUCHIA Hübner, 1825									
<i>culmella</i> (Linnaeus, 1758)		B	M	3	2	1	6	IV	
CRAMBUS Fabricius, 1798									
<i>pascuella</i> (Linnaeus, 1758)		B	M	2	2	2	6	IV	
<i>silvella</i> (Hübner, 1813)		B	M	2	3	3	8	III	
<i>uliginosellus</i> Zeller, 1850		B	M	2	3	4	9	II	
<i>ericella</i> (Hübner, 1813)		B	M	2	3	4	9	II	
<i>alienellus</i> (Germar et Kaulfuss, 1817)		B	(M)	?	3	4	7	?	
<i>heringiellus</i> Herrich-Schäffer, 1848		B*		3	3	5	11	I	
<i>pratella</i> (Linnaeus, 1758)		B	M	3	2	3	8	III	
<i>lathoniellus</i> (Zincken, 1817)		B	M	3	1	1	5	IV	
<i>hamella</i> (Thunberg, 1788)		B	M	3	3	4	10	II	
<i>perlilla</i> (Scopoli, 1763)		B	M	3	2	2	7	III	
AGRIPHILA Hübner, 1825									
<i>deliella</i> (Hübner, 1813)		B*	M	3	3	4	10	II	
<i>tristella</i> (Denis et Schiffermüller, 1775)		B	M	3	2	1	6	IV	
<i>inquinatella</i> (Denis et Schiffermüller, 1775)		B	M	3	2	1	6	IV	
<i>selasella</i> (Hübner, 1813)		B	M	3	3	3	9	II	
<i>straminella</i> (Denis et Schiffermüller, 1775)		B	M	3	2	1	6	IV	
<i>poliellus</i> (Treitschke, 1832)		B*	M	3	3	4	10	II	
<i>tolli</i> Bleszyński, 1952		B*	M	?	2	4	6	?	
<i>geniculea</i> (Haworth, 1811)		B	M	3	2	3	8	III	
CATOPTRIA Hübner, 1825									
<i>permutatellus</i> (Herrich-Schäffer, 1848)		B	M	3	2	2	7	III	
<i>osthelderi</i> (de Lattin, 1950)		B	M	3	3	3	9	II	
<i>mytilella</i> (Hübner, 1805)		B	(M)	3 ?	3	3	9 ?	II ?	
<i>pinella</i> (Linnaeus, 1758)		B	M	3	3	2	8	III	
<i>margaritella</i> (Denis et Schiffermüller, 1775)		B	M	3 ?	3	4	10 ?	II ?	
<i>fulgidella</i> (Hübner, 1813)		B*	(M)	2	3	4	9	II	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>maculalis</i> (Zetterstedt, 1840)		(B)		2	3	5 ?	10 ?	II ?	
<i>falsella</i> (Denis et Schiffermüller, 1775)		B	M	2	1	1	4	IV	
<i>confusellus</i> (Staudinger, 1882)		B*	M	3	3	4	10	II	
<i>verellus</i> (Zincken, 1817)		B*	M	3	3	4	10	II	
<i>petrificella</i> (Hübner, 1796)			M	?	3	5	8	?	
<i>lythargyrella</i> (Hübner, 1796)		B	M	3	3	4	10	II	
XANTHOCRAMBUS Bleszyński, 1955									
<i>saxonellus</i> (Zincken, 1821)		B	M	3 ?	3	4	10 ?	II ?	
<i>lucellus</i> (Herrich-Schäffer, 1848)			(M)	3 ?	3	5 ?	11 ?	I ?	
CHRYSOCRAMBOIDES Bleszyński, 1957									
<i>craterella</i> (Scopoli, 1763)		B*	M	3	3	4	10	II	
THISANOTIA Hübner, 1825									
<i>chrysonuchella</i> (Scopoli, 1763)		B	M	3	2	2	7	III	
PEDIASIA Hübner, 1825									
<i>fascelinella</i> (Hübner, 1813)		B	M	3	3	4	10	II	
<i>luteella</i> (Denis et Schiffermüller, 1775)		B	M	3	2	3	8	III	
<i>truncatellus</i> (Zetterstedt, 1840)		B		2	3	5	10	II	
<i>contaminella</i> (Hübner, 1796)		B	M	3	2	3	8	III	
<i>aridella</i> (Thunberg, 1794)			M*	3	3	4	10	II	
PLATYTES Guenée, 1845									
<i>cerussella</i> (Denis et Schiffermüller, 1775)		B	M	2	2	2	6	IV	
<i>alpinella</i> (Hübner, 1813)		B	M	2	3	2	7	III	
ANCYLOLOMIA Hübner, 1825									
<i>palpella</i> (Denis et Schiffermüller, 1775)			M	3	3	4	10	II	
Schoenobiinae									
SCHOENOBIUS Duponchel, 1836									
<i>gigantella</i> (Denis et Schiffermüller, 1775)		B	M	4	3	4	11	I	
DONACAULA Meyrick, 1890									
<i>forficella</i> (Thunberg, 1794)		B	M	2	3	4	9	II	
<i>mucronella</i> (Denis et Schiffermüller, 1775)		B	M	2	3	3	8	III	
SCIRPOPHAGA Treitschke, 1832									
<i>praelata</i> (Scopoli, 1763)			(M)	3	3	4	10	II	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
Acentropinae									
<i>ELOPHILA</i> Hübner, 1822									
<i>nymphaeata</i> (Linnaeus, 1758)		B	M	2	3	2	7	III	
<i>manilensis</i> (Hampson, 1917)	I	B*		2	1	5	8	IV	-1
<i>diffualis</i> (Snellen, 1882)	I		M*	2	1	5	8	IV	-1
<i>ACENTRIA</i> Stephens, 1829									
<i>ephemerella</i> (Denis et Schiffermüller, 1775)		B	M	2	3	2	7	III	
<i>CATACLYSTA</i> Hübner, 1825									
<i>lemnata</i> (Linnaeus, 1758)		B	M	4	2	2	8	III	
<i>PARAPOYNX</i> Hübner, 1825									
<i>stratitota</i> (Linnaeus, 1758)		B	M	2	3	4	9	II	
<i>nivalis</i> (Denis et Schiffermüller, 1775)			M	2 ?	3	4	9 ?	II ?	
<i>diminutalis</i> Snellen, 1880	I		M*	2	1	5	8	IV	-1
<i>NYMPHULA</i> Schrank, 1802									
<i>nitidulata</i> (Hufnagel, 1767)		B	M	4	3	3	10	II	
Odontiinae									
<i>APORODES</i> Guenée, 1854									
<i>floralis</i> (Hübner, 1796)	M	(B)	M*	5	1	4	10	IV	-2
<i>CYNAEDA</i> Hübner, 1825									
<i>dentalis</i> (Denis et Schiffermüller, 1775)		B	M	3	2	2	7	III	
<i>EPASCESTRIA</i> Hübner, 1825									
<i>pustulalis</i> (Hübner, 1823)			M	3	3	4	10	II	
<i>ATRALATA</i> Sylvén, 1947									
<i>albofascialis</i> (Treitschke, 1829)		B	M	5	3	3	11	I	
<i>TITANIO</i> Hübner, 1825									
<i>normalis</i> (Hübner, 1796)		B	M*	5	2	4	11	I	
<i>EURRHYPIS</i> Hübner, 1825									
<i>pollinalis</i> (Denis et Schiffermüller, 1775)		(B)	M	3	3	4	10	II	
Evergestinae									
<i>EVERGESTIS</i> Hübner, 1825									
<i>sophialis</i> (Fabricius, 1787)		B	M	3	3	4	10	II	
<i>frumentalis</i> (Linnaeus, 1761)		B	M	3	1	2	6	IV	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>forficalis</i> (Linnaeus, 1758)		B	M	3	1	2	6	IV	
<i>extimalis</i> (Scopoli, 1763)		B	M	3	1	1	5	IV	
<i>limbata</i> (Linnaeus, 1767)		B	M	3	2	3	8	III	
<i>pallidata</i> (Hufnagel, 1767)		B	M	3	2	1	6	IV	
<i>politalis</i> (Denis et Schiffermüller, 1775)		B	M*	5	3	4	12	I	
<i>aenealis</i> (Denis et Schiffermüller, 1775)		B	M	3	3	4	10	II	
Glaphyriinae									
<i>HELLULA</i> Guenée, 1854									
<i>undalis</i> (Fabricius, 1781)	M	B		3	3	5	11	III	-2
Pyraustinae									
<i>PARACORSIA</i> Marion, 1959									
<i>repandalis</i> (Denis et Schiffermüller, 1775)		B	M	4	2	4	10	II	
<i>LOXOSTEGE</i> Hübner, 1825									
<i>sticticalis</i> (Linnaeus, 1761)	M	B	M	1	1	1	3	IV	
<i>turbidalis</i> (Treitschke, 1829)		B	M	3	2	3	8	III	
<i>ECPYRRHORRHOE</i> Hübner, 1825									
<i>rubiginalis</i> (Hübner, 1796)		B	M	3	2	2	7	III	
<i>PYRAUSTA</i> Schrank, 1802									
<i>cingulata</i> (Linnaeus, 1758)		B	M	3	3	3	9	II	
<i>rectefascialis</i> Toll, 1936			M	3	3	4	10	II	
<i>sanguinalis</i> (Linnaeus, 1767)		B	M	3	3	4	10	II	
<i>castalis</i> (Treitschke, 1829)		B*		3	3	4	10	II	
<i>despicata</i> (Scopoli, 1763)		B	M	4	1	1	6	IV	
<i>porphyralis</i> (Denis et Schiffermüller, 1775)		(B)	M*	3	2	4	9	II	
<i>aurata</i> (Scopoli, 1763)		B	M	3	2	2	7	III	
<i>purpuralis</i> (Linnaeus, 1758)		B	M	3	2	2	7	III	
<i>ostrinalis</i> (Hübner, 1796)		B*	M	3	2	4	9	II	
<i>falcatalis</i> Guenée, 1854			(M)	5	3	4	12	I	
<i>obfuscata</i> (Scopoli, 1763)		B*	M*	2	2	4	8	III	
<i>nigrata</i> (Scopoli, 1763)		B	M	3	3	3	9	II	
<i>URESIPHITA</i> Hübner, 1825									
<i>gilvata</i> (Fabricius, 1794)		B	M	3	3	4	10	II	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
NASCIA Curtis, 1835									
<i>cilialis</i> (Hübner, 1796)		B*	M	3	3	4	10	II	
SITACHROA Hübner, 1825									
<i>palealis</i> (Denis et Schiffermüller, 1775)		B	M	3	2	2	7	III	
<i>verticalis</i> (Linnaeus, 1758)		B	M	2	1	1	4	IV	
ANANIA Hübner, 1823									
<i>funnebris</i> (Ström, 1768)			(M)	3	2	3	8	III	
<i>verbascalis</i> (Denis et Schiffermüller, 1775)		B	M	2	2	3	7	III	
<i>fuscalis</i> (Denis et Schiffermüller, 1775)		B	M	2	2	3	7	III	
<i>lancealis</i> (Denis et Schiffermüller, 1775)		B	M	2	2	2	6	IV	
<i>coronata</i> (Hufnagel, 1767)		B	M	2	2	2	6	IV	
<i>stachydalis</i> (Zincken, 1821)		B	M	4	3	4	11	I	
<i>perlucidalis</i> (Hübner, 1809)		B	M	3	3	3	9	II	
<i>terrealis</i> (Treitschke, 1829)		B	M	3	2	3	8	III	
<i>crocealis</i> (Hübner, 1796)		B	M	2	2	3	7	III	
<i>hortulata</i> (Linnaeus, 1758)		B	M	1	1	1	3	IV	
SCLEROCONA Meyrick, 1890									
<i>acutellus</i> (Eversmann, 1842)		B*	M	2	3	4	9	II	
PSAMMOTIS Hübner, 1825									
<i>pulveralis</i> (Hübner, 1796)		B	M	3	3	3	9	II	
OSTRINIA Hübner, 1825									
<i>palustralis</i> (Hübner, 1796)		B	M	4	3	3	10	II	
<i>nubilalis</i> (Hübner, 1796)		B	M	2	1	1	4	IV	
<i>quadripunctalis</i> (Denis et Schiffermüller, 1775)			(M)	?	2	5	7	?	
PARATALANTA Meyrick, 1890									
<i>pandalis</i> (Hübner, 1825)		B	M	2	3	4	9	II	
<i>hyalinalis</i> (Hübner, 1796)		B	M	2	3	3	8	III	
Spilomelinae									
UDEA Guenée, 1845									
<i>ferrugalis</i> (Hübner, 1796)	M	B	M	2	1	1	4	IV	
<i>fulvalis</i> (Hübner, 1809)		B	M	2	2	3	7	III	
<i>lutealis</i> (Hübner, 1809)		B	M	2	2	1	5	IV	

[illegible]

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>recurvalis</i> (Fabricius, 1775)	M		M*	2	1	5	8	IV	-1
NOMOPHILA Hübner, 1825									
<i>noctuella</i> (Denis et Schiffermüller, 1775)	M	B	M	1	1	1	3	IV	
SUFETULA Walker, 1859									
<i>boileauae</i> Nell, 2020	I	B*		3	1	5	9	IV	-2
Drepanoidea									
Drepanidae									
Drepaninae									
FALCARIA Haworth, 1809									
<i>lacertinaria</i> (Linnaeus, 1758)		B	M	3	1	1	5	IV	
WATSONALLA Minet, 1985									
<i>binaria</i> (Hufnagel, 1767)		B	M	2	2	2	6	IV	
<i>cultraria</i> (Fabricius, 1775)		B	M	3	2	3	8	III	
DREPANA Schrank, 1802									
<i>falcataria</i> (Linnaeus, 1758)		B	M	3	2	1	6	IV	
<i>curvatula</i> (Borkhausen, 1790)		B	M	3	2	4	9	II	
SABRA Bode, 1907									
<i>harpagula</i> (Esper, 1786)		B	M	3	2	3	8	III	
CILIX Leach, 1815									
<i>glaucata</i> (Scopoli, 1763)		B	M	3	2	2	7	III	
Thyatirinae									
THYATIRA Ochsenheimer, 1816									
<i>batis</i> (Linnaeus, 1758)		B	M	4	1	1	6	IV	
HABROSYNE Hübner, 1821									
<i>pyritoides</i> (Hufnagel, 1766)		B	M	4	2	1	7	III	
TETHEA Ochsenheimer, 1816									
<i>ocularis</i> (Linnaeus, 1767)		B	M	3	3	3	9	II	
<i>or</i> (Denis et Schiffermüller, 1775)		B	M	2	1	1	4	IV	
TETHEELLA Werny, 1966									
<i>fluctuosa</i> (Hübner, 1803)		B	M	3	2	3	8	III	
OCHROPACHA Wallengren, 1871									
<i>duplaris</i> (Linnaeus, 1761)		B	M	2	2	2	6	IV	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
CYMATOPHORINA Spuler, 1908									
<i>diluta</i> (Denis et Schiffermüller, 1775)		B*	M	4	3	4	11	I	
POLYPLOCA Hübner, 1821									
<i>ridens</i> (Fabricius, 1787)		B	M	4	2	3	9	II	
ACHLYA Billberg, 1820									
<i>flavicornis</i> (Linnaeus, 1758)		B	M	4	2	1	7	III	
Geometroidea									
Geometridae									
Sterrhinae									
CYCLOPHORA Hübner, 1822									
<i>pendularia</i> (Clerck, 1759)		B*	M	3	3	4	10	II	
<i>albipunctata</i> (Hufnagel, 1767)		B	M	3	2	2	7	III	
<i>albiocellaria</i> (Hübner, 1789)		(B)	M	4	3	4	11	I	
<i>annularia</i> (Fabricius, 1775)		B	M	4	2	2	8	III	
<i>quercimontaria</i> (Bastelberger, 1897)		B	M	4	3	4	11	I	
<i>ruficiliaria</i> (Herrich-Schäffer, 1855)			M	4	3	4	11	I	
<i>porata</i> (Linnaeus, 1767)		B	M	4	2	3	9	II	
<i>pupillaria</i> (Hübner, 1799)	M	B*		1	3	5	9	IV	-2
<i>punctaria</i> (Linnaeus, 1758)		B	M	4	2	1	7	III	
<i>linearia</i> (Hübner, 1799)		B	M	4	2	2	8	III	
TIMANDRA Duponchel, 1829									
<i>comae</i> Schmidt, 1931		B	M	2	1	1	4	IV	
RHODOMETRA Meyrick, 1892									
<i>sacraria</i> (Linnaeus, 1767)	M	B*	M	3	2	4	9	IV	-2
LYTHRIA Hübner, 1823									
<i>purpuraria</i> (Linnaeus, 1758)		B	M	4	1	2	7	III	
<i>cruentaria</i> (Hufnagel, 1767)		B	M	4	2	2	8	III	
RHODOSTROPHIA Hübner, 1823									
<i>vibicaria</i> (Clerck, 1759)		B	M	3	2	1	6	IV	
SCOPULA Schrank, 1802									
<i>immorata</i> (Linnaeus, 1758)		B	M	1	2	1	4	IV	
<i>caricaria</i> (Reutti, 1853)			M*	2	3	5	10	II	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>nemoraria</i> (Hübner, 1799)		B	M	2	3	4	9	II	
<i>umbelaria</i> (Hübner, 1813)		B	M	2	3	5	10	II	
<i>nigropunctata</i> (Hufnagel, 1767)		B	M	1	2	2	5	IV	
<i>virgulata</i> (Denis et Schiffermüller, 1775)		B	M	2	3	5	10	II	
<i>ornata</i> (Scopoli, 1763)		B	M	2	2	1	5	IV	
<i>decorata</i> (Denis et Schiffermüller, 1775)		B	M	4	2	3	9	II	
<i>rubiginata</i> (Hufnagel, 1767)		B	M	2	2	1	5	IV	
<i>incanata</i> (Linnaeus, 1758)		B	M	2	3	4	9	II	
<i>corrivalaria</i> (Kretschmar, 1862)		B		4	3	5	12	I	
<i>marginepunctata</i> (Goeze, 1781)		B	M	2	1	1	4	IV	
<i>immutata</i> (Linnaeus, 1758)		B	M	2	2	1	5	IV	
<i>ternata</i> Schrank, 1802		B	M	3	2	3	8	III	
<i>floslactata</i> (Haworth, 1809)		B	M	2	2	2	6	IV	
<i>subpunctaria</i> (Herrich-Schäffer, 1847)		B	M	2	3	4	9	II	
<i>flaccidaria</i> (Zeller, 1852)		B	M	2	3	4	9	II	
<i>emutaria</i> (Hübner, 1809)			M*	5	3	5	13	I	
<i>IDAEA</i> Treitschke, 1825									
<i>serpentata</i> (Hufnagel, 1767)		B	M	2	2	1	5	IV	
<i>aureolaria</i> (Denis et Schiffermüller, 1775)		B	M	3	3	4	10	II	
<i>muricata</i> (Hufnagel, 1767)		B	M	1	1	2	4	IV	
<i>rufaria</i> (Hübner, 1799)		B	M	2	3	2	7	III	
<i>ochrata</i> (Scopoli, 1763)		B	M	2	2	1	5	IV	
<i>rusticata</i> (Denis et Schiffermüller, 1775)		B	M	1	2	1	4	IV	
<i>filicata</i> (Hübner, 1799)			(M)	2	2	5	9	II	
<i>laevigata</i> (Scopoli, 1763)		B*	M	1	1	4	6	IV	
<i>moniliata</i> (Denis et Schiffermüller, 1775)		B	M	2	3	4	9	II	
<i>obsoletaria</i> (Rambur, 1833)			M*	2	3	5	10	II	
<i>inquinata</i> (Scopoli, 1763)		B	M	1	1	1	3	IV	
<i>dilutaria</i> (Hübner, 1799)		B	M	1	2	2	5	IV	
<i>fuscovenosa</i> (Goeze, 1781)		B	M	1	2	2	5	IV	
<i>humiliata</i> (Hufnagel, 1767)		B	M	2	2	1	5	IV	
<i>politaria</i> (Hübner, 1799)			M*	2	3	5	10	II	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>seriata</i> (Schränk, 1802)		B	M	1	1	1	3	IV	
<i>subsericeata</i> (Haworth, 1809)			M	2	3	5	10	II	
<i>pallidata</i> (Denis et Schiffermüller, 1775)		B	M	2	2	3	7	III	
<i>sylvestraria</i> (Hübner, 1799)		B	M	2	2	3	7	III	
<i>dimidiata</i> (Hufnagel, 1767)		B	M	1	1	1	3	IV	
<i>trigeminata</i> (Haworth, 1809)			M	2	2	4	8	III	
<i>biselata</i> (Hufnagel, 1767)		B	M	2	1	1	4	IV	
<i>contiguaria</i> (Hübner, 1799)		B	M	3	3	5	11	I	
<i>nitidata</i> (Herrich-Schäffer, 1861)		B*	M	2	3	4	9	II	
<i>emarginata</i> (Linnaeus, 1758)		B	M	1	2	2	5	IV	
<i>rubraria</i> (Stauding, 1878)			M	2	3	4	9	II	
<i>degeneraria</i> (Hübner, 1799)		B*	M	2	3	5	10	II	
<i>aversata</i> (Linnaeus, 1758)		B	M	1	1	1	3	IV	
<i>straminata</i> (Borkhausen, 1794)		B	M	2	2	3	7	III	
<i>deversaria</i> (Herrich-Schäffer, 1847)		B	M	1	2	2	5	IV	
Larentiinae									
LOBOPHORA Curtis, 1825									
<i>halterata</i> (Hufnagel, 1767)		B	M	4	2	1	7	III	
PTERAPHERAPTERYX Curtis, 1825									
<i>sexalata</i> (Retzius, 1783)		B	M	4	3	3	10	II	
NOTHOCASIS Prout, 1937									
<i>sertata</i> (Hübner, 1817)		B	M	4	3	3	10	II	
ACASIS Duponchel, 1845									
<i>viretata</i> (Hübner, 1799)		B	M	2	2	4	8	III	
<i>appensata</i> (Eversmann, 1842)		B	M*	5	3	5	13	I	
TRICHOPTERYX Hübner, 1825									
<i>polycommata</i> (Denis et Schiffermüller, 1775)		B	M	3	3	3	9	II	
<i>carpinata</i> (Borkhausen, 1794)		B	M	2	2	2	6	IV	
SCHISTOSTEGE Hübner, 1825									
<i>decussata</i> (Denis et Schiffermüller, 1775)			(M)	4	3	5 ?	12 ?	I ?	
ODEZIA Boisduval, 1840									
<i>atrata</i> (Linnaeus, 1758)		B	M	3	3	2	8	III	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
APLOCERA Stephens, 1827									
<i>plagiata</i> (Linnaeus, 1758)		B	M	4	2	1	7	III	
<i>efformata</i> (Guenée, 1857)		B	(M)	4	3	4	11	I	
<i>praeformata</i> (Hübner, 1826)		B	M	4	2	3	9	II	
CHESIAS Treitschke, 1825									
<i>legatella</i> (Denis et Schiffermüller, 1775)		B	M	3	1	1	5	IV	
<i>rufata</i> (Fabricius, 1775)		B	M	3	3	3	9	II	
CARSIA Hübner, 1825									
<i>sororiata</i> (Hübner, 1813)		B		5	3	4	12	I	
LITHOSTEGE Hübner, 1825									
<i>griseata</i> (Denis et Schiffermüller, 1775)		B	M	3	3	4	10	II	
<i>farinata</i> (Hufnagel, 1767)		B	M	3	3	4	10	II	
MINOA Treitschke, 1825									
<i>murinata</i> (Scopoli, 1763)		B	M	4	1	1	6	IV	
ASTHENA Hübner, 1825									
<i>albulata</i> (Hufnagel, 1767)		B	M	2	2	2	6	IV	
<i>anseraria</i> (Herrich-Schäffer, 1855)		B	M	5	2	3	10	II	
EUCHOECA Hübner, 1823									
<i>nebulata</i> (Scopoli, 1763)		B	M	3	3	1	7	III	
HYDRELIA Hübner, 1825									
<i>flammeolaria</i> (Hufnagel, 1767)		B	M	2	3	1	6	IV	
<i>sylvata</i> (Denis et Schiffermüller, 1775)		B	M	2	3	3	8	III	
VENUSIA Curtis, 1839									
<i>cambrica</i> Curtis, 1839		B	M	5	2	3	10	II	
<i>blomeri</i> (Curtis, 1832)		B	M	4	3	4	11	I	
MESOTYPE Hübner, 1825									
<i>didymata</i> (Linnaeus, 1758)		B	M	1	2	2	5	IV	
<i>parallelolineata</i> (Retzius, 1783)		B	M	1	2	3	6	IV	
<i>verberata</i> (Scopoli, 1763)		B	M	3	3	3	9	II	
PERIZOMA Hübner, 1825									
<i>affinitata</i> (Stephens, 1831)		B	M	3	2	4	9	II	
<i>alchemillata</i> (Linnaeus, 1758)		B	M	1	1	1	3	IV	

[illegible]

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>haworthiata</i> Doubleday, 1856		B	M	5	2	4	11	I	
<i>tenuiata</i> (Hübner, 1813)		B	M	4	2	3	9	II	
<i>inturbata</i> (Hübner, 1817)		B	M	4	2	3	9	II	
<i>abietaria</i> (Goeze, 1781)		B	M	3	2	2	7	III	
<i>analoga</i> Diakonoff, 1926		B	M	5	2	2	9	II	
<i>linariata</i> (Denis et Schiffermüller, 1775)		B	M	5	2	2	9	II	
<i>pyreneata</i> Mabille, 1871		B	M	5	3	3	11	I	
<i>pulchellata</i> Stephens, 1831		B*		5	3	2	10	II	
<i>laquaearia</i> Herrich-Schäffer, 1848		(B)	(M)	4	3	4	11	I	
<i>plumbeolata</i> (Haworth, 1809)		B	M	2	2	3	7	III	
<i>pygmaeata</i> (Hübner, 1799)			M	3	3	4	10	II	
<i>venosata</i> (Fabricius, 1787)		B	M	3	2	2	7	III	
<i>schiefereri</i> Bohatsch, 1893			(M*)	4 ?	3 ?	5 ?	12 ?	I ?	
<i>alliararia</i> Staudinger, 1870			M	4	3	5	12	I	
<i>abbreviata</i> Stephens, 1831		B	M	4	2	3	9	II	
<i>dodoneata</i> Guenée, 1857		B	M	4	2	1	7	III	
<i>pusillata</i> (Denis et Schiffermüller, 1775)		B	M	5	2	3	10	II	
<i>ericeata</i> (Rambur, 1833)			M	5	3	3	11	I	
<i>tripunctaria</i> Herrich-Schäffer, 1852		B	M	2	1	1	4	IV	
<i>virgaureata</i> Doubleday, 1861		B	M	2	2	1	5	IV	
<i>tantillaria</i> Boisduval, 1840		B	M	2	1	1	4	IV	
<i>lariciata</i> (Freyer, 1842)		B	M	3	2	1	6	IV	
<i>lanceata</i> (Hübner, 1825)		B	M	3	2	1	6	IV	
<i>selinata</i> Herrich-Schäffer, 1861		B	M	3	2	3	8	III	
<i>actaeata</i> Walderdorff, 1869		B	M	5	3	4	12	I	
<i>egenaria</i> Herrich-Schäffer, 1848		B	M	4	2	3	9	II	
<i>silenata</i> Standfuss, 1848		B	(M)	5	3	4	12	I	
<i>pimpinellata</i> (Hübner, 1813)		B	M	2	2	2	6	IV	
<i>simpliciata</i> (Haworth, 1809)		B	M	3	2	2	7	IV	-1
<i>sinuosaria</i> (Eversmann, 1848)		B	M	3	2	2	7	IV	-1
<i>gelidata</i> Möschler, 1860		B		3	3	5	11	I	
<i>nanata</i> (Hübner, 1813)		B	M	5	3	3	11	I	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>innotata</i> (Hufnagel, 1767)		B	M	2	1	2	5	IV	
<i>ochridata</i> Pinker, 1968		(B)	M	5	3	5	13	I	
<i>indigata</i> (Hübner, 1813)		B	M	2	2	1	5	IV	
<i>conterminata</i> (Lienig et Zeller, 1846)		(B)		5	2	5 ?	12 ?	I ?	
<i>distinctaria</i> Herrich-Schäffer, 1848		B	M	2	3	4	9	II	
<i>extraversaria</i> Herrich-Schäffer, 1852		B	M	3	2	3	8	III	
<i>centaureata</i> (Denis et Schiffermüller, 1775)		B	M	1	1	1	3	IV	
<i>insigniata</i> (Hübner, 1790)		B*	M*	3	2	4	9	II	
<i>tresignaria</i> Herrich-Schäffer, 1848		B	M	3	1	3	7	III	
<i>gueneata</i> Milliere, 1862			M*	5	3	5	13	I	
<i>veratraria</i> Herrich-Schäffer, 1848		B	M	4	3	4	11	I	
<i>intricata</i> (Zetterstedt, 1839)		B	M	4	2	3	9	II	
<i>satyrata</i> (Hübner, 1813)		B	M	1	1	1	3	IV	
<i>cauchiata</i> (Duponchel, 1830)		B		4	2	5	11	I	
<i>absinthiata</i> (Clerck, 1759)		B	M	1	1	1	3	IV	
<i>goossensiata</i> Mabilie, 1869		B	M	5	2	2	9	II	
<i>expallidata</i> Doubleday, 1856		B	M	3	2	2	7	III	
<i>valerianata</i> (Hübner, 1813)		B	M	5	2	4	11	I	
<i>assimilata</i> Doubleday, 1856		B	M	2	1	2	5	IV	
<i>vulgata</i> (Haworth, 1809)		B	M	1	1	1	3	IV	
<i>immundata</i> (Lienig et Zeller, 1846)		B	M	5	3	3	11	I	
<i>exiguata</i> (Hübner, 1813)		B	M	1	1	2	4	IV	
<i>denotata</i> (Hübner, 1813)		B	M	3	3	2	8	III	
<i>pauillaria</i> Boisduval, 1840		B	M	3	3	4	10	II	
<i>millefoliata</i> Rössler, 1866		B	M	5	2	3	10	II	
<i>succenturiata</i> (Linnaeus, 1758)		B	M	3	1	1	5	IV	
<i>icterata</i> (Villers, 1789)		B	M	3	2	1	6	IV	
<i>semigraphata</i> Bruand, 1851		B	M	3	3	3	9	II	
<i>impurata</i> (Hübner, 1813)		B	M	5	2	5	12	I	
<i>subumbrata</i> (Denis et Schiffermüller, 1775)		B	M	1	1	2	4	IV	
<i>orphnata</i> Petersen, 1909		B	M	1	3	4	8	III	
<i>subfuscata</i> (Haworth, 1809)		B	M	2	1	2	5	IV	

[illegible]

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>rubiginata</i> (Denis et Schiffermüller, 1775)		B	M	4	2	2	8	III	
ELECTROPHAES Prout, 1923									
<i>corylata</i> (Thunberg, 1792)		B	M	2	2	3	7	III	
COSMORHOE Hübner, 1825									
<i>ocellata</i> (Linnaeus, 1758)		B	M	3	1	1	5	IV	
EUSTROMA Hübner, 1825									
<i>reticulatum</i> (Denis et Schiffermüller, 1775)		B	M	5	3	3	11	I	
EULITHIS Hübner, 1825									
<i>prunata</i> (Linnaeus, 1758)		B	M	4	2	2	8	III	
<i>testata</i> (Linnaeus, 1761)		B	M	2	2	3	7	III	
<i>populata</i> (Linnaeus, 1758)		B	M	2	1	1	4	IV	
<i>mellinata</i> (Fabricius, 1787)		B	M	4	2	2	8	III	
GANDARITIS Moore, 1868									
<i>pyraliata</i> (Denis et Schiffermüller, 1775)		B	M	3	2	1	6	IV	
ECLIPTOPERA Warren, 1894									
<i>silaceata</i> (Denis et Schiffermüller, 1775)		B	M	2	3	2	7	III	
<i>capitata</i> (Herrich-Schäffer, 1839)		B	M	4	2	3	9	II	
CHLOROCLYSTA Hübner, 1825									
<i>siterata</i> (Hufnagel, 1767)		B	M	2	2	3	7	III	
<i>miata</i> (Linnaeus, 1758)		B	M	2	3	4	9	II	
DYSSTROMA Hübner, 1825									
<i>citrata</i> (Linnaeus, 1761)		B	M	3	2	2	7	III	
<i>truncata</i> (Hufnagel, 1767)		B	M	2	2	1	5	IV	
<i>infuscata</i> (Tengström, 1869)		B		3	3	5	11	I	
COLOSTYGIA Hübner, 1825									
<i>aptata</i> (Hübner, 1813)		B	M	4	3	4	11	I	
<i>olivata</i> (Denis et Schiffermüller, 1775)		B	M	4	2	2	8	III	
<i>kollariaria</i> (Herrich-Schäffer, 1848)		B*		4	3	5	12	I	
<i>pectinataria</i> (Knoch, 1781)		B	M	2	2	1	5	IV	
COENOTEPHRIA Prout, 1914									
<i>salicata</i> (Denis et Schiffermüller, 1775)		B	M	3	3	3	9	II	
<i>tophaceata</i> (Denis et Schiffermüller, 1775)			M	3	3	4	10	II	

[illegible]

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>polygrammata</i> (Borkhausen, 1794)		B	M	4	3	4	11	I	
CAMPTOGRAMMA Stephens, 1831									
<i>bilineatum</i> (Linnaeus, 1758)		B	M	1	1	1	3	IV	
EPIRRHOE Hübner, 1825									
<i>hastulata</i> (Hübner, 1790)		B	M	3	2	3	8	III	
<i>pupillata</i> (Thunberg, 1788)			M	4	3	4	11	I	
<i>tristata</i> (Linnaeus, 1758)		B	M	3	1	1	5	IV	
<i>alternata</i> (Müller, 1764)		B	M	3	1	1	5	IV	
<i>rivata</i> (Hübner, 1813)		B	M	3	2	3	8	III	
<i>molluginata</i> (Hübner, 1813)		B	M	3	2	2	7	III	
<i>galiata</i> (Denis et Schiffermüller, 1775)		B	M	3	3	2	8	III	
CATACLYSME Hübner, 1825									
<i>riguata</i> (Hübner, 1813)		B	M	3	3	2	8	III	
PHIBALAPTERYX Stephens, 1829									
<i>virgata</i> (Hufnagel, 1767)		B	M	3	3	4	10	II	
EAROPHILA Gumpfenberg, 1887									
<i>badiata</i> (Denis et Schiffermüller, 1775)		B	M	4	2	1	7	III	
ANTICLEA Stephens, 1831									
<i>derivata</i> (Denis et Schiffermüller, 1775)		B	M	4	2	2	8	III	
MESOLEUCA Hübner, 1825									
<i>albicillata</i> (Linnaeus, 1758)		B	M	4	2	1	7	III	
ENTEPHRIA Hübner, 1825									
<i>flavicinctata</i> (Hübner, 1813)		B*		4	3	5	12	I	
<i>infidaria</i> (La Harpe, 1853)		B	M	2	3	4	9	II	
<i>caesiata</i> (Denis et Schiffermüller, 1775)		B	M	2	3	2	7	III	
LARENTIA Treitschke, 1825									
<i>clavaria</i> (Haworth, 1809)		B	M	3	3	5	11	I	
SPARGANIA Guenée, 1857									
<i>luctuata</i> (Denis et Schiffermüller, 1775)		B	M	3	2	3	8	III	
PELURGA Hübner, 1825									
<i>comitata</i> (Linnaeus, 1758)		B	M	3	1	1	5	IV	
HYDRIOMENA Hübner, 1825									

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>furcata</i> (Thunberg, 1784)		B	M	2	2	1	5	IV	
<i>impluviata</i> (Denis et Schiffermüller, 1775)		B	M	2	2	1	5	IV	
<i>ruberata</i> (Freyer, 1831)		B	M	4	3	4	11	I	
Archiearinae									
ARCHIEARIS Hübner, 1823									
<i>parthenias</i> (Linnaeus, 1761)		B	M	4	2	1	7	III	
BOUDINOTIANA Leraut, 2002									
<i>notha</i> (Hübner, 1803)		B	M	3	2	3	8	III	
<i>puella</i> (Esper, 1787)		(B)	M	5	3	4	12	I	
Oenochrominae									
EPIRRANTHIS Hübner, 1823									
<i>diversata</i> (Denis et Schiffermüller, 1775)		B	M	5	2	4	11	I	
Geometrinae									
PSEUDOTERPNA Hübner, 1823									
<i>pruinata</i> (Hufnagel, 1767)		B	M	3	2	4	9	II	
GEOMETRA Linnaeus, 1758									
<i>papilionaria</i> (Linnaeus, 1758)		B	M	2	1	1	4	IV	
COMIBAENA Hübner, 1823									
<i>bajularia</i> (Denis et Schiffermüller, 1775)		B	M	4	2	4	10	II	
THETIDIA Boisduval, 1840									
<i>smaragdaria</i> (Fabricius, 1787)		B	M	3	3	3	9	II	
HEMISTOLA Warren, 1893									
<i>chrysoprasaria</i> (Esper, 1794)		B	M	4	3	4	11	I	
JODIS Hübner, 1823									
<i>lactearia</i> (Linnaeus, 1758)		B	M	2	2	3	7	III	
<i>putata</i> (Linnaeus, 1758)		B	M	5	3	1	9	II	
THALERA Hübner, 1823									
<i>fimbrialis</i> (Scopoli, 1763)		B	M	2	2	1	5	IV	
HEMITHEA Duponchel, 1829									
<i>aestivaria</i> (Hübner, 1799)		B	M	2	1	1	4	IV	
CHLORISSA Stephens, 1831									
<i>viridata</i> (Linnaeus, 1758)		B	M	2	2	3	7	III	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>cloraria</i> (Hübner, 1813)		B	M	2	2	5	9	II	
PHATIOGRAMMA Gumpfenberg, 1887									
<i>etruscaria</i> (Zeller, 1848)			M	2	3	4	9	II	
APLASTA Hübner, 1823									
<i>ononaria</i> (Fuessly, 1783)		(B)		4	3	5 ?	12 ?	I ?	
Ennominae									
GNOPHOS Treitschke, 1825									
<i>furvata</i> (Denis et Schiffermüller, 1775)		B	M	2	3	3	8	III	
CHARISSA Curtis, 1826									
<i>obscurata</i> (Denis et Schiffermüller, 1775)		B	M	2	2	1	5	IV	
<i>ambiguata</i> Duponchel, 1830		B	M	2	2	3	7	III	
<i>pullata</i> (Denis et Schiffermüller, 1775)		B	M	2	3	4	9	II	
<i>glaucinaria</i> (Hübner, 1799)		B	(M)	2	3	4	9	II	
<i>supinaria</i> (Mann, 1854)		B	M	2	3	4	9	II	
YEZOGNOPHOS Matsumura, 1927									
<i>dilucidaria</i> (Denis et Schiffermüller, 1775)		B	M	2	2	3	7	III	
<i>vittaria</i> (Thunberg, 1788)		B	M	2	3	4	9	II	
ELOPHOS Boisduval, 1840									
<i>operaria</i> (Hübner, 1813)		B		3	3	5	11	I	
PSODOS Treitschke, 1827									
<i>quadrifaria</i> (Sulzer, 1776)		B		2	3	5	10	II	
GLACIES Millière, 1874									
<i>alpinata</i> (Scopoli, 1763)		B	M	2	3	5	10	II	
HYPOXYSTIS Prout, 1915									
<i>pluviaria</i> (Fabricius, 1787)			M*	2	2	5	9	II	
ASPITATES Treitschke, 1825									
<i>gilvaria</i> (Denis et Schiffermüller, 1775)		B	M	3	3	4	10	II	
DYSCIA Hübner, 1825									
<i>conspersaria</i> (Fabricius, 1775)		B*	M	3	3	5	11	I	
PERCONIA Hübner, 1823									
<i>strigillaria</i> (Hübner, 1787)		B	M	2	3	4	9	II	
SIONA Duponchel, 1829									

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>lineata</i> (Scopoli, 1763)		B	M	2	1	1	4	IV	
SYNOPSISIA Hübner, 1825									
<i>sociaria</i> (Hübner, 1799)			M	1	3	5	9	II	
ANGERONA Duponchel, 1829									
<i>prunaria</i> (Linnaeus, 1758)		B	M	2	1	2	5	IV	
ODONTOPERA Stephens, 1831									
<i>bidentata</i> (Clerck, 1759)		B	M	2	2	2	6	IV	
ELICRINIA Hübner, 1823									
<i>trinotata</i> (Metzner, 1845)			M*	4	3	5	12	I	
OURAPTERYX Leach, 1814									
<i>sambucaria</i> (Linnaeus, 1758)		B	M	2	1	1	4	IV	
ENNOMOS Treitschke, 1825									
<i>autumnaria</i> (Werneburg, 1859)		B	M	2	1	1	4	IV	
<i>quercinaria</i> (Hufnagel, 1767)		B	M	2	2	3	7	III	
<i>alniaria</i> (Linnaeus, 1758)		B	M	2	3	2	7	III	
<i>erosaria</i> (Denis et Schiffermüller, 1775)		B	M	2	2	2	6	IV	
<i>fuscantaria</i> (Haworth, 1809)		B	M	3	2	3	8	III	
SELENIA Hübner, 1823									
<i>dentaria</i> (Fabricius, 1775)		B	M	2	1	1	4	IV	
<i>lunularia</i> (Hübner, 1788)		B	M	2	2	2	6	IV	
<i>tetralunaria</i> (Hufnagel, 1767)		B	M	2	1	1	4	IV	
ARTIORA Meyrick, 1892									
<i>evonymaria</i> (Denis et Schiffermüller, 1775)		B	M	4	2	4	10	II	
CROCALLIS Treitschke, 1825									
<i>tusciaria</i> (Borkhausen, 1793)		B	M	2	3	5	10	II	
<i>elinguaris</i> (Linnaeus, 1758)		B	M	2	2	2	6	IV	
CAMPAEA Lamarck, 1816									
<i>margaritaria</i> (Linnaeus, 1761)		B	M	2	1	1	4	IV	
HYLAEA Hübner, 1822									
<i>fasciaria</i> (Linnaeus, 1758)		B	M	2	2	1	5	IV	
PUNGELERIA Rougemont, 1903									
<i>capreolaria</i> (Denis et Schiffermüller, 1775)		B	M	3	3	3	9	II	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
ALSOPHILA Hübner, 1825									
<i>aescularia</i> (Denis et Schiffermüller, 1775)		B	M	2	1	1	4	IV	
<i>aceraria</i> (Denis et Schiffermüller, 1775)		B	M	2	2	2	6	IV	
COLOTOIS Hübner, 1823									
<i>pennaria</i> (Linnaeus, 1761)		B	M	2	1	1	4	IV	
PETROPHORA Hübner, 1811									
<i>chlorosata</i> (Scopoli, 1763)		B	M	3	3	3	9	II	
PACHYCNEMIA Stephens, 1829									
<i>hippocastanaria</i> (Hübner, 1799)		B	M	5	3	4	12	I	
THERIA Hübner, 1825									
<i>rupicaprararia</i> (Denis et Schiffermüller, 1775)		B	M	5	3	3	11	I	
ALEUCIS Guenée, 1845									
<i>distinctata</i> (Herrich-Schäffer, 1839)		B		5	3	4	12	I	
LOMOGRAPHIA Hübner, 1825									
<i>bimaculata</i> (Fabricius, 1775)		B	M	3	2	1	6	IV	
<i>temerata</i> (Denis et Schiffermüller, 1775)		B	M	3	2	1	6	IV	
APEIRA Gistel, 1848									
<i>syringaria</i> (Linnaeus, 1758)		B	M	3	2	3	8	III	
EPIONE Duponchel, 1829									
<i>repandaria</i> (Hufnagel, 1767)		B	M	2	3	3	8	III	
<i>vespertaria</i> (Linnaeus, 1767)		B	M	2	3	4	9	II	
THERAPIS Hübner, 1823									
<i>flavicaria</i> (Denis et Schiffermüller, 1775)			M	3	2	4	9	II	
CEPPHIS Hübner, 1823									
<i>advenaria</i> (Hübner, 1790)		B	M	2	2	1	5	IV	
PSEUDOPANTHERA Hübner, 1823									
<i>macularia</i> (Linnaeus, 1758)		B	M	2	2	2	6	IV	
OPISTHOGRAPTIS Hübner, 1823									
<i>luteolata</i> (Linnaeus, 1758)		B	M	2	1	1	4	IV	
PLAGODIS Hübner, 1823									
<i>pulveraria</i> (Linnaeus, 1758)		B	M	2	2	3	7	III	
<i>dolabraria</i> (Linnaeus, 1767)		B	M	2	2	2	6	IV	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
CABERA Treitschke, 1825									
<i>pusaria</i> (Linnaeus, 1758)		B	M	3	2	1	6	IV	
<i>exanthemata</i> (Scopoli, 1763)		B	M	3	2	1	6	IV	
LOMASPILIS Hübner, 1825									
<i>marginata</i> (Linnaeus, 1758)		B	M	2	1	1	4	IV	
LIGDIA Guenée, 1857									
<i>adustata</i> (Denis et Schiffermüller, 1775)		B	M	4	2	1	7	III	
ABRAXAS Leach, 1815									
<i>grossulariata</i> (Linnaeus, 1758)		B	M	2	2	4	8	III	
<i>sylvata</i> (Scopoli, 1763)		B	M	2	2	2	6	IV	
HYPOMECEIS Hübner, 1821									
<i>roboraria</i> (Denis et Schiffermüller, 1775)		B	M	2	2	2	6	IV	
<i>punctinalis</i> (Scopoli, 1763)		B	M	2	2	1	5	IV	
ODONTOGNOPHOS Wehrli, 1951									
<i>dumetata</i> (Treitschke, 1827)		B	M	5	2	4	11	I	
STEGANIA Guenée, 1845									
<i>cararia</i> (Hübner, 1790)		B*	M	4	2	4	10	II	
<i>dilectaria</i> (Hübner, 1790)		B	M	5	2	4	11	I	
<i>trimaculata</i> (de Villers, 1789)		B*		4	2	5 ?	11 ?	I ?	
NARRAGA Walker, 1861									
<i>fasciolaria</i> (Hufnagel, 1767)		B*	M	5	3	4	12	I	
HELIOMATA Grote et Robinson, 1866									
<i>glarearia</i> (Denis et Schiffermüller, 1775)		B	M	3	2	3	8	III	
ISTURGIA Hübner, 1823									
<i>roraria</i> (Fabricius, 1776)			M	3	3	5	11	I	
<i>murinaria</i> (Denis et Schiffermüller, 1775)		B	M	3	3	3	9	II	
<i>arenacearia</i> (Denis et Schiffermüller, 1775)		B	M	3	3	3	9	II	
MACARIA Curtis, 1826									
<i>notata</i> (Linnaeus, 1758)		B	M	2	2	1	5	IV	
<i>alternaria</i> (Hübner, 1809)		B	M	2	1	1	4	IV	
<i>signaria</i> (Hübner, 1809)		B	M	3	2	2	7	III	
<i>liturata</i> (Clerck, 1759)		B	M	2	2	3	7	III	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>artesiaria</i> (Denis et Schiffermüller, 1775)		B	M	3	3	4	10	II	
<i>brunneata</i> (Thunberg, 1784)		B	M	2	2	3	7	III	
<i>wauaria</i> (Linnaeus, 1758)		B	M	4	1	1	6	IV	
CHIASMIA Hübner, 1823									
<i>clathrata</i> (Linnaeus, 1758)		B	M	3	1	1	5	IV	
APOCHEIMA Hübner, 1825									
<i>hispidaria</i> (Denis et Schiffermüller, 1775)		B	M	2	3	3	8	III	
PHIGALIA Duponchel, 1829									
<i>pilosaria</i> (Denis et Schiffermüller, 1775)		B	M	2	1	1	4	IV	
EMATURGA Lederer, 1853									
<i>atomaria</i> (Linnaeus, 1758)		B	M	1	1	1	3	IV	
LYCIA Hübner, 1825									
<i>hirtaria</i> (Clerck, 1759)		B	M	2	1	1	4	IV	
<i>zonaria</i> (Denis et Schiffermüller, 1775)		B	M	2	3	4	9	II	
<i>isabellae</i> (Harrison, 1914)		B	M	5	2	2	9	II	
<i>pomonaria</i> (Hübner, 1790)		B	M	2	3	3	8	III	
BISTON Leach, 1815									
<i>strataria</i> (Hufnagel, 1767)		B	M	3	2	2	7	III	
<i>betularia</i> (Linnaeus, 1758)		B	M	2	1	1	4	IV	
ERANNIS Hübner, 1825									
<i>defoliaria</i> (Clerck, 1759)		B	M	2	1	1	4	IV	
AGRIOPIS Hübner, 1825									
<i>leucophaearia</i> (Denis et Schiffermüller, 1775)		B	M	3	1	1	5	IV	
<i>bajaria</i> (Denis et Schiffermüller, 1775)		B	M	2	3	3	8	III	
<i>aurantiaria</i> (Hübner, 1799)		B	M	2	1	1	4	IV	
<i>marginaria</i> (Fabricius, 1776)		B	M	2	1	1	4	IV	
PARADARISA Warren, 1897									
<i>consonaria</i> (Hübner, 1799)		B	M	2	2	2	6	IV	
FAGIVORINA Wehrli, 1943									
<i>arenaria</i> (Hufnagel, 1767)		B	M	3	3	5	11	I	
SELIDOSEMA Hübner, 1823									
<i>plumaria</i> (Denis et Schiffermüller, 1775)		(B)	M	2	3	4	9	II	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>brunnearia</i> (Villiers, 1789)		B		2	3	4	9	II	
PERIBATODES Wehrli, 1943									
<i>rhomboidea</i> (Denis et Schiffermüller, 1775)		B	M	1	1	1	3	IV	
<i>ilicaria</i> (Geyer, 1833)		(B)		2	2	5 ?	9 ?	II ?	
<i>secundaria</i> (Denis et Schiffermüller, 1775)		B	M	3	2	1	6	IV	
ALCIS Curtis, 1826									
<i>repandata</i> (Linnaeus, 1758)		B	M	1	1	1	3	IV	
<i>deversata</i> (Staudinger, 1892)		B	M	1	2	3	6	IV	
<i>jubata</i> (Thunberg, 1788)		B*	(M)	3	3	5	11	I	
DEILEPTENIA Hübner, 1825									
<i>ribeata</i> (Clerck, 1759)		B	M	2	3	3	8	III	
PARABOARMIA Krampl, 1994									
<i>viertlii</i> (Bohatsch, 1883)			M	4	3	5	12	I	
PARECTROPIS Sato, 1980									
<i>similaria</i> (Hufnagel, 1767)		B	M	2	2	1	5	IV	
AETHALURA McDunnough, 1920									
<i>punctulata</i> (Denis et Schiffermüller, 1775)		B	M	3	2	1	6	IV	
ASCOTIS Hübner, 1825									
<i>selenaria</i> (Denis et Schiffermüller, 1775)		B	M	2	3	4	9	II	
CLEORA Curtis, 1825									
<i>cinctaria</i> (Denis et Schiffermüller, 1775)		B	M	1	2	1	4	IV	
ECTROPIS Hübner, 1825									
<i>crepuscularia</i> (Denis et Schiffermüller, 1775)		B	M	2	2	1	5	IV	
ARICHANNA Moore, 1868									
<i>melanaria</i> (Linnaeus, 1758)		B	M	3	3	4	10	II	
BUPALUS Leach, 1815									
<i>pinaria</i> (Linnaeus, 1758)		B	M	4	1	1	6	IV	
TEPHRONIA Hübner, 1825									
<i>sepiaria</i> (Hufnagel, 1767)		(B)	M*	3	3	4 ?	10 ?	II ?	
Noctuoidea									
Notodontidae									
Thaumetopoeinae									

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
THAUMETOPOEA Hübner, 1820									
<i>processionea</i> (Linnaeus, 1758)		B*	M	4	3	4	11	I	
<i>pinivora</i> (Treitschke, 1834)		(B)		4	1	5 ?	10 ?	II ?	
Pygaerinae									
CLOSTERA Samouelle, 1819									
<i>curtula</i> (Linnaeus, 1758)		B	M	3	2	1	6	IV	
<i>anachoreta</i> (Denis et Schiffermüller, 1775)		B	M	3	3	3	9	II	
<i>anastomosis</i> (Linnaeus, 1758)		B	M	3	3	3	9	II	
<i>pigra</i> (Hufnagel, 1766)		B	M	3	2	1	6	IV	
Notodontinae									
NOTODONTA Ochsenheimer, 1810									
<i>dromedarius</i> (Linnaeus, 1767)		B	M	2	2	1	5	IV	
<i>torva</i> (Hübner, 1803)		B	M	3	3	4	10	II	
<i>tritophus</i> (Denis et Schiffermüller, 1775)		B	M	2	3	2	7	III	
<i>ziczac</i> (Linnaeus, 1758)		B	M	3	2	1	6	IV	
DRYMONIA Hübner, 1819									
<i>dodonaea</i> (Denis et Schiffermüller, 1775)		B	M	2	2	1	5	IV	
<i>ruficornis</i> (Hufnagel, 1766)		B	M	4	2	2	8	III	
<i>querna</i> (Denis et Schiffermüller, 1775)		B	M	4	3	4	11	I	
<i>velitaris</i> (Hufnagel, 1766)		B	M	4	2	3	9	II	
<i>obliterata</i> (Esper, 1785)		B	M	2	3	4	9	II	
PHEOSIA Hübner, 1819									
<i>gnoma</i> (Fabricius, 1776)		B	M	4	2	2	8	III	
<i>tremula</i> (Clerck, 1759)		B	M	2	2	2	6	IV	
PTEROSTOMA Germar, 1812									
<i>palpina</i> (Clerck, 1759)		B	M	2	1	1	4	IV	
PTILOPHORA Stephens, 1828									
<i>plumigera</i> (Denis et Schiffermüller, 1775)		B	M	4	2	2	8	III	
LEUCODONTA Staudinger, 1892									
<i>bicoloria</i> (Denis et Schiffermüller, 1775)		B	M	3	2	3	8	III	
PTILODON Hübner, 1822									
<i>capucina</i> (Linnaeus, 1758)		B	M	2	1	2	5	IV	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>cucullina</i> (Denis et Schiffermüller, 1775)		B	M	4	2	3	9	II	
ODONTOSIA Hübner, 1819									
<i>carmelita</i> (Esper, 1798)		B	M	3	3	3	9	II	
<i>sieversi</i> (Ménétries, 1856)		(B)	M	4	3	4	11	I	
GLUPHISIA Boisduval, 1828									
<i>crenata</i> (Esper, 1785)		B	M	4	3	3	10	II	
CERURA Schrank, 1802									
<i>vinula</i> (Linnaeus, 1758)		B	M	3	1	1	5	IV	
<i>erminea</i> (Esper, 1783)		B	M	3	2	3	8	III	
FURCULA Lamarck, 1816									
<i>bicuspis</i> (Borkhausen, 1790)		B	M	3	2	3	8	III	
<i>furcula</i> (Clerck, 1759)		B	M	2	2	3	7	III	
<i>bifida</i> (Brahm, 1787)		B	M	2	2	1	5	IV	
DICRANURA Reichenbach, 1817									
<i>ulmi</i> (Denis et Schiffermüller, 1775)			M	4	3	4	11	I	
Phalerinae									
PHALERA Hübner, 1819									
<i>bucephala</i> (Linnaeus, 1758)		B	M	2	1	1	4	IV	
PERIDEA Stephens, 1828									
<i>anceps</i> (Goeze, 1781)		B	M	4	3	3	10	II	
Heterocampinae									
STAUROPUS Germar, 1812									
<i>fagi</i> (Linnaeus, 1758)		B	M	2	2	2	6	IV	
HARPYIA Ochsenheimer, 1810									
<i>milhauseri</i> (Fabricius, 1775)		B	M	3	2	3	8	III	
SPATALIA Hübner, 1819									
<i>argentina</i> (Denis et Schiffermüller, 1775)		B	M	4	2	4	10	II	
Erebidae									
Lymantriinae									
LYMANTRIA Hübner, 1819									
<i>monacha</i> (Linnaeus, 1758)		B	M	2	1	1	4	IV	
<i>dispar</i> (Linnaeus, 1758)		B	M	2	1	1	4	IV	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
OCNERIA Hübner, 1819									
<i>rubea</i> (Denis et Schiffermüller, 1775)		B	M	4	3	4	11	I	
GYNAEPHORA Butler, 1881									
<i>fascelina</i> (Linnaeus, 1758)		B	M	2	3	3	8	III	
CALLITEARA Butler, 1881									
<i>pudibunda</i> (Linnaeus, 1758)		B	M	2	1	1	4	IV	
<i>abietis</i> (Denis et Schiffermüller, 1775)		B	M	3	3	4	10	II	
LAELIA Stephens, 1828									
<i>coenosa</i> (Hübner, 1808)		B	M*	2	3	5	10	II	
ORGYIA Ochsenheimer, 1810									
<i>recens</i> (Hübner, 1819)		B	M	2	2	5	9	II	
<i>antiqua</i> (Linnaeus, 1758)		B	M	2	1	1	4	IV	
PENTHOPHERA Germar, 1812									
<i>morio</i> (Linnaeus, 1767)		B	M	3	2	4	9	II	
ARCTORNIS Germar, 1810									
<i>l-nigrum</i> (Müller, 1764)		B	M	2	2	3	7	III	
LEUCOMA Hübner, 1822									
<i>salicis</i> (Linnaeus, 1758)		B	M	3	2	1	6	IV	
EUPROCTIS Hübner, 1819									
<i>chrysorrhoea</i> (Linnaeus, 1758)		B	M	2	1	2	5	IV	
SPHRAGEIDUS Maes, 1984									
<i>similis</i> (Fuessly, 1775)		B	M	2	1	2	5	IV	
Arctiinae									
NUDARIA Haworth, 1809									
<i>mundana</i> (Linnaeus, 1761)		B	M	3	3	3	9	II	
THUMATHA Walker, 1866									
<i>senex</i> (Hübner, 1808)		B	M	3	3	3	9	II	
PAIDIA Hübner, 1819									
<i>rica</i> (Freyer, 1858)		B*		4	2	5	11	I	
MILTOCHRISTA Hübner, 1819									
<i>miniata</i> (Forster, 1771)		B	M	2	2	2	6	IV	
CYBOSIA Hübner, 1819									

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>mesomella</i> (Linnaeus, 1758)		B	M	3	2	1	6	IV	
PELOSIA Hübner, 1819									
<i>muscerda</i> (Hufnagel, 1766)		B	M	3	3	4	10	II	
<i>obtusa</i> (Herrich-Schäffer, 1852)			M	5	3	4	12	I	
ATOLMIS Hübner, 1819									
<i>rubricollis</i> (Linnaeus, 1758)		B	M	2	2	2	6	IV	
LITHOSIA Fabricius, 1798									
<i>quadra</i> (Linnaeus, 1758)		B	M	2	2	5	9	II	
EILEMA Hübner, 1819									
<i>sororcula</i> (Hufnagel, 1766)		B	M	2	3	3	8	III	
<i>griseola</i> (Hübner, 1803)		B	M	3	2	3	8	III	
<i>lutarella</i> (Linnaeus, 1758)		B	M	3	2	2	7	III	
<i>pygmaeola</i> (Doubleday, 1847)		B	M	3	3	2	8	III	
<i>palliatella</i> (Scopoli, 1763)		B	M	3	2	3	8	III	
<i>pseudocomplana</i> (Daniel, 1939)			M	3	3	4	10	II	
<i>complana</i> (Linnaeus, 1758)		B	M	2	1	1	4	IV	
<i>caniola</i> (Hübner, 1808)			M*	3	3	5	11	I	
<i>lurideola</i> (Zincken, 1817)		B	M	2	2	1	5	IV	
<i>depressa</i> (Esper, 1787)		B	M	2	2	2	6	IV	
SETINA Schrank, 1802									
<i>irrorella</i> (Linnaeus, 1758)		B	M	3	2	3	8	III	
<i>roscida</i> (Denis et Schiffermüller, 1775)		B	M	3	3	4	10	II	
AMATA Fabricius, 1807									
<i>phegea</i> (Linnaeus, 1758)		B	M	2	3	3	8	III	
DYSAUXES Hübner, 1819									
<i>ancilla</i> (Linnaeus, 1767)		B	M	2	2	4	8	III	
CHELIS Rambur, 1866									
<i>maculosa</i> (Denis et Schiffermüller, 1775)		B	M	2	3	4	9	II	
WATSONARCTIA de Freina et Witt, 1984									
<i>casta</i> (Esper, 1785)		B	M	3	3	4	10	II	
PHRAGMATOBIA Stephens, 1828									
<i>fuliginosa</i> (Linnaeus, 1758)		B	M	1	1	1	3	IV	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
EPATOLMIS Butler, 1877									
<i>luctifera</i> (Denis et Schiffermüller, 1775)			M	2	3	4	9	II	
SPILARCTIA Butler, 1875									
<i>luteum</i> (Hufnagel, 1766)		B	M	1	2	2	5	IV	
SPILOSOMA Curtis, 1825									
<i>lubricipeda</i> (Linnaeus, 1758)		B	M	1	1	1	3	IV	
<i>urticae</i> (Esper, 1789)		B	M	1	2	5	8	III	
HYPHANTRIA Harris, 1841									
<i>cunea</i> (Drury, 1773)	I	B	M	1	1	4	6	IV	
DIAPHORA Stephens, 1827									
<i>mendica</i> (Clerck, 1759)		B	M	1	1	3	5	IV	
<i>luctuosa</i> (Geyer, 1833)			M	2	3	4	9	II	
DIACRISIA Hübner, 1819									
<i>purpurata</i> (Linnaeus, 1758)		B	M	2	2	3	7	III	
<i>sannio</i> (Linnaeus, 1758)		B	M	1	1	1	3	IV	
PERICALLIA Hübner, 1820									
<i>matronula</i> (Linnaeus, 1758)			(M)	2	2	5 ?	9 ?	II ?	
ARCTIA Schrank, 1802									
<i>plantaginis</i> (Linnaeus, 1758)		B	M	2	2	3	7	III	
<i>aulica</i> (Linnaeus, 1758)		B	M	2	3	4	9	II	
<i>caja</i> (Linnaeus, 1758)		B	M	1	1	1	3	IV	
<i>villica</i> (Linnaeus, 1758)		(B)	M	1	3	5	9	II	
CALLIMORPHA Latreille, 1809									
<i>dominula</i> (Linnaeus, 1758)		B	M	2	2	3	7	III	
EUPLAGIA Hübner, 1820									
<i>quadripunctaria</i> (Poda, 1761)		B	M	2	2	3	7	III	
TYRIA Hübner, 1819									
<i>jacobaeae</i> (Linnaeus, 1758)		B	M	3	3	2	8	III	
COSCINIA Hübner, 1819									
<i>striata</i> (Linnaeus, 1758)		B	M	2	3	4	9	II	
<i>cribraria</i> (Linnaeus, 1758)		B	M	5	3	4	12	I	
UTETHEISA Hübner, 1819									

[illegible]

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>libatrix</i> (Linnaeus, 1758)		B	M	3	2	1	6	IV	
Calpinae									
CALYPTRA Ochsenheimer, 1816									
<i>thalictri</i> (Borkhausen, 1790)		(B)	(M)	4	3	4 ?	11 ?	I ?	
Hypenodinae									
SCHRANKIA Hübner, 1825									
<i>taenialis</i> (Hübner, 1809)		B	M	2	3	4	9	II	
<i>costaestrigalis</i> (Stephens, 1834)		B	M	2	2	3	7	III	
HYPENODES Doubleday, 1850									
<i>humidalis</i> Doubleday, 1850		B	M	2	3	4	9	II	
Boletobiinae									
PARASCOTIA Hübner, 1825									
<i>fuliginaria</i> (Linnaeus, 1761)		B	M	3	2	2	7	III	
Aventiinae									
LASPEYRIA Germar, 1810									
<i>flexula</i> (Denis et Schiffermüller, 1775)		B	M	3	2	1	6	IV	
Eublemminae									
ODICE Hübner, 1823									
<i>arcuinna</i> (Hübner, 1790)			(M)	4	3	4 ?	11 ?	I ?	
CALYMMA Hübner, 1823									
<i>communimacula</i> (Denis et Schiffermüller, 1775)			M	5	3	4	12	I	
EUBLEMMA Hübner, 1821									
<i>minutata</i> (Fabricius, 1794)		B*	M	5	3	4	12	I	
<i>parva</i> (Hübner, 1808)	M	B*	M	3	3	4	10	II	
<i>purpurina</i> (Denis et Schiffermüller, 1775)		B	M	4	2	3	9	II	
<i>ostrina</i> (Hübner, 1813)			(M*)	3	2	5 ?	10 ?	II ?	
Phytometrinae									
PHYTOMETRA Haworth, 1809									
<i>viridaria</i> (Clerck, 1759)		B	M	4	3	3	10	II	
COLOBOCHYLA Hübner, 1825									
<i>salicalis</i> (Denis et Schiffermüller, 1775)		B	M	3	2	3	8	III	
TRISATELES Tams, 1939									

[illegible]

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
Nolinae									
<i>MEGANOLA</i> Dyar, 1898									
<i>togatulalis</i> (Hübner, 1796)		B	M	4	2	4	10	II	
<i>albula</i> (Denis et Schiffermüller, 1775)		B	M	2	2	3	7	III	
<i>strigula</i> (Denis et Schiffermüller, 1775)		B	M	2	2	2	6	IV	
<i>kolbi</i> (Daniel, 1935)			M	2	3	4	9	II	
<i>NOLA</i> Leach, 1815									
<i>cucullatella</i> (Linnaeus, 1758)		B	M	2	2	3	7	III	
<i>confusalis</i> (Herrich-Schäffer, 1847)		B	M	2	2	2	6	IV	
<i>cicatrixalis</i> (Treitschke, 1835)		B	M	3	2	4	9	II	
<i>aerugula</i> (Hübner, 1793)		B	M	2	2	5	9	II	
<i>cristatula</i> (Hübner, 1793)		B*	M*	5	3	4	12	I	
Chloephorinae									
<i>BENA</i> Billberg, 1820									
<i>bicolorana</i> (Fuessly, 1775)		B	M	4	2	2	8	III	
<i>PSEUDOIPS</i> Hübner, 1822									
<i>prasinana</i> (Linnaeus, 1781)		B	M	2	2	2	6	IV	
<i>NYCTEOLA</i> Hübner, 1822									
<i>revayana</i> (Scopoli, 1772)		B	M	2	2	1	5	IV	
<i>degenerana</i> (Hübner, 1799)		B*	M*	4	2	4	10	II	
<i>siculana</i> (Fuchs, 1899)			M*	3	2	5	10	II	
<i>asiatica</i> (Krulikowsky, 1904)		B	M	3	2	2	7	III	
<i>EARIAS</i> Hübner, 1825									
<i>clorana</i> (Linnaeus, 1761)		B	M	4	2	2	8	III	
<i>vernana</i> (Fabricius, 1787)		B	M	5	3	3	11	I	
Noctuidae									
Plusiinae									
<i>ABROSTOLA</i> Ochsenheimer, 1816									
<i>tripartita</i> (Hufnagel, 1766)		B	M	4	1	1	6	IV	
<i>asclepiadis</i> (Denis et Schiffermüller, 1775)		B	M	5	2	2	9	II	
<i>triplasia</i> (Linnaeus, 1758)		B	M	4	1	1	6	IV	
<i>TRICHOPLUSIA</i> McDunnough, 1944									

[illegible]

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>bankiana</i> (Fabricius, 1775)		B	M	3	2	2	7	III	
<i>deceptoria</i> (Scopoli, 1763)		B	M	3	2	1	6	IV	
<i>uncula</i> (Clerck, 1759)		B	M	3	3	4	10	II	
<i>pygarga</i> (Hufnagel, 1766)		B	M	3	2	1	6	IV	
Acontiinae									
ACONTIA Ochsenheimer, 1816									
<i>lucida</i> (Hufnagel, 1766)	M	(B)	M	2	3	4	9	III	-1
<i>candefacta</i> (Hübner, 1831)	I		M*	5	1	5	11	III	-2
<i>trabealis</i> (Scopoli, 1763)		B	M	5	2	1	8	III	
AEDIA Hübner, 1823									
<i>funesta</i> (Esper, 1786)		B*	M	3	2	4	9	II	
<i>leucomelas</i> (Linnaeus, 1758)	M	B*	M*	5	3	4	12	III	-2
Pantheinae									
PANTHEA Hübner, 1820									
<i>coenobita</i> (Esper, 1785)		B	M	3	2	2	7	III	
TRICHOSEA Grote, 1875									
<i>ludifica</i> (Linnaeus, 1758)		B	M	5	2	4	11	I	
COLOCASIA Ochsenheimer, 1816									
<i>coryli</i> (Linnaeus, 1758)		B	M	2	1	1	4	IV	
Dilobinae									
DILOBA Boisduval, 1840									
<i>caeruleocephala</i> (Linnaeus, 1758)		B	M	2	2	1	5	IV	
Acronictinae									
MOMA Hübner, 1820									
<i>alpium</i> (Osbeck, 1778)		B	M	2	3	3	8	III	
ACRONICTA Ochsenheimer, 1816									
<i>alni</i> (Linnaeus, 1767)		B	M	2	2	2	6	IV	
<i>cuspis</i> (Hübner, 1813)		B	M	4	3	4	11	I	
<i>tridens</i> (Denis et Schiffermüller, 1775)		B*	M	3	2	3	8	III	
<i>psi</i> (Linnaeus, 1758)		B	M	2	1	1	4	IV	
<i>aceris</i> (Linnaeus, 1758)		B	M	2	2	2	6	IV	
<i>leporina</i> (Linnaeus, 1758)		B	M	2	2	2	6	IV	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>strigosa</i> (Denis et Schiffermüller, 1775)			M	2	2	5	9	II	
<i>menyanthydis</i> (Esper, 1789)		B	M	2	3	4	9	II	
<i>auricoma</i> (Denis et Schiffermüller, 1775)		B	M	1	1	1	3	IV	
<i>euphorbiae</i> (Denis et Schiffermüller, 1775)		(B)	M	4	3	3	10	II	
<i>rumicis</i> (Linnaeus, 1758)		B	M	1	1	1	3	IV	
<i>megacephala</i> (Denis et Schiffermüller, 1775)		B	M	2	1	1	4	IV	
CRANIOPHORA Snellen, 1867									
<i>ligustri</i> (Denis et Schiffermüller, 1775)		B	M	3	2	1	6	IV	
SIMYRA Ochsenheimer, 1816									
<i>nervosa</i> (Denis et Schiffermüller, 1775)		B	M	2	3	4	9	II	
<i>albovenosa</i> (Goeze, 1781)		B	M	2	3	3	8	III	
Metoponiinae									
TYTA Billberg, 1820									
<i>luctuosa</i> (Denis et Schiffermüller, 1775)		B	M	2	3	3	8	III	
PANEMERIA Hübner, 1823									
<i>tenebrata</i> (Scopoli, 1763)		B	M	3	1	2	6	IV	
AEGLE Hübner, 1823									
<i>kaekeritziana</i> (Hübner, 1799)			(M)	4	3	5 ?	12 ?	I ?	
Cuculliinae									
CUCULLIA Schrank, 1802									
<i>scopariae</i> Dorfmeister, 1853			(M)	4	3	4 ?	11 ?	I ?	
<i>fraudatrix</i> Eversmann, 1837		B	M	4	2	2	8	III	
<i>xeranthemi</i> Boisduval, 1840			M*	5	3	5	13	I	
<i>absinthii</i> (Linnaeus, 1761)		B	M	4	1	1	6	IV	
<i>argentea</i> (Hufnagel, 1766)			M	5	3	5	13	I	
<i>artemisiae</i> (Hufnagel, 1766)		B	M	3	1	1	5	IV	
<i>lactucae</i> (Denis et Schiffermüller, 1775)		B	M	3	2	3	8	III	
<i>lucifuga</i> (Denis et Schiffermüller, 1775)		B	M	2	2	3	7	III	
<i>umbratica</i> (Linnaeus, 1758)		B	M	3	1	3	7	III	
<i>balsamitae</i> Boisduval, 1840			(M)	4	3	5 ?	12 ?	I ?	
<i>campanulae</i> Freyer, 1831		B	(M)	4	3	4	11	I	
<i>chamomillae</i> (Denis et Schiffermüller, 1775)		B	M	3	1	2	6	IV	

[illegible]

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>ramosa</i> (Esper, 1786)		B	M	4	3	4	11	I	
LAMPROSTICTA Hübner, 1820									
<i>culta</i> (Denis et Schiffermüller, 1775)			M	3	3	4	10	II	
Condicinae									
ACOSMETIA Stephens, 1829									
<i>caliginosa</i> (Hübner, 1813)		B	M	5	3	4	12	I	
EUCARTA Lederer, 1857									
<i>virgo</i> (Treitschke, 1835)	M	B	M	2	1	3	6	IV	
<i>amethystina</i> (Hübner, 1803)			M*	2	1	5	8	III	
Heliothinae									
SCHINIA Hübner, 1818									
<i>cardui</i> (Hübner, 1790)			M	5	3	4	12	I	
<i>cognata</i> (Freyer, 1833)			M	5	3	4	12	I	
PROTOSCHINIA Hardwick, 1970									
<i>scutosa</i> (Denis et Schiffermüller, 1775)	M	B	M	2	2	4	8	IV	-1
HELIOTHIS Ochsenheimer, 1816									
<i>viriplaca</i> (Hufnagel, 1766)	M	B	M	2	3	2	7	IV	-1
<i>adaucta</i> Butler, 1878	M	B	M	2	2	4	8	IV	-1
<i>ononis</i> (Denis et Schiffermüller, 1775)	M	B	(M)	2	3	4	9	III	-1
<i>peltigera</i> (Denis et Schiffermüller, 1775)	M	B	M	1	3	4	8	IV	-1
<i>nubigera</i> Herrich-Schäffer, 1851	M	B*	M*	2	1	4	7	IV	-1
HELICOVERPA Hardwick, 1965									
<i>armigera</i> (Hübner, 1808)	M	B	M	2	3	4	9	IV	-2
PYRRHIA Hübner, 1821									
<i>umbra</i> (Hufnagel, 1766)		B	M	2	2	2	6	IV	
<i>purpura</i> (Hübner, 1817)			M	5	3	4	12	I	
PERIPHANES Hübner, 1821									
<i>delphinii</i> (Linnaeus, 1758)		(B)	(M)	3	3	4	10	II	
Eriopinae									
CALLOPISTRIA Hübner, 1821									
<i>juventina</i> (Stoll, 1782)		B	M*	5	2	4	11	I	
<i>latreillei</i> (Duponchel, 1827)	I		M*	5	3	5	13	III	-2

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
Bryophilinae									
<i>CRYPHIA</i> Hübner, 1818									
<i>algae</i> (Fabricius, 1775)		B	M	3	3	1	7	III	
<i>receptricula</i> (Hübner, 1803)			(M)	4	3	5 ?	12 ?	I ?	
<i>fraudatricula</i> (Hübner, 1803)		B	M	3	3	3	9	II	
<i>BRYOPHILA</i> null, null									
<i>ereptricula</i> (Treitschke, 1825)		B	M	3	3	4	10	II	
<i>felina</i> (Eversmann, 1852)			M*	3	3	4	10	II	
<i>raptricula</i> (Denis et Schiffermüller, 1775)		B	M	3	2	4	9	II	
<i>domestica</i> (Hufnagel, 1766)		B	M	3	3	3	9	II	
<i>BRYOPSIS</i> Boursin, 1970									
<i>muralis</i> (Forster, 1771)		B*		3	2	4	9	II	
Noctuinae									
<i>PSEUDEUSTROTIA</i> Warren, 1913									
<i>candidula</i> (Denis et Schiffermüller, 1775)		B	M	2	2	3	7	III	
<i>ELAPHRIA</i> Hübner, 1818									
<i>venustula</i> (Hübner, 1790)		B	M	2	2	2	6	IV	
<i>SPODOPTERA</i> Guenée, 1852									
<i>exigua</i> (Hübner, 1808)	M	B	M	2	2	5	9	III	-1
<i>CARADRINA</i> Ochsenheimer, 1816									
<i>morpheus</i> (Hufnagel, 1766)		B	M	1	1	1	3	IV	
<i>terrea</i> (Freyer, 1840)		B*	M	2	3	4	9	II	
<i>kadenii</i> (Freyer, 1836)		B*	M	2	3	4	9	II	
<i>aspersa</i> (Rambur, 1834)			M*	2	3	4	9	II	
<i>montana</i> (Bremer, 1864)			(M)	2	3	5 ?	10 ?	II ?	
<i>gilva</i> (Donzel, 1837)		B*	M	2	3	4	9	II	
<i>selini</i> Boisduval, 1840		B	M	2	3	3	8	III	
<i>clavipalpis</i> (Scopoli, 1763)	M	B	M	1	2	2	5	IV	
<i>HOPLODRINA</i> Boursin, 1937									
<i>octogenaria</i> (Goeze, 1781)		B	M	1	1	1	3	IV	
<i>blanda</i> (Denis et Schiffermüller, 1775)		B	M	1	1	1	3	IV	
<i>superstes</i> (Ochsenheimer, 1816)		B	M	2	3	4	9	II	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>respersa</i> (Denis et Schiffermüller, 1775)		B	M	1	2	3	6	IV	
<i>ambigua</i> (Denis et Schiffermüller, 1775)		B	M	1	1	2	4	IV	
CHILODES Herrich-Schäffer, 1849									
<i>maritimus</i> (Tauscher, 1806)		B	M	3	3	4	10	II	
CHARANYCA Billberg, 1820									
<i>trigrammica</i> (Hufnagel, 1766)		B	M	2	2	1	5	IV	
RUSINA Stephens, 1828									
<i>ferruginea</i> (Esper, 1785)		B	M	1	1	1	3	IV	
ATHETIS Hübner, 1821									
<i>furvula</i> (Hübner, 1808)		B*	M	2	3	4	9	II	
<i>gluteosa</i> (Treitschke, 1835)			M	2	3	4	9	II	
<i>hospes</i> (Freyer, 1831)		B*	M*	2 ?	2 ?	4 ?	8 ?	III ?	
<i>pallustris</i> (Hübner, 1808)		B	M	2	3	4	9	II	
GRACILATHETIS Ronkay et Ronkay, 2023									
<i>lepigone</i> (Möschler, 1860)		B*	M	2	3	3	8	III	
DYPTERYGIA Stephens, 1829									
<i>scabriuscula</i> (Linnaeus, 1758)		B	M	1	1	1	3	IV	
TRACHEA Ochsenheimer, 1816									
<i>atriplicis</i> (Linnaeus, 1758)		B	M	2	1	3	6	IV	
MORMO Ochsenheimer, 1816									
<i>maura</i> (Linnaeus, 1758)		B	M	2	3	4	9	II	
POLYPHAENIS Boisduval, 1840									
<i>sericata</i> (Esper, 1787)		B*	M*	3	3	4	10	II	
THALPOPHILA Hübner, 1820									
<i>matura</i> (Hufnagel, 1766)		B	M	3	2	1	6	IV	
HYPPA Duponchel, 1845									
<i>rectilinea</i> (Esper, 1788)		B	M	2	3	4	9	II	
ACTINOTIA Hübner, 1821									
<i>polyodon</i> (Clerck, 1759)		B	M	2	1	1	4	IV	
<i>radiosa</i> (Esper, 1804)			M	4	3	4	11	I	
CHLOANTHA Boisduval, Rambur et Graslin, 1836									
<i>hyperici</i> (Denis et Schiffermüller, 1775)		B	M	4	2	3	9	II	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
PHLOGOPHORA Treitschke, 1825									
<i>meticulosa</i> (Linnaeus, 1758)	M	B	M	1	1	1	3	IV	
<i>scita</i> (Hübner, 1790)		B	M	2	3	4	9	II	
EUPLEXIA Stephens, 1829									
<i>lucipara</i> (Linnaeus, 1758)		B	M	1	1	1	3	IV	
AUCHMIS Hübner, 1821									
<i>detersa</i> (Esper, 1791)		B	M	5	3	3	11	I	
CALAMIA Hübner, 1821									
<i>tridens</i> (Hufnagel, 1766)		B	M	3	3	3	9	II	
CRYPSEDRA Warren, 1910									
<i>gemmea</i> (Treitschke, 1825)		B	M	3	2	3	8	III	
STAUROPHORA Reichenbach, 1817									
<i>celsia</i> (Linnaeus, 1761)		B	M	3	3	4	10	II	
CELAENA Stephens, 1829									
<i>haworthii</i> (Curtis, 1829)		B		3	3	4	10	II	
HELOTROPHA Lederer, 1857									
<i>leucostigma</i> (Hübner, 1808)		B	M	2	3	4	9	II	
EREMOBIA Stephens, 1829									
<i>ochroleuca</i> (Denis et Schiffermüller, 1775)		(B)	M	3	3	4	10	II	
GORTYNA Ochsenheimer, 1816									
<i>flavago</i> (Denis et Schiffermüller, 1775)		B	M	2	1	2	5	IV	
HYDRAECIA Guenée, 1841									
<i>micacea</i> (Esper, 1789)		B	M	2	1	1	4	IV	
<i>ultima</i> Holst, 1965		B	M	4	3	3	10	II	
<i>petasitis</i> Doubleday, 1847		B	M	4	3	4	11	I	
AMPHIPOEA Billberg, 1820									
<i>oculea</i> (Linnaeus, 1761)		B	M	3	1	2	6	IV	
<i>fucosa</i> (Freyer, 1830)		B	M	3	2	2	7	III	
<i>lucens</i> (Freyer, 1845)		B		5	3	4	12	I	
LUPERINA Boisduval, 1829									
<i>testacea</i> (Denis et Schiffermüller, 1775)		B	M	3	1	1	5	IV	
<i>nickerlii</i> (Freyer, 1845)		B		4	3	4	11	I	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
FABULA Fibiger, Zilli et Ronkay, 2005									
<i>zollikoferi</i> (Freyer, 1836)	M	(B)	(M)	3	3	4 ?	10 ?	IV ?	-2
RHIZEDRA Warren, 1911									
<i>lutosa</i> (Hübner, 1803)		B	M	5	2	3	10	II	
SEDINA Urbahn, 1933									
<i>buettneri</i> (Hering, 1858)			M	3	3	4	10	II	
NONAGRIA Ochsenheimer, 1816									
<i>typhae</i> (Thunberg, 1784)		B	M	3	3	2	8	III	
PHRAGMATIPHILA Hampson, 1908									
<i>nexa</i> (Hübner, 1808)		B	M	5	3	5	13	I	
ARENOSTOLA Hampson, 1910									
<i>phragmitidis</i> (Hübner, 1808)		B*	M	5	3	4	12	I	
LENISA Fibiger, Zilli et Ronkay, 2005									
<i>geminipuncta</i> (Haworth, 1809)		B	M	5	2	4	11	I	
ARCHANARA Walker, 1866									
<i>dissoluta</i> (Treitschke, 1825)		B	M	5	3	3	11	I	
<i>neurica</i> (Hübner, 1808)			M	5	3	4	12	I	
GLOBIA Fibiger, Zilli, Ronkay et Goldstein, 2010									
<i>sparganii</i> (Esper, 1790)		B	M	3	3	2	8	III	
<i>algae</i> (Esper, 1789)		B	M	2	3	4	9	II	
ORIA Hübner, 1821									
<i>musculosa</i> (Hübner, 1808)		B	(M)	3	3	4	10	II	
DENTICUCULLUS Rákosi, 1996									
<i>pygmina</i> (Haworth, 1809)		B	M	2	3	3	8	III	
PHOTEDES Lederer, 1857									
<i>fluxa</i> (Hübner, 1809)		B	M	3	2	1	6	IV	
<i>captiuncula</i> (Treitschke, 1825)			(M)	3	3	5	11	I	
<i>minima</i> (Haworth, 1809)		B	M	5	2	3	10	II	
<i>morrisii</i> (Morris, 1837)			M	5	3	4	12	I	
<i>extrema</i> (Hübner, 1809)		B	M	4	3	4	11	I	
PABULATRIX Sugi, 1982									
<i>pabulatricula</i> (Brahm, 1791)		B	M	3	2	4	9	II	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
APAMEA Ochsenheimer, 1816									
<i>remissa</i> (Hübner, 1809)		B	M	3	1	1	5	IV	
<i>epomidion</i> (Haworth, 1809)		B	M	3	3	3	9	II	
<i>crenata</i> (Hufnagel, 1766)		B	M	3	2	1	6	IV	
<i>anceps</i> (Denis et Schiffermüller, 1775)		B	M	3	2	1	6	IV	
<i>sordens</i> (Hufnagel, 1766)		B	M	3	2	1	6	IV	
<i>illyria</i> Freyer, 1846		B	M	3	2	3	8	III	
<i>unanimis</i> (Hübner, 1813)		B	M	3	3	2	8	III	
<i>scolopacina</i> (Esper, 1788)		B	M	3	2	2	7	III	
<i>aquila</i> (Esper, 1788)			M*	5	3	5	13	I	
<i>oblonga</i> (Haworth, 1809)		B	M*	3	2	4	9	II	
<i>monoglypha</i> (Hufnagel, 1766)		B	M	3	1	1	5	IV	
<i>syriaca</i> (Osthelder, 1933)		B*	M*	3 ?	2	4	9 ?	II ?	
<i>lithoxylaea</i> (Denis et Schiffermüller, 1775)		B	M	3	2	1	6	IV	
<i>sublustris</i> (Esper, 1788)		B	M	3	2	2	7	III	
<i>furva</i> (Denis et Schiffermüller, 1775)		B	M	3	2	3	8	III	
<i>platinea</i> (Treitschke, 1825)			M	5	3	5	13	I	
<i>lateritia</i> (Hufnagel, 1766)		B	M	3	2	3	8	III	
<i>maillardi</i> (Geyer, 1834)		(B)		3	3	5	11	I	
<i>rubirena</i> (Treitschke, 1825)		B	M	3	2	4	9	II	
LATEROLIGIA Zilli, Fibiger et Ronkay, 2005									
<i>ophiogramma</i> (Esper, 1794)		B	M	3	3	4	10	II	
MESAPAMEA Heinicke, 1959									
<i>secalis</i> (Linnaeus, 1758)		B	M	3	1	1	5	IV	
<i>secalella</i> Remm, 1983		B	M	3	1	1	5	IV	
<i>remmi</i> Rezbanyei-Reser, 1985		(B*)		3	1	5	9	II	
LITOLIGIA Beck, 1999									
<i>literosa</i> (Haworth, 1809)		B	M	3	3	4	10	II	
MESOLIGIA Boursin, 1965									
<i>furuncula</i> (Denis et Schiffermüller, 1775)		B	M	3	2	1	6	IV	
OLIGIA Hübner, 1821									
<i>strigilis</i> (Linnaeus, 1758)		B	M	3	1	1	5	IV	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>versicolor</i> (Borkhausen, 1792)		B	M	2	2	2	6	IV	
<i>latruncula</i> (Denis et Schiffermüller, 1775)		B	M	3	2	2	7	III	
<i>fasciuncula</i> (Haworth, 1809)		B	M	3	3	4	10	II	
EPISEMA Ochsenheimer, 1816									
<i>tersa</i> (Denis et Schiffermüller, 1775)			M	3	3	4	10	II	
<i>glaucina</i> (Esper, 1789)		B	M	3	3	4	10	II	
CLEOCERIS Boisduval, 1836									
<i>scoriacea</i> (Esper, 1789)			M	4	3	4	11	I	
BRACHYLOMIA Hampson, 1906									
<i>viminalis</i> (Fabricius, 1777)		B	M	4	2	3	9	II	
PARASTICHTIS Hübner, 1821									
<i>suspecta</i> (Hübner, 1817)		B	M	2	2	2	6	IV	
APTEROGENUM Berio, 2002									
<i>ypsillon</i> (Denis et Schiffermüller, 1775)		B	M	2	2	3	7	III	
ATYPHA Hübner, 1821									
<i>pulmonaris</i> (Esper, 1790)		B	M	3	2	4	9	II	
TILIACEA Tutt, 1896									
<i>citrago</i> (Linnaeus, 1758)		B	M	4	2	2	8	III	
<i>aurago</i> (Denis et Schiffermüller, 1775)		B	M	2	2	3	7	III	
<i>sulphurago</i> (Denis et Schiffermüller, 1775)		(B)	(M)	2	2	5 ?	9 ?	II ?	
XANTHIA Ochsenheimer, 1816									
<i>togata</i> (Esper, 1788)		B	M	3	2	2	7	III	
CIRRHIA Hübner, 1823									
<i>icteritia</i> (Hufnagel, 1766)		B	M	2	2	1	5	IV	
<i>gilvago</i> (Denis et Schiffermüller, 1775)		(B)	M*	4	2	4	10	II	
<i>ocellaris</i> (Borkhausen, 1792)		B	M	2	2	2	6	IV	
AGROCHOLA Hübner, 1821									
<i>lychnidis</i> (Denis et Schiffermüller, 1775)		B	M	1	2	1	4	IV	
<i>nitida</i> (Denis et Schiffermüller, 1775)		B	M	1	2	2	5	IV	
<i>humilis</i> (Denis et Schiffermüller, 1775)		B	M	1	2	3	6	IV	
<i>litura</i> (Linnaeus, 1761)		B	M	1	2	1	4	IV	
<i>helvola</i> (Linnaeus, 1758)		B	M	1	2	1	4	IV	

[illegible]

[illegible]

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>polymita</i> (Linnaeus, 1761)		(B)	M	2	3	4	9	II	
<i>xanthomista</i> (Hübner, 1819)		B	M	2	3	4	9	II	
<i>flavicincta</i> (Denis et Schiffermüller, 1775)		B	(M)	2	3	4	9	II	
BLEPHARITA Hampson, 1907									
<i>amica</i> (Treitschke, 1825)		B*		2	2	5	9	II	
MNIOTYPE Franclemont, 1941									
<i>adusta</i> (Esper, 1790)		B	M	2	3	4	9	II	
<i>satura</i> (Denis et Schiffermüller, 1775)		B	M	2	2	2	6	IV	
PANOLIS Hübner, 1821									
<i>flammea</i> (Denis et Schiffermüller, 1775)		B	M	4	2	1	7	III	
ORTHOSIA Ochsenheimer, 1816									
<i>incerta</i> (Hufnagel, 1766)		B	M	2	1	1	4	IV	
<i>miniosa</i> (Denis et Schiffermüller, 1775)		B	M	2	3	4	9	II	
<i>cerasi</i> (Fabricius, 1775)		B	M	1	1	1	3	IV	
<i>cruda</i> (Denis et Schiffermüller, 1775)		B	M	2	2	1	5	IV	
<i>populeti</i> (Fabricius, 1781)		B	M	5	2	2	9	II	
<i>gracilis</i> (Denis et Schiffermüller, 1775)		B	M	1	1	1	3	IV	
<i>opima</i> (Hübner, 1809)		B	M	3	3	3	9	II	
<i>gothica</i> (Linnaeus, 1758)		B	M	1	1	1	3	IV	
ANORTHOA Berio, 1980									
<i>munda</i> (Denis et Schiffermüller, 1775)		B	M	2	2	3	7	III	
PERIGRAPHA Lederer, 1857									
<i>i-cinctum</i> (Denis et Schiffermüller, 1775)			M	2	3	4	9	II	
EGIRA Duponchel, 1845									
<i>conspicillaris</i> (Linnaeus, 1758)		B	M	1	1	1	3	IV	
CERAPTERYX Curtis, 1833									
<i>graminis</i> (Linnaeus, 1758)		B	M	3	1	2	6	IV	
THOLERA Hübner, 1821									
<i>decimalis</i> (Poda, 1761)		B	M	3	1	1	5	IV	
<i>cespitis</i> (Denis et Schiffermüller, 1775)		B	M	2	2	1	5	IV	
ANARTA Ochsenheimer, 1816									
<i>trifolii</i> (Hufnagel, 1766)		B	M	2	1	1	4	IV	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>odontites</i> (Boisduval, 1829)		(B)	(M*)	2	3	4	9	II	
<i>stigmosa</i> (Christoph, 1887)				?	?	5 ?	5	?	
<i>myrtili</i> (Linnaeus, 1761)		B	M	3	3	3	9	II	
CORANARTA Hacker, 1998									
<i>cordigera</i> (Thunberg, 1788)		B		3	3	5	11	I	
POLIA Ochsenheimer, 1816									
<i>bombycina</i> (Hufnagel, 1766)		B	M	2	2	2	6	IV	
<i>hepatica</i> (Clerck, 1759)		B	M	2	2	3	7	III	
<i>nebulosa</i> (Hufnagel, 1766)		B	M	2	1	1	4	IV	
<i>serratilinea</i> Ochsenheimer, 1816		(B)		4	3	5	12	I	
PACHETRA Guenée, 1841									
<i>sagittigera</i> (Hufnagel, 1766)		B	M	2	2	3	7	III	
LACANOBIA Billberg, 1820									
<i>w-latinum</i> (Hufnagel, 1766)		B	M	1	1	1	3	IV	
<i>thalassina</i> (Hufnagel, 1766)		B	M	2	2	1	5	IV	
<i>contigua</i> (Denis et Schiffermüller, 1775)		B	M	2	2	2	6	IV	
<i>suasa</i> (Denis et Schiffermüller, 1775)		B	M	2	1	2	5	IV	
<i>oleracea</i> (Linnaeus, 1758)		B	M	1	1	1	3	IV	
<i>splendens</i> (Hübner, 1808)		B*	M	2	2	5	9	II	
<i>aliena</i> (Hübner, 1809)		B	M	3	3	2	8	III	
MELANCHRA Hübner, 1820									
<i>persicariae</i> (Linnaeus, 1761)		B	M	2	1	1	4	IV	
CERAMICA Guenée, 1852									
<i>pisi</i> (Linnaeus, 1758)		B	M	2	1	1	4	IV	
PAPESTRA Suchareva, 1973									
<i>biren</i> (Goeze, 1781)		B	M	3	3	4	10	II	
HADA Billberg, 1820									
<i>plebeja</i> (Linnaeus, 1761)		B	M	2	1	2	5	IV	
HYSSIA Guenée, 1845									
<i>cavernosa</i> (Eversmann, 1842)			(M)	2	3	4	9	II	
MAMESTRA Ochsenheimer, 1816									
<i>brassicae</i> (Linnaeus, 1758)		B	M	2	1	1	4	IV	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
SIDERIDIS Hübner, 1821									
<i>lampra</i> (Schawerda, 1913)		B	(M)	3	3	4	10	II	
<i>turbida</i> (Esper, 1790)		B	M	2	3	4	9	II	
<i>rivularis</i> (Fabricius, 1775)		B	M	3	2	3	8	III	
<i>reticulata</i> (Goeze, 1781)		B	M	2	2	2	6	IV	
<i>kitti</i> (Schawerda, 1914)		B	M	4	3	4	11	I	
CONISANIA Hampson, 1905									
<i>leineri</i> (Freyer, 1836)			(M)	5	2	4	11	I	
LUTEOHADENA Beck, 1991									
<i>luteago</i> (Denis et Schiffermüller, 1775)		B	M	3	3	2	8	III	
HECATERA Guenée, 1852									
<i>bicolorata</i> (Hufnagel, 1766)		B	M	2	3	3	8	III	
<i>dysodea</i> (Denis et Schiffermüller, 1775)		B	M	2	2	3	7	III	
<i>cappa</i> (Hübner, 1809)	M		M*	4	3	5 ?	12 ?	I ?	
HADENA Schrank, 1802									
<i>capsincola</i> (Denis et Schiffermüller, 1775)		B	M	3	2	3	8	III	
<i>compta</i> (Denis et Schiffermüller, 1775)		B	M	3	2	4	9	II	
<i>confusa</i> (Hufnagel, 1766)		B	M	3	2	3	8	III	
<i>albimacula</i> (Borkhausen, 1792)		B	M	3	3	4	10	II	
<i>filograna</i> (Esper, 1788)		B	M	4	2	4	10	II	
<i>irregularis</i> (Hufnagel, 1766)		B	M	3	3	4	10	II	
<i>perplexa</i> (Denis et Schiffermüller, 1775)		B	M	3	3	3	9	II	
MYTHIMNA Ochsenheimer, 1816									
<i>turca</i> (Linnaeus, 1761)		B	M	3	3	2	8	III	
<i>pudorina</i> (Denis et Schiffermüller, 1775)		B	M	3	3	2	8	III	
<i>conigera</i> (Denis et Schiffermüller, 1775)		B	M	3	2	1	6	IV	
<i>pallens</i> (Linnaeus, 1758)		B	M	3	1	1	5	IV	
<i>impura</i> (Hübner, 1808)		B	M	3	2	2	7	III	
<i>straminea</i> (Treitschke, 1825)		B	M	3	3	3	9	II	
<i>vitellina</i> (Hübner, 1808)	M	B	M	3	2	4	9	III	-1
<i>andereggii</i> Boisduval, 1840		B	M*	3	3	4	10	II	
<i>unipuncta</i> (Haworth, 1809)	M	B	M	3	3	4	10	IV	-2

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>sicula</i> (Treitschke, 1835)		B*	M*	3	3	2	8	III	
<i>albipuncta</i> (Denis et Schiffermüller, 1775)		B	M	3	2	1	6	IV	
<i>ferrago</i> (Fabricius, 1787)		B	M	2	2	1	5	IV	
<i>l-album</i> (Linnaeus, 1767)	M	B	M	3	1	1	5	IV	
LEUCANIA Ochsenheimer, 1816									
<i>obsoleta</i> (Hübner, 1803)		B	M	5	3	4	12	I	
<i>comma</i> (Linnaeus, 1761)		B	M	3	2	2	7	III	
SENTA Ochsenheimer, 1816									
<i>flammea</i> (Curtis, 1828)			M*	5	3	5	13	I	
LASIONHADA Aurivilius, 1892									
<i>proxima</i> (Hübner, 1809)		B	M	2	2	3	7	III	
ERIOPYGODES Hampson, 1905									
<i>imbecilla</i> (Fabricius, 1794)		B	M	2	3	4	9	II	
PERIDROMA Hübner, 1821									
<i>saucia</i> (Hübner, 1808)	M	(B)	(M)	1	3	4	8	III	
ACTEBIA Stephens, 1829									
<i>fugax</i> (Treitschke, 1825)		(B)	(M)	4	2	4	10	II	
<i>praecox</i> (Linnaeus, 1758)		(B)	(M)	2	3	4	9	II	
DICHAGYRIS Lederer, 1857									
<i>musiva</i> (Hübner, 1803)		B	(M)	2	3	4	9	II	
<i>flammatra</i> (Denis et Schiffermüller, 1775)		(B*)	(M)	2	3	4	9	II	
<i>candelisequa</i> (Denis et Schiffermüller, 1775)		B	M	2	3	5	10	II	
<i>forcipula</i> (Denis et Schiffermüller, 1775)		B	M	2	3	4	9	II	
<i>nigrescens</i> (Höfner, 1887)		B*	M*	2 ?	3	5	10 ?	II ?	
<i>signifera</i> (Denis et Schiffermüller, 1775)		B	M	2	3	4	9	II	
EUXOA Hübner, 1821									
<i>vitta</i> (Esper, 1789)		B		2	3	4	9	II	
<i>obelisca</i> (Denis et Schiffermüller, 1775)		B	M	2	3	4	9	II	
<i>nigrofusca</i> (Esper, 1788)		B	M	2	2	2	6	IV	
<i>tritici</i> (Linnaeus, 1761)		B	M	2	3	3	8	III	
<i>eruta</i> (Hübner, 1827)		B*		2	3	5	10	II	
<i>nigricans</i> (Linnaeus, 1761)		B	M	2	1	1	4	IV	

[illegible]

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
<i>porphyrea</i> (Denis et Schiffermüller, 1775)		B	M	5	2	3	10	II	
EIPSILIA Hübner, 1821									
<i>latens</i> (Hübner, 1809)		B	M	3	3	4	10	II	
RHYACIA Hübner, 1821									
<i>simulans</i> (Hufnagel, 1766)		B	M	2	3	4	9	II	
<i>lucipeta</i> (Denis et Schiffermüller, 1775)		B	M	2	3	4	9	II	
CHERSOTIS Boisduval, 1840									
<i>rectangula</i> (Denis et Schiffermüller, 1775)	M	(B)	M	3	3	5	11	I	
<i>multangula</i> (Hübner, 1803)		B	M	2	3	4	9	II	
<i>margaritacea</i> (de Villers, 1789)		B	M	2	3	4	9	II	
<i>cuprea</i> (Denis et Schiffermüller, 1775)		B	M	2	3	4	9	II	
NOCTUA Linnaeus, 1758									
<i>pronuba</i> (Linnaeus, 1758)		B	M	2	1	1	4	IV	
<i>orbona</i> (Hufnagel, 1766)		B	M	2	2	4	8	III	
<i>interposita</i> (Hübner, 1789)		B	M	2	2	3	7	III	
<i>comes</i> Hübner, 1813		B	M	2	2	1	5	IV	
<i>fimbriata</i> (Schreber, 1759)		B	M	2	1	1	4	IV	
<i>janthina</i> Denis et Schiffermüller, 1775		B	M	2	2	1	5	IV	
<i>janthe</i> (Borkhausen, 1792)		B*	(M*)	2	1	3	6	IV	
<i>interjecta</i> (Hübner, 1802)		B	M*	2	2	3	7	III	
EPILECTA Hübner, 1821									
<i>linogrisea</i> (Denis et Schiffermüller, 1775)		B	M	2	3	4	9	II	
SPAELLOTIS Boisduval, 1840									
<i>ravida</i> (Denis et Schiffermüller, 1775)		B	M	2	2	3	7	III	
OPIGENA Boisduval, 1840									
<i>polygona</i> (Denis et Schiffermüller, 1775)	M	B	M	2	2	3	7	III	
EUROIS Hübner, 1821									
<i>occulta</i> (Linnaeus, 1758)		B	M	2	3	3	8	III	
GRAPHIPHORA Ochsenheimer, 1816									
<i>augur</i> (Fabricius, 1775)		B	M	2	2	3	7	III	
ANAPLECTOIDES McDunnough, 1929									
<i>prasina</i> (Denis et Schiffermüller, 1775)		B	M	2	2	2	6	IV	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
XESTIA Hübner, 1818									
<i>speciosa</i> (Hübner, 1813)		B	M	2	3	4	9	II	
<i>sincera</i> (Herrich-Schäffer, 1841)		(B)		5	3	5	13	I	
<i>rhaetica</i> (Staudinger, 1871)		B	M*	4	3	4	11	I	
<i>alpicola</i> (Zetterstedt, 1839)		B		3	3	5	11	I	
<i>c-nigrum</i> (Linnaeus, 1758)		B	M	2	1	1	4	IV	
<i>ditrapezium</i> (Denis et Schiffermüller, 1775)		B	M	2	2	1	5	IV	
<i>triangulum</i> (Hufnagel, 1766)		B	M	2	2	1	5	IV	
<i>ashworthii</i> (Doubleday, 1855)		B	M	2	3	4	9	II	
<i>baja</i> (Denis et Schiffermüller, 1775)		B	M	2	2	1	5	IV	
<i>stigmatica</i> (Hübner, 1813)		B	M	2	2	1	5	IV	
<i>castanea</i> (Esper, 1798)		B	M	2	3	4	9	II	
<i>collina</i> (Boisduval, 1840)		B	M	2	3	4	9	II	
<i>sexstrigata</i> (Haworth, 1809)		B	M	2	2	2	6	IV	
<i>xanthographa</i> (Denis et Schiffermüller, 1775)		B	M	2	2	1	5	IV	
<i>agathina</i> (Duponchel, 1827)		B*		3	3	5	11	I	
EUGRAPHE Hübner, 1821									
<i>sigma</i> (Denis et Schiffermüller, 1775)		B	M	2	2	3	7	III	
COENOPHILA Stephens, 1850									
<i>subrosea</i> (Stephens, 1829)		B		3	3	4	10	II	
EUGNORISMA Boursin, 1946									
<i>depuncta</i> (Linnaeus, 1761)		B	M	2	3	3	8	III	
<i>glareosa</i> (Esper, 1788)		B	M	2	3	3	8	III	
PROTOLAMPRA McDunnough, 1929									
<i>sobrina</i> (Duponchel, 1843)		B	M	2	3	4	9	II	
NAENIA Stephens, 1827									
<i>typica</i> (Linnaeus, 1758)		B	M	2	1	2	5	IV	
Lasiocampoidea									
Lasiocampidae									
MALACOSOMA Hübner, 1820									
<i>neustria</i> (Linnaeus, 1758)		B	M	2	1	1	4	IV	
<i>castrense</i> (Linnaeus, 1758)		B	M	2	3	4	9	II	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
ERIOGASTER Germar, 1810									
<i>lanestris</i> (Linnaeus, 1758)		B	M	2	2	2	6	IV	
<i>catax</i> (Linnaeus, 1758)			M	2	3	4	9	II	
<i>rimicola</i> (Denis et Schiffermüller, 1775)			M	4	2	4	10	II	
LASIOCAMPA Schrank, 1802									
<i>trifolii</i> (Denis et Schiffermüller, 1775)		B	M	1	2	2	5	IV	
<i>quercus</i> (Linnaeus, 1758)		B	M	1	2	3	6	IV	
MACROTHYLACIA Rambur, 1866									
<i>rubi</i> (Linnaeus, 1758)		B	M	1	2	1	4	IV	
POECILOCAMPA Stephens, 1828									
<i>populi</i> (Linnaeus, 1758)		B	M	2	1	2	5	IV	
TRICHIURA Stephens, 1828									
<i>crataegi</i> (Linnaeus, 1758)		B	M	2	2	1	5	IV	
DENDROLIMUS Germar, 1812									
<i>pini</i> (Linnaeus, 1758)		B	M	3	2	1	6	IV	
EUTHRIX Meigen, 1830									
<i>potatoria</i> (Linnaeus, 1758)		B	M	3	3	2	8	III	
COSMOTRICHE Hübner, 1820									
<i>lobulina</i> (Denis et Schiffermüller, 1775)		B	M	3	2	3	8	III	
PHYLLODESMA Hübner, 1820									
<i>ilicifolia</i> (Linnaeus, 1758)		B	M	2	3	4	9	II	
<i>tremulifolia</i> (Hübner, 1810)		B	M	2	2	3	7	III	
GASTROPACHA Ochsenheimer, 1810									
<i>quercifolia</i> (Linnaeus, 1758)		B	M	2	1	2	5	IV	
<i>populifolia</i> (Denis et Schiffermüller, 1775)		(B)	M	3	2	4	9	II	
ODONESTIS Germar, 1812									
<i>pruni</i> (Linnaeus, 1758)		B	M	3	2	3	8	III	
B o m b y c o i d e a									
Brahmaeidae									
LEMONIA Hübner, 1820									
<i>taraxaci</i> (Denis et Schiffermüller, 1775)		B	M	3	2	4	9	II	
<i>dumi</i> (Linnaeus, 1761)		B	M	3	2	4	9	II	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
Endromidae									
<i>ENDROMIS</i> Ochsenheimer, 1810									
<i>versicolora</i> (Linnaeus, 1758)		B	M	2	2	2	6	IV	
Saturniidae									
<i>AGLIA</i> Ochsenheimer, 1810									
<i>tau</i> (Linnaeus, 1758)		B	M	2	2	2	6	IV	
<i>SATURNIA</i> Schrank, 1802									
<i>pyri</i> (Denis et Schiffermüller, 1775)		B	M	2	1	3	6	IV	
<i>pavonia</i> (Linnaeus, 1758)		B	M	1	1	3	5	IV	
<i>pavoniella</i> (Scopoli, 1763)			M*	2	1	4	7	III	
Sphingidae									
Smerinthinae									
<i>MARUMBA</i> Moore, 1882									
<i>quercus</i> (Denis et Schiffermüller, 1775)			M	5	3	4	12	I	
<i>MIMAS</i> Hübner, 1819									
<i>tiliae</i> (Linnaeus, 1758)		B	M	2	1	1	4	IV	
<i>SMERINTHUS</i> Latreille, 1802									
<i>ocellatus</i> (Linnaeus, 1758)		B	M	2	1	1	4	IV	
<i>LAOTHOE</i> Fabricius, 1807									
<i>populi</i> (Linnaeus, 1758)		B	M	2	1	2	5	IV	
Sphinginae									
<i>AGRIUS</i> Hübner, 1819									
<i>convolvuli</i> (Linnaeus, 1758)	M	B	M	3	1	3	7	IV	-1
<i>ACHERONTIA</i> Laspeyres, 1809									
<i>atropos</i> (Linnaeus, 1758)	M	B	M	3	1	3	7	IV	-1
<i>SPHINX</i> Linnaeus, 1758									
<i>ligustri</i> Linnaeus, 1758		B	M	2	1	2	5	IV	
<i>pinastri</i> Linnaeus, 1758		B	M	3	1	1	5	IV	
Macroglossinae									
<i>HEMARIS</i> Dalman, 1816									
<i>tityus</i> (Linnaeus, 1758)		B	M	4	3	3	10	II	
<i>fuciformis</i> (Linnaeus, 1758)		B	M	3	2	2	7	III	

Soupis druhů ČR / Check-list of species of the Czech Republic	M/I	B	M	P	S	V	Suma/Sum	IH / Indicative value	Korekce / Correction
MACROGLOSSUM Scopoli, 1777									
<i>stellatarum</i> (Linnaeus, 1758)	M	B	M	4	2	1	7	IV	-1
DAPHNIS Hübner, 1819									
<i>nerii</i> (Linnaeus, 1758)	M	B	M	5	1	4	10	IV	-2
PROSERPINUS Hübner, 1819									
<i>proserpina</i> (Pallas, 1772)		B	M	3	2	4	9	II	
HYLES Hübner, 1819									
<i>euphorbiae</i> (Linnaeus, 1758)		B	M	4	2	3	9	II	
<i>gallii</i> (Rottemburg, 1775)		B	M	2	2	3	7	III	
<i>livornica</i> (Esper, 1780)	M	B	M	2	1	4	7	IV	-1
<i>vespertilio</i> (Esper, 1779)	M		(M*)	3	1	4 ?	8 ?	IV ?	-1
DEILEPHILA Laspeyres, 1809									
<i>elpenor</i> (Linnaeus, 1758)		B	M	2	2	2	6	IV	
<i>porcellus</i> (Linnaeus, 1758)		B	M	2	2	1	5	IV	
HIPPOTION Hübner, 1819									
<i>celerio</i> (Linnaeus, 1758)	M	(B)	(M)	3	1	4 ?	8 ?	IV ?	-1